

13-II-2007

CARIG Literature Citations – February 2007

Aeberli, I., Molinari, L., Spinas, G., Lehmann, R., l'Allemand, D., & Zimmermann, M. B. Dietary intakes of fat and antioxidant vitamins are predictors of subclinical inflammation in overweight Swiss children. Am.J.Clin.Nutr. 2006; 84: 748-755.

Anantachoke, N., Makha, M., Raston, C. L., Reutrakul, V., Smith, N. C., & Saunders, M. Fine tuning the production of nanosized beta-carotene particles using spinning disk processing. J.Am.Chem.Soc. 2006; 128: 13847-13853.

Aryana, K. J., Barnes, H. T., Emmick, T. K., McGrew, P., & Moser, B. Lutein is stable in strawberry yogurt and does not affect its characteristics. J.Food Sci. 2006; 71: S467-S472.

Balashov, S. P., Imasheva, E. S., & Lanyi, J. K. Induced chirality of the light-harvesting carotenoid salinixanthin and its interaction with the retinal of xanthorhodopsin. Biochemistry. 2006; 45: 10998-11004.

Ball, R. S. Issues to consider for preparing ferrets as research subjects in the laboratory. ILAR.J. 2006; 47: 348-357.

Baruah, T. & Pederson, M. R. Density functional study on a light-harvesting carotenoid-porphyrin-C(60) molecular triad. J.Chem.Phys. 2006; 125: 164706.

Beer, A., Gundermann, K., Beckmann, J., & Buchel, C. Subunit composition and pigmentation of fucoxanthin-chlorophyll proteins in diatoms: evidence for a subunit involved in diadinoxanthin and diatoxanthin binding. Biochemistry. 2006; 45: 13046-13053.

Ben-Amotz, A., Volkis, B., & Mokady, S. Selective distribution of beta-carotene stereoisomers in rat tissues. Nutr.Res. 2005; 25: 1005-1012.

Bertrand, S., Faivre, B., & Sorci, G. Do carotenoid-based sexual traits signal the availability of non-pigmentary antioxidants? J.Exp.Biol. 2006; 209: 4414-4419.

Bezradica, D., Milic-Askrabic, J., Petrovic, S. D., & Siler-Marinkovic, S. An investigation of influence of solvent on the degradation kinetics of carotenoids in oil extracts of *Calendula officinalis*. Journal of the Serbian Chemical Society 2005; 70: 115-124.

Bleys, J., Miller, E. R., III, Pastor-Barriuso, R., Appel, L. J., & Guallar, E. Vitamin-mineral supplementation and the progression of atherosclerosis: a meta-analysis of randomized controlled trials. Am.J.Clin.Nutr. 2006; 84: 880-887.

Bohme, K., Richter, C., & Patz, R. New insights into mechanisms of growth and beta-carotene production in *Blakeslea trispora*. Biotechnol.J. 2006; 1: 1080-1084.

Bourre, J. M. & Galea, F. An important source of omega-3 fatty acids, vitamins D and E, carotenoids, iodine and selenium: A new natural multi-enriched egg. J.Nutr.Health Aging. 2006; 10: 371-376.

Briviba, K., Bornemann, R., & Lemmer, U. Visualization of astaxanthin localization in HT29

human colon adenocarcinoma cells by combined confocal resonance Raman and fluorescence microspectroscopy. Mol.Nutr.Food Res. 2006; 50: 991-995.

Brown, C. R. Antioxidants in potato. American Journal of Potato Research 2005; 82: 163-172.

Calvo, M. M. Lutein: A valuable ingredient of fruit and vegetables. Crit Rev.Food Sci.Nutr. 2005; 45: 671-696.

Campbell, J. K., Stroud, C. K., Nakamura, M. T., Lila, M. A., & Erdman, J. W., Jr. Serum testosterone is reduced following short-term phytofluene, lycopene, or tomato powder consumption in f344 rats. J.Nutr. 2006; 136: 2813-2819.

Carmona, M., Zalacain, A., Salinas, M. R., & Alonso, G. L. Generation of saffron volatiles by thermal carotenoid degradation. J.Agric.Food Chem. 2006; 54: 6825-6834.

Cemek, M., Dede, S., Bayiroglu, F., Caksen, H., Cemek, F., & Mert, N. Relationship between antioxidant capacity and oxidative stress in children with acute hepatitis A. World J.Gastroenterol. 2006; 12: 6212-6215.

Chen, Z., Lee, C., Lenzer, T., & Oum, K. Solvent effects on the S0(1(1)Ag-) --> S2(1(1)Bu+) transition of beta-carotene, echinenone, canthaxanthin, and astaxanthin in supercritical CO₂ and CF₃H. J.Phys.Chem.A Mol.Spectrosc.Kinet.Environ.Gen.Theory. 2006; 110: 11291-11297.

Chichili, G. R., Nohr, D., Frank, J., Flaccus, A., Fraser, P. D., Enfissi, E. M., & Biesalski, H. K. Protective effects of tomato extract with elevated beta-carotene levels on oxidative stress in ARPE-19 cells. Br.J.Nutr. 2006; 96: 643-649.

Choi, S. Y., Park, J. H., Kim, J. S., Kim, M. K., Aruoma, O. I., & Sung, M. K. Effects of quercetin and beta-carotene supplementation on azoxymethane-induced colon carcinogenesis and inflammatory responses in rats fed with high-fat diet rich in omega-6 fatty acids. Biofactors. 2006; 27: 137-146.

Choubert, G., Cravedi, J. P., & Laurentie, M. Pharmacokinetics and bioavailabilities of C-14-keto-carotenoids, astaxanthin and canthaxanthin, in rainbow trout, *Oncorhynchus mykiss*. Aquaculture Research 2005; 36: 1526-1534.

Cinar, I. Stability studies on the enzyme extracted sweet potato carotenoproteins. Food Chem. 2005; 89: 397-401.

Cortes, C., Torregrosa, F., Esteve, M. J., & Frigola, A. Carotenoid profile modification during refrigerated storage in untreated and pasteurized orange juice and orange juice treated with high-intensity pulsed electric fields. J.Agric.Food Chem. 2006; 54: 6247-6254.

Cortes, C., Esteve, M. J., Rodrigo, D., Torregrosa, F., & Frigola, A. Changes of colour and carotenoids contents during high intensity pulsed electric field treatment in orange juices. Food Chem.Toxicol. 2006; 44: 1932-1939.

Cucco, M., Guasco, B., Malacarne, G., & Ottonelli, R. Effects of beta-carotene supplementation on chick growth, immune status and behaviour in the grey partridge, *Perdix perdix*. Behav.Processes. 2006; 73: 325-332.

Czernichow, S., Bertrais, S., Blacher, J., Galan, P., Briancon, S., Favier, A., Safar, M., & Hercberg, S. [Antioxidant supplements and risk of hypertension in the SU.VI.MAX trial: relationship to plasma antioxidants]. Arch.Mal Coeur Vaiss. 2006; 99: 665-668.

Dai, Q., Borenstein, A. R., Wu, Y., Jackson, J. C., & Larson, E. B. Fruit and vegetable juices and Alzheimer's disease: the Kame Project. Am.J.Med. 2006; 119: 751-759.

Datta, K. & Datta, S. K. Indica rice (*Oryza sativa*, BR29 and IR64). Methods Mol.Biol. 2006; 343: 201-212.

de Moraes, E. B., Alvarez, M. E., Maciel, M. R., & Maciel, F. R. Simulation and optimization of a supercritical extraction process for recovering provitamin A. Appl.Biochem.Biotechnol. 2006; 129-132:1041-50.

Devaraj, S., Autret, B. C., & Jialal, I. Reduced-calorie orange juice beverage with plant sterols lowers C-reactive protein concentrations and improves the lipid profile in human volunteers. Am.J.Clin.Nutr. 2006; 84: 756-761.

Dosti, M. P., Mills, J. P., Simon, P. W., & Tanumihardjo, S. A. Bioavailability of beta-carotene (betaC) from purple carrots is the same as typical orange carrots while high-betaC carrots increase betaC stores in Mongolian gerbils (*Meriones unguiculatus*). Br.J.Nutr. 2006; 96: 258-267.

Driskell, J. A., Giraud, D. W., Drewel, B. T., & Davy, S. R. Dietary intakes and plasma concentrations of vitamin C, selenium, and carotenoids of a group of preschool children. Nutr.Res. 2006; 26: 23-26.

Durbeej, B. & Eriksson, L. A. Protein-bound chromophores astaxanthin and phytochromobilin: excited state quantum chemical studies. Phys.Chem.Chem.Phys. 2006; 8: 4053-4071.

El Agamey, A., Edge, R., Navaratnam, S., Land, E. J., & Truscott, T. G. Carotenoid radical anions and their protonated derivatives. Org.Lett. 2006; 8: 4255-4258.

Englberger, L., Aalbersberg, W., Dolodolotawake, U., Schierle, J., Humphries, J., Iuta, T., Marks, G. C., Fitzgerald, M. H., Rimon, B., & Kaiririete, M. Carotenoid content of pandanus fruit cultivars and other foods of the Republic of Kiribati. Public Health Nutr. 2006; 9: 631-643.

Escaron, A. L. & Tanumihardjo, S. A. Absorption and transit of lutein and beta-carotene supplements in the Mongolian gerbil (*Meriones unguiculatus*). Int.J.Vitam.Nutr.Res. 2006; 76: 315-323.

Failla, M. L. & Chitchumroonchokchai, C. HarvestPlus Technical Monograph Series. 3. In vitro Models as Tools for Screening the Relative Bioavailabilities of Provitamin A Carotenoids in Foods, Washington, DC: HarvestPlus; 2005, pp. 1-32.

Fernandez-Riestra, F. A., Garces, C., Lahoz, C., Lasuncion, M. A., Castilla, P., Viturro, E., Cano, B., & de Oya, M. Metabolic adaptation in the crew of the *Hesperides* on their Antarctic journey. Nutr.Metab Cardiovasc.Dis. 2006; 16: 494-499.

Fiorentino, A., D'Abrosca, B., Pacifico, S., Mastellone, C., Piscopo, V., & Monaco, P. Spectroscopic identification and antioxidant activity of glucosylated carotenoid metabolites from

Cydonia vulgaris fruits. J.Agric.Food Chem. 2006; 54: 9592-9597.

Fish, W. W. Interaction of sodium dodecyl sulfate with watermelon chromoplasts and examination of the organization of lycopene within the chromoplasts. J.Agric.Food Chem. 2006; 54: 8294-8300.

Foss, B. J., Nadolski, G., & Lockwood, S. F. Hydrophilic carotenoid amphiphiles: methods of synthesis and biological applications. Mini.Rev.Med.Chem. 2006; 6: 953-969.

Frengova, G. I., Simova, E. D., & Beshkova, D. M. Beta-carotene-rich carotenoid-protein preparation and exopolysaccharide production by *Rhodotorula rubra* GED8 grown with a yogurt starter culture. Z.Naturforsch.[C]. 2006; 61: 571-577.

Galassetti, P. & Pontello, A. Dietary effects on oxidation of low-density lipoprotein and atherogenesis. Curr.Atheroscler.Rep. 2006; 8: 523-529.

Gao, Y., Focsan, A. L., Li, Y. Y., & Kispert, L. D. DFT and experimental examination of the oxidation/reduction of a thiol-substituted carotenoid with gold versus glassy carbon electrodes. J.Phys.Chem.A Mol.Spectrosc.Kinet.Environ.Gen.Theory. 2006; 110: 10091-10097.

Garcia-Casal, M. N. Carotenoids increase iron absorption from cereal-based food in the human. Nutr.Res. 2006; 26: 340-344.

Gerjets, T. & Sandmann, G. Ketocarotenoid formation in transgenic potato. J.Exp.Bot. 2006; 57: 3639-3645.

Gliszczynska-Swiglo, A., Ciska, E., Pawlak-Lemanska, K., Chmielewski, J., Borkowski, T., & Tyrakowska, B. Changes in the content of health-promoting compounds and antioxidant activity of broccoli after domestic processing. Food Addit.Contam. 2006; 23: 1088-1098.

Goodman, M., Bostick, R. M., Ward, K. C., Terry, P. D., van Gils, C. H., Taylor, J. A., & Mandel, J. S. Lycopene intake and prostate cancer risk: effect modification by plasma antioxidants and the XRCC1 genotype. Nutr.Cancer. 2006; 55: 13-20.

Goodrow, E. F., Wilson, T. A., Houde, S. C., Vishwanathan, R., Scollin, P. A., Handelman, G., & Nicolosi, R. J. Consumption of one egg per day increases serum lutein and zeaxanthin concentrations in older adults without altering serum lipid and lipoprotein cholesterol concentrations. J.Nutr. 2006; 136: 2519-2524.

Goss, R., Ann, P. E., Wilhelm, C., & Richter, M. The importance of a highly active and β -pH-regulated diatoxanthin epoxidase for the regulation of the PS II antenna function in diadinoxanthin cycle containing algae. J.Plant Physiol. 2006; 163: 1008-1021.

Goyal, A., Delves, G. H., Chopra, M., Lwaleed, B. A., & Cooper, A. J. Prostate cells exposed to lycopene in vitro liberate lycopene-enriched exosomes. BJU.Int. 2006; 98: 907-911.

Gruszecki, W. I., Grudzinski, W., Gospodarek, M., Patyra, M., & Maksymiec, W. Xanthophyll-induced aggregation of LHCII as a switch between light-harvesting and energy dissipation systems. Biochim.Biophys.Acta. 2006; 1757: 1504-1511.

Halim, Y., Schwartz, S. J., Francis, D., Baldauf, N. A., & Rodriguez-Saona, L. E. Direct

determination of lycopene content in tomatoes (*Lycopersicon esculentum*) by attenuated total reflectance infrared spectroscopy and multivariate analysis. J.AOAC Int. 2006; 89: 1257-1262.

Hess, S. Y., Thurnham, D. I., & Hurrell, R. F. HarvestPlus Technical Monograph Series. 6. Influence of Provitamin A Carotenoids on Iron, Zinc, and Vitamin A Status, Washington, DC: HarvestPlus; 2005, pp. 1-28.

Hofmann, C. M., Cronin, T. W., & Omland, K. E. Using spectral data to reconstruct evolutionary changes in coloration: carotenoid color evolution in New World orioles. Evolution Int.J.Org.Evolution. 2006; 60: 1680-1691.

Horak, P., Zilmer, M., Saks, L., Ots, I., Karu, U., & Zilmer, K. Antioxidant protection, carotenoids and the costs of immune challenge in greenfinches. J.Exp.Biol. 2006; 209: 4329-4338.

Howe, J. A. & Tanumihardjo, S. A. Evaluation of analytical methods for carotenoid extraction from biofortified maize (*Zea mays* sp.). J.Agric.Food Chem. 2006; 54: 7992-7997.

Howe, J. A. & Tanumihardjo, S. A. Carotenoid-biofortified maize maintains adequate vitamin A status in Mongolian gerbils. J.Nutr. 2006; 136: 2562-2567.

Howitt, C. A. & Pogson, B. J. Carotenoid accumulation and function in seeds and non-green tissues. Plant Cell Environ. 2006; 29: 435-445.

Im, C. S., Eberhard, S., Huang, K., Beck, C. F., & Grossman, A. R. Phototropin involvement in the expression of genes encoding chlorophyll and carotenoid biosynthesis enzymes and LHC apoproteins in *Chlamydomonas reinhardtii*. Plant J. 2006; 48: 1-16.

Imamura, T., Bando, N., & Yamanishi, R. Beta-carotene modulates the immunological function of RAW264, a murine macrophage cell line, by enhancing the level of intracellular glutathione. Biosci.Biotechnol.Biochem. 2006; 70: 2112-2120.

Itagaki, S., Ogura, W., Sato, Y., Noda, T., Hirano, T., Mizuno, S., & Iseki, K. Characterization of the disposition of lutein after i.v. administration to rats. Biol.Pharm.Bull. 2006; 29: 2123-2125.

Jaiswal, M. A., Largent, J., Ziogas, A., Peel, D., & Anton-Culver, H. Dietary fat, fiber, vegetable, and micronutrients are associated with overall survival in postmenopausal women diagnosed with breast cancer. Nutr.Cancer. 2006; 55: 132-140.

Jarrett, S. G., Cuenco, J., & Boulton, M. Dietary antioxidants provide differential subcellular protection in epithelial cells. Redox.Rep. 2006; 11: 144-152.

Karadas, F., Grammenidis, E., Surai, P. F., Acamovic, T., & Sparks, N. H. Effects of carotenoids from lucerne, marigold and tomato on egg yolk pigmentation and carotenoid composition. Br.Poult.Sci. 2006; 47: 561-566.

Kopsell, D. A., Lefsrud, M. G., Kopsell, D. E., Wenzel, A. J., Gerweck, C., & Curran-Celentano, J. Spinach cultigen variation for tissue carotenoid concentrations influences human serum carotenoid levels and macular pigment optical density following a 12-week dietary intervention. J.Agric.Food Chem. 2006; 54: 7998-8005.

Kopsell, D. A. & Kopsell, D. E. Accumulation and bioavailability of dietary carotenoids in

vegetable crops. Trends Plant Sci. 2006; 11: 499-507.

Koushik, A., Hunter, D. J., Spiegelman, D., Anderson, K. E., Buring, J. E., Freudenheim, J. L., Goldbohm, R. A., Hankinson, S. E., Larsson, S. C., Leitzmann, M., Marshall, J. R., McCullough, M. L., Miller, A. B., Rodriguez, C., Rohan, T. E., Ross, J. A., Schatzkin, A., Schouten, L. J., Willett, W. C., Wolk, A., Zhang, S. M., & Smith-Warner, S. A. Intake of the major carotenoids and the risk of epithelial ovarian cancer in a pooled analysis of 10 cohort studies. Int.J.Cancer. 2006; 119: 2148-2154.

Kuhn, L., Coutsoudis, A., Trabattoni, D., Archary, D., Rossi, T., Segat, L., Clerici, M., & Crovella, S. Synergy between mannose-binding lectin gene polymorphisms and supplementation with vitamin A influences susceptibility to HIV infection in infants born to HIV-positive mothers. Am.J.Clin.Nutr. 2006; 84: 610-615.

Kuntz, E., Hoeller, U., Greatrix, B., Larkin, C., Seifert, N., Acharya, S., Riss, G., Buchwald-Hunziker, P., Hunziker, W., Goralczyk, R., & Wertz, K. Beta-carotene and apocarotenals promote retinoid signaling in BEAS-2B human bronchioepithelial cells. Arch.Biochem.Biophys. 2006; 455: 48-60.

Liang, C., Zhao, F., Wei, W., Wen, Z., & Qin, S. Carotenoid biosynthesis in cyanobacteria: structural and evolutionary scenarios based on comparative genomics. Int.J.Biol.Sci. 2006; 2: 197-207.

Lietz, G., Mulokozi, G., Henry, J. C., & Tomkins, A. M. Xanthophyll and hydrocarbon carotenoid patterns differ in plasma and breast milk of women supplemented with red palm oil during pregnancy and lactation. J.Nutr. 2006; 136: 1821-1827.

Liu, Y. S. & Wu, J. Y. Use of n-hexadecane as an oxygen vector to improve *Phaffia rhodozyma* growth and carotenoid production in shake-flask cultures. J.Appl.Microbiol. 2006; 101: 1033-1038.

Lodi, G., Sardella, A., Bez, C., Demarosi, F., & Carrassi, A. Interventions for treating oral leukoplakia. Cochrane.Database.Syst.Rev. 2006; CD001829.

Lucarini, M., Lanzi, S., D'Evoli, L., Aguzzi, A., & Lombardi-Boccia, G. Intake of vitamin A and carotenoids from the Italian population - results of an Italian total diet study. Int.J.Vitam.Nutr.Res. 2006; 76: 103-109.

Lunet, N., Valbuena, C., Carneiro, F., Lopes, C., & Barros, H. Antioxidant vitamins and risk of gastric cancer: a case-control study in Portugal. Nutr.Cancer. 2006; 55: 71-77.

Maoka, T. & Akimoto, N. 2,3'-Dihydroxycanthaxanthin, a new carotenoid with a 2-hydroxy-4-oxo-beta-end group from the hermit crab, *Paralithodes brevipes*. Chem.Pharm.Bull.(Tokyo). 2006; 54: 1462-1464.

Marasco, E. K., Vay, K., & Schmidt-Dannert, C. Identification of carotenoid cleavage dioxygenases from *Nostoc* sp. PCC 7120 with different cleavage activities. J.Biol.Chem. 2006; 281: 31583-31593.

Mares, J. A., Larowe, T. L., Snodderly, D. M., Moeller, S. M., Gruber, M. J., Klein, M. L., Wooten, B. R., Johnson, E. J., & Chappell, R. J. Predictors of optical density of lutein and zeaxanthin in

retinas of older women in the Carotenoids in Age-Related Eye Disease Study, an ancillary study of the Women's Health Initiative. Am.J.Clin.Nutr. 2006; 84: 1107-1122.

Mares, J. A. Potential value of antioxidant-rich foods in slowing age-related macular degeneration. Arch.Ophthalmol. 2006; 124: 1339-1340.

Maresca, J. A. & Bryant, D. A. Two genes encoding new carotenoid-modifying enzymes in the green sulfur bacterium *Chlorobium tepidum*. J.Bacteriol. 2006; 188: 6217-6223.

Markovic, K., Hruskar, M., & Vahcic, N. Lycopene content of tomato products and their contribution to the lycopene intake of Croatians. Nutr.Res. 2006; 26: 556-560.

Martinez-Ferrer, M., Verghese, M., Walker, L. T., Shackelford, L., Chawan, C. B., & Jhala, N. Lycopene reduces azoxymethane-induced colon tumors in Fisher 344 rats. Nutr.Res. 2006; 26: 84-91.

Melendez-Martinez, A. J., Vicario, I. M., & Heredia, F. J. Stability of carotenoid pigments in foods. Arch.Latinoam.Nutr. 2004; 54: 209-215.

Mendez-Robles, M. D., Permaday, H. H., Jaramillo-Flores, M. E., Lugo-Cervantes, E. C., Cardador-Martinez, A., Canales-Aguirre, A. A., Lopez-Dellamary, F., Cerda-Garcia-Rojas, C. M., & Tamariz, J. C-26 and C-30 apocarotenoids from seeds of *Ditaxis heterantha* with antioxidant activity and protection against DNA oxidative damage. J.Nat.Prod. 2006; 69: 1140-1144.

Meneses, F. & Trugo, N. M. F. Retinol, beta-carotene, and lutein + zeaxanthin in the milk of Brazilian nursing women: associations with plasma concentrations and influences of maternal characteristics. Nutr.Res. 2005; 25: 443-451.

Mezadri, T., Fernandez-Pachon, M. S., Villano, D., Garcia-Parrilla, M. C., & Troncoso, A. M. [The acerola fruit: composition, productive characteristics and economic importance]. Arch.Latinoam.Nutr. 2006; 56: 101-109.

Mills, J. P. & Tanumihardjo, S. A. Vitamin A toxicity in wild-caught African green velvet monkeys (*Chlorocebus aethiops*) after 2 years in captivity. Comp Med. 2006; 56: 421-425.

Moeller, S. M., Parekh, N., Tinker, L., Ritenbaugh, C., Blodi, B., Wallace, R. B., & Mares, J. A. Associations between intermediate age-related macular degeneration and lutein and zeaxanthin in the Carotenoids in Age-related Eye Disease Study (CAREDS): ancillary study of the Women's Health Initiative. Arch.Ophthalmol. 2006; 124: 1151-1162.

Moretti, V. M., Mentasti, T., Bellagamba, F., Luzzana, U., Caprino, F., Turchini, G. M., Giani, I., & Valfre, F. Determination of astaxanthin stereoisomers and colour attributes in flesh of rainbow trout (*Oncorhynchus mykiss*) as a tool to distinguish the dietary pigmentation source. Food Addit.Contam. 2006; 23: 1056-1063.

Mulokozi, G., Hedren, E., & Svanberg, U. In vitro accessibility and intake of beta-carotene from cooked green leafy vegetables and their estimated contribution to vitamin A requirements. Plant Foods Hum.Nutr. 2004; 59: 1-9.

Muriach, M., Bosch-Morell, F., Alexander, G., Blomhoff, R., Barcia, J., Arnal, E., Almansa, I., Romero, F. J., & Miranda, M. Lutein effect on retina and hippocampus of diabetic mice. Free

Radic.Biol.Med. 2006; 41: 979-984.

Nanou, K., Roukas, T., & Kotzekidou, P. Role of hydrolytic enzymes and oxidative stress in autolysis and morphology of *Blakeslea trispora* during beta-carotene production in submerged fermentation. Appl.Microbiol.Biotechnol. 2006; 74:447-453.

Nantz, M. P., Rowe, C. A., Nieves, C., Jr., & Percival, S. S. Immunity and antioxidant capacity in humans is enhanced by consumption of a dried, encapsulated fruit and vegetable juice concentrate. J.Nutr. 2006; 136: 2606-2610.

Navara, K. J., Badyaev, A. V., Mendonca, M. T., & Hill, G. E. Yolk antioxidants vary with male attractiveness and female condition in the House Finch (*Carpodacus mexicanus*). Physiol Biochem.Zool. 2006; 79: 1098-1105.

Niedzwiedzki, D. M., Sullivan, J. O., Polivka, T., Birge, R. R., & Frank, H. A. Femtosecond time-resolved transient absorption spectroscopy of xanthophylls. J.Phys.Chem.B Condens.Matter Mater.Surf.Interfaces.Biophys. 2006; 110: 22872-22885.

Ohmiya, A., Kishimoto, S., Aida, R., Yoshioka, S., & Sumitomo, K. Carotenoid cleavage dioxygenase (CmCCD4a) contributes to white color formation in *Chrysanthemum* petals. Plant Physiol. 2006; 142: 1193-1201.

Okubo, Y., Futamata, H., & Hiraishi, A. Characterization of phototrophic purple nonsulfur bacteria forming colored microbial mats in a swine wastewater ditch. Appl.Environ.Microbiol. 2006; 72: 6225-6233.

Oliveira, C., Barbosa, A., Silva Ferreira, A. C., Guerra, J., & Guedes De Pinho, P. Carotenoid profile in grapes related to aromatic compounds in wines from Douro region. J.Food Sci. 2006; 71: S1-S7.

Oliver, J., Palou, A., & Pons, A. Semi-quantification of carotenoids by high-performance liquid chromatography: saponification-induced losses in fatty foods. J.Chromatogr.A 2006; 829: 393-399.

Ortega, R. M., Palencia, A., & Lopez-Sobaler, A. M. Improvement of cholesterol levels and reduction of cardiovascular risk via the consumption of phytosterols. Br.J.Nutr. 2006; 96 Suppl 1:S89-93.: S89-S93.

Papandreou, M. A., Kanakis, C. D., Polissiou, M. G., Efthimiopoulos, S., Cordopatis, P., Margarity, M., & Lamari, F. N. Inhibitory activity on amyloid-beta aggregation and antioxidant properties of *Crocus sativus* stigmas extract and its crocin constituents. J.Agric.Food Chem. 2006; 54: 8762-8768.

Paterson, E., Gordon, M. H., Niwat, C., George, T. W., Parr, L., Waroonphan, S., & Lovegrove, J. A. Supplementation with fruit and vegetable soups and beverages increases plasma carotenoid concentrations but does not alter markers of oxidative stress or cardiovascular risk factors. J.Nutr. 2006; 136: 2849-2855.

Penniston, K. L. & Tanumihardjo, S. A. Vitamin A intake of captive rhesus monkeys exceeds National Research Council recommendations. Am.J.Primatol. 2006; 68: 1114-1119.

Perez-Galvez, A. & Minguez-Mosquera, M. I. Esterification of xanthophylls and its effect on chemical behavior and bioavailability of carotenoids in the human. Nutr.Res. 2005; 25: 631-640.

Perkins-Veazie, P. & Collins, J. K. Carotenoid changes of intact watermelons after storage. J.Agric.Food Chem. 2006; 54: 5868-5874.

Pierce, J. P., Natarajan, L., Sun, S., Al Delaimy, W., Flatt, S. W., Kealey, S., Rock, C. L., Thomson, C. A., Newman, V. A., Ritenbaugh, C., Gold, E. B., & Caan, B. J. Increases in plasma carotenoid concentrations in response to a major dietary change in the women's healthy eating and living study. Cancer Epidemiol.Biomarkers Prev. 2006; 15: 1886-1892.

Polagruto, J. A., Wang-Polagruto, J. F., Braun, M. M., Lee, L., Kwik-Uribe, C., & Keen, C. L. Cocoa flavanol-enriched snack bars containing phytosterols effectively lower total and low-density lipoprotein cholesterol levels. J.Am.Diet.Assoc. 2006; 106: 1804-1813.

Polivka, T., Hiller, R. G., & Frank, H. A. Spectroscopy of the peridinin-chlorophyll-a protein: Insight into light-harvesting strategy of marine algae. Arch.Biochem.Biophys. 2007; 458: 111-120.

Porcu, O. M. & Rodriguez-Amaya, D. B. Variation in the carotenoid composition of acerola and its processed products. J.Sci.Food Agric. 2006; 86: 1916-1920.

Prakash, S., Alia, A., Gast, P., de Groot, H. J., Matysik, J., & Jeschke, G. Photo-CIDNP MAS NMR in intact cells of *Rhodobacter sphaeroides* R26: molecular and atomic resolution at nanomolar concentration. J.Am.Chem.Soc. 2006; 128: 12794-12799.

Rao, A. V., Ray, M. R., & Rao, L. G. Lycopene. Adv.Food Nutr.Res. 2006; 51: 99-164.

Reboul, E., Richelle, M., Perrot, E., Desmoulins-Malezet, C., Pirisi, V., & Borel, P. Bioaccessibility of carotenoids and vitamin E from their main dietary sources. J.Agric.Food Chem. 2006; 54: 8749-8755.

Ren, D., Peng, G., Huang, H., Wang, H., & Zhang, S. Effect of rhodoxanthin from *Potamogeton crispus* L. on cell apoptosis in Hela cells. Toxicol.In Vitro. 2006; 20: 1411-1418.

Reksuppaphol, S. & Reksuppaphol, L. Effect of fruit and vegetable intake on skin carotenoid detected by non-invasive Raman spectroscopy. J.Med.Assoc.Thai. 2006; 89: 1206-1212.

Ribeiro, H. S., Guerrero, J. M., Briviba, K., Reckkemmer, G., Schuchmann, H. P., & Schubert, H. Cellular uptake of carotenoid-loaded oil-in-water emulsions in colon carcinoma cells *in vitro*. J.Agric.Food Chem. 2006; 54: 9366-9369.

Richelle, M., Sabatier, M., Steiling, H., & Williamson, G. Skin bioavailability of dietary vitamin E, carotenoids, polyphenols, vitamin C, zinc and selenium. Br.J.Nutr. 2006; 96: 227-238.

Riso, P., Brusamolino, A., Martinetti, A., & Porrini, M. Effect of a tomato drink intervention on Insulin-like Growth Factor (IGF)-1 serum levels in healthy subjects. Nutr.Cancer. 2006; 55: 157-162.

Robman, L., Vu, H., Hodge, A., McCarty, C. A., & Taylor, H. R. Dietary lutein and zeaxanthin: authors' response. Br.J.Ophthalmol. 2006; 90: 1211-1212.

Roca, M., Hornero-Mendez, D., Gandul-Rojas, B., & Minguez-Mosquera, M. I. Stay-Green phenotype slows the carotenogenic process in *Capsicum annuum* (L.) fruits. J.Agric.Food Chem. 2006; 54: 8782-8787.

Ross, A. C. Vitamin A and carotenoids. In: Shils, M. E., Shike, M., Ross, A. C., Caballero, B., & Cousins, R. J., eds. Modern Nutrition in Health and Disease. Philadelphia: Lippincott Williams & Wilkins; (2006). pp. 351-375.

Russell, R. M. The multifunctional carotenoids: insights into their behavior. J.Nutr. 2006; 136: 2690S-2692S.

Sandmann, G., Zhu, C., Krubasik, P., & Fraser, P. D. The biotechnological potential of the al-2 gene from *Neurospora crassa* for the production of monocyclic keto hydroxy carotenoids. Biochim.Biophys.Acta. 2006; 1761: 1085-1092.

Santabarbara, S. Limited sensitivity of pigment photo-oxidation in isolated thylakoids to singlet excited state quenching in photosystem II antenna. Arch.Biochem.Biophys. 2006; 455: 77-88.

Santocono, M., Zurria, M., Berrettini, M., Fedeli, D., & Falcioni, G. Influence of astaxanthin, zeaxanthin and lutein on DNA damage and repair in UVA-irradiated cells. J.Photochem.Photobiol.B. 2006; 85: 205-215.

Sarada, R., Vidhyavathi, R., Usha, D., & Ravishankar, G. A. An efficient method for extraction of astaxanthin from green alga *Haematococcus pluvialis*. J.Agric.Food Chem. 2006; 54: 7585-7588.

Schafer, L., Sandmann, M., Woitsch, S., & Sandmann, G. Coordinate up-regulation of carotenoid biosynthesis as a response to light stress in *Synechococcus* PCC7942. Plant Cell Environ. 2006; 29: 1349-1356.

Schelz, Z., Molnar, J., Fogliano, V., Ferracane, R., Pernice, R., Shirataki, Y., & Motohashi, N. Qualitative analysis of MDR-reversing Anastasia Black (Russian black sweet pepper, *Capsicum annuum*, Solanaceae) extracts and fractions by HPLC and LC-MS-MS methods. In Vivo. 2006; 20: 651-656.

Schlatterer, J., Breithaupt, D. E., Wolters, M., & Hahn, A. Plasma responses in human subjects after ingestions of multiple doses of natural alpha-cryptoxanthin: a pilot study. Br.J.Nutr. 2006; 96: 371-376.

Schulz, C., Engel, U., Kreienberg, R., & Biesalski, H. K. Vitamin A and beta-carotene supply of women with gemini or short birth intervals : A pilot study. Eur.J.Nutr. 2006; 46:12-20.

Sebekova, K., Boor, P., Valachovicova, M., Blazicek, P., Parrak, V., Babinska, K., Heidland, A., & Krajcovicova-Kudlackova, M. Association of metabolic syndrome risk factors with selected markers of oxidative status and microinflammation in healthy omnivores and vegetarians. Mol.Nutr.Food Res. 2006; 50: 858-868.

Serrato-Joya, O., Jimenez-Islas, H., Botello-Alvarez, E., Rico-Martinez, R., & Navarrete-Bolanos, J. L. Production of beta-cryptoxanthin, a provitamin-A precursor, by *Flavobacterium lutescens*. J.Food Sci. 2006; 71: E314-E319.

Shibusawa, Y., Yamakawa, Y., Noji, R., Yanagida, A., Shindo, H., & Ito, Y. Three-phase solvent systems for comprehensive separation of a wide variety of compounds by high-speed counter-current chromatography. *J.Chromatogr.A.* 2006; 1133: 119-125.

Siddique, M. A., Grossmann, J., Gruissem, W., & Baginsky, S. Proteome analysis of bell pepper (*Capsicum annum L.*) chromoplasts. *Plant Cell Physiol.* 2006; 47:1663-1673.

Smith, S. M., Mathews Oliver, S. A., Zwart, S. R., Kala, G., Kelly, P. A., Goodwin, J. S., & Dyer, C. B. Nutritional status is altered in the self-neglecting elderly. *J.Nutr.* 2006; 136: 2534-2541.

Strack, D. & Fester, T. Isoprenoid metabolism and plastid reorganization in arbuscular mycorrhizal roots. *New Phytol.* 2006; 172: 22-34.

Su, L. J. & Arab, L. Salad and raw vegetable consumption and nutritional status in the adult US population: results from the Third National Health and Nutrition Examination Survey. *J.Am.Diet.Assoc.* 2006; 106: 1394-1404.

Takahashi, M., Watanabe, H., Kikkawa, J., Ota, M., Watanabe, M., Sato, Y., Inomata, H., & Sato, N. Carotenoids extraction from Japanese persimmon (*Hachiya-kaki*) peels by supercritical CO₂ with ethanol. *Anal.Sci.* 2006; 22: 1441-1447.

Telef, N., Stammitti-Bert, L., Mortain-Bertrand, A., Maucourt, M., Carde, J. P., Rolin, D., & Gallusci, P. Sucrose deficiency delays lycopene accumulation in tomato fruit pericarp discs. *Plant Mol.Biol.* 2006; 62: 453-469.

Trevithick-Sutton, C. C., Foote, C. S., Collins, M., & Trevithick, J. R. The retinal carotenoids zeaxanthin and lutein scavenge superoxide and hydroxyl radicals: a chemiluminescence and ESR study. *Mol.Vis.* 2006; 12: 1127-1135.

Trumbo, P. R. & Ellwood, K. C. Lutein and zeaxanthin intakes and risk of age-related macular degeneration and cataracts: an evaluation using the Food and Drug Administration's evidence-based review system for health claims. *Am.J.Clin.Nutr.* 2006; 84: 971-974.

Tummeleht, L., Magi, M., Kilgas, P., Mand, R., & Horak, P. Antioxidant protection and plasma carotenoids of incubating great tits (*Parus major L.*) in relation to health state and breeding conditions. *Comp Biochem.Physiol C Toxicol.Pharmacol.* 2006; 144: 166-172.

Tworoger, S. S. & Hankinson, S. E. Collection, processing, and storage of biological samples in epidemiologic studies: sex hormones, carotenoids, inflammatory markers, and proteomics as examples. *Cancer Epidemiol.Biomarkers Prev.* 2006; 15: 1578-1581.

Veda, S., Kamath, A., Platel, K., Begum, K., & Srinivasan, K. Determination of bioaccessibility of beta-carotene in vegetables by in vitro methods. *Mol.Nutr.Food Res.* 2006; 50: 1047-1052.

Venn, A. A., Wilson, M. A., Trapido-Rosenthal, H. G., Keely, B. J., & Douglas, A. E. The impact of coral bleaching on the pigment profile of the symbiotic alga, *Symbiodinium*. *Plant Cell Environ.* 2006; 29: 2133-2142.

Voolstra, O., Kiefer, C., Hoehne, M., Welsch, R., Vogt, K., & Von Lintig, J. The *Drosophila* Class B scavenger receptor NinaD-I is a cell surface receptor mediating carotenoid transport for visual chromophore synthesis. *Biochemistry.* 2006; 45: 13429-13437.

Vu, H. T., Robman, L., Hodge, A., McCarty, C. A., & Taylor, H. R. Lutein and zeaxanthin and the risk of cataract: the Melbourne visual impairment project. *Invest Ophthalmol Vis Sci.* 2006; 47: 3783-3786.

Wenzel, A. J., Gerweck, C., Barbato, D., Nicolosi, R. J., Handelman, G. J., & Curran-Celentano, J. A 12-wk egg intervention increases serum zeaxanthin and macular pigment optical density in women. *J.Nutr.* 2006; 136: 2568-2573.

Wisniewska, A. & Subczynski, W. K. Distribution of macular xanthophylls between domains in a model of photoreceptor outer segment membranes. *Free Radic.Biol.Med.* 2006; 41: 1257-1265.

Wisniewska, A., Widomska, J., & Subczynski, W. K. Carotenoid - membrane interactions in liposomes: effect of dipolar, monopolar, and nonpolar carotenoids. *Acta Biochim.Pol.* 2006; 53: 475-484.

Wright, M. E., Lawson, K. A., Weinstein, S. J., Pietinen, P., Taylor, P. R., Virtamo, J., & Albanes, D. Higher baseline serum concentrations of vitamin E are associated with lower total and cause-specific mortality in the Alpha-Tocopherol, Beta-Carotene Cancer Prevention Study. *Am.J.Clin.Nutr.* 2006; 84: 1200-1207.

Yamaguchi, M. Regulatory mechanism of food factors in bone metabolism and prevention of osteoporosis. *Yakugaku Zasshi.* 2006; 126: 1117-1137.

Ye, R. W., Stead, K. J., Yao, H., & He, H. Mutational and functional analysis of the beta-carotene ketolase involved in the production of canthaxanthin and astaxanthin. *Appl.Environ.Microbiol.* 2006; 72: 5829-5837.

Yeh, S. L. & Wu, S. H. Effects of quercetin on beta-apo-8'-carotenal-induced DNA damage and cytochrome P1A2 expression in A549 cells. *Chem.Biol.Interact.* 2006; 163: 199-206.

Yonekura, L., Tsuzuki, W., & Nagao, A. Acyl moieties modulate the effects of phospholipids on beta-carotene uptake by Caco-2 cells. *Lipids.* 2006; 41: 629-636.

Yue, X., Prinyawiwatkul, W., & King, J. M. Improving extraction of lutein from egg yolk using an ultrasound-assisted solvent method. *J.Food Sci.* 2006; 71: C239-C241.

Zhao, L., Zhao, G., Chen, F., Wang, Z., Wu, J., & Hu, X. Different effects of microwave and ultrasound on the stability of (*all-E*)-astaxanthin. *J.Agric.Food Chem.* 2006; 54: 8346-8351.