

15-II-2008 file "15Feb08"

Literature Cited

- Anon. I have the dry form of macular degeneration. Can anything be done to treat it? *Health News.* 2007; 13: 12.
- Anon. Confronting age-related macular degeneration. New drugs and treatments can retard progression of vision loss, though there is yet no definitive cure. *Health News.* 2007; 13: 4-5.
- Abdel-Aal, e., Young, J. C., Rabalski, I., Hucl, P., & Fregeau-Reid, J. Identification and quantification of seed carotenoids in selected wheat species. *J.Agric.Food Chem.* 2007; 55: 787-794.
- Akbaraly, N. T., Faure, H., Gourlet, V., Favier, A., & Berr, C. Plasma carotenoid levels and cognitive performance in an elderly population: results of the EVA Study. *J.Gerontol.A Biol.Sci.Med.Sci.* 2007; 62: 308-316.
- Al Wadei, H. A. & Schuller, H. M. Cyclic adenosine monophosphate-dependent cell type-specific modulation of mitogenic signaling by retinoids in normal and neoplastic lung cells. *Cancer Detect.Prev.* 2006; 30: 403-411.
- Aleman, T. S., Cideciyan, A. V., Windsor, E. A., Schwartz, S. B., Swider, M., Chico, J. D., Sumaroka, A., Pantelyat, A. Y., Duncan, K. G., Gardner, L. M., Emmons, J. M., Steinberg, J. D., Stone, E. M., & Jacobson, S. G. Macular pigment and lutein supplementation in ABCA4-associated retinal degenerations. *Invest Ophthalmol.Vis.Sci.* 2007; 48: 1319-1329.
- Alosilla, C. E., Jr., McDowell, L. R., Wilkinson, N. S., Staples, C. R., Thatcher, W. W., Martin, F. G., & Blair, M. Bioavailability of vitamin A sources for cattle. *J.Anim Sci.* 2007; 85: 1235-1238.
- Amarie, S., Standfuss, J., Barros, T., Kuhlbrandt, W., Dreuw, A., & Wachtveitl, J. Carotenoid radical cations as a probe for the molecular mechanism of nonphotochemical quenching in oxygenic photosynthesis. *J.Phys.Chem.B.* 2007; 111: 3481-3487.
- Amatatongchai, M., Hofmann, O., Nacapricha, D., Chailapakul, O., & deMello, A. J. A microfluidic system for evaluation of antioxidant capacity based on a peroxyoxalate chemiluminescence assay. *Anal.Bioanal.Chem.* 2007; 387: 277-285.
- Amunts, A., Drory, O., & Nelson, N. The structure of a plant photosystem I supercomplex at 3.4 Å resolution. *Nature.* 2007; 447: 58-63.
- Armenta, R. E., Burja, A., Radianingtyas, H., & Barrow, C. J. Critical assessment of various techniques for the extraction of carotenoids and co-enzyme Q10 from the *Thraustochytrid* strain ONC-T18. *J.Agric.Food Chem.* 2006; 54: 9752-9758.
- Ashton, O. B., Wong, M., McGhie, T. K., Vather, R., Wang, Y., Requejo-Jackman, C., Ramankutty, P., & Woolf, A. B. Pigments in avocado tissue and oil. *J.Agric.Food Chem.* 2006; 54: 10151-10158.
- Baisakh, N., Rehana, S., Rai, M., Oliva, N., Tan, J., Mackill, D. J., Khush, G. S., Datta, K., & Datta, S. K. Marker-free transgenic (MFT) near-isogenic introgression lines (NIILs) of 'golden' indica rice (cv. IR64) with accumulation of provitamin A in the endosperm tissue. *Plant Biotechnol.J.* 2006; 4: 467-475.
- Baldermann, S., Reinhard, A., Kohler, N., & Fleischmann, P. Application of high-speed counter-current chromatography for the isolation of 9'-cis-neoxanthin from fresh spinach. *J.Chromatogr.A.* 2007; 1151: 183-186.
- Baranska, M., Schutze, W., & Schulz, H. Determination of lycopene and beta-carotene content in tomato fruits and related products: Comparison of FT-Raman, ATR-IR, and NIR spectroscopy. *Anal.Chem.* 2006; 78: 8456-8461.

Barber, N. J., Zhang, X., Zhu, G., Pramanik, R., Barber, J. A., Martin, F. L., Morris, J. D., & Muir, G. H. Lycopene inhibits DNA synthesis in primary prostate epithelial cells in vitro and its administration is associated with a reduced prostate-specific antigen velocity in a phase II clinical study. *Prostate Cancer Prostatic Dis.* 2006; 9: 407-413.

Barquero-Romero, J. & Rodriguez, V. C. [Carotenodermia in a patient with ulcerative colitis]. *Gastroenterol Hepatol.* 2006; 29: 431.

Bartalucci, G., Coppin, J., Fisher, S., Hall, G., Helliwell, J. R., Helliwell, M., & Liaaen-Jensen, S. Unravelling the chemical basis of the bathochromic shift in the lobster carapace; new crystal structures of unbound astaxanthin, canthaxanthin and zeaxanthin. *Acta Crystallogr.B.* 2007; 63: 328-337.

Basu, A. & Imrhan, V. Tomatoes versus lycopene in oxidative stress and carcinogenesis: conclusions from clinical trials. *Eur.J.Clin.Nutr.* 2007; 61: 295-303.

Bejta, F., Napolitano, M., Botham, K. M., & Bravo, E. Incorporation of lycopene into chylomicron remnant-like particles inhibits their uptake by HepG2 cells. *Life Sci.* 2007; 80: 1699-1705.

Berera, R., Moore, G. F., van Stokkum, I. H., Kodis, G., Liddell, P. A., Gervaldo, M., van Grondelle, R., Kennis, J. T., Gust, D., Moore, T. A., & Moore, A. L. Charge separation and energy transfer in a caroteno-C60 dyad: photoinduced electron transfer from the carotenoid excited states. *Photochem.Photobiol.Sci.* 2006; 5: 1142-1149.

Betancourt-Dominguez, M. A., Hernandez-Perez, T., Garcia-Saucedo, P., Cruz-Hernandez, A., & Paredes-Lopez, O. Physico-chemical changes in cladodes (nopalitos) from cultivated and wild cacti (*Opuntia* spp.). *Plant Foods Hum.Nutr.* 2006; 61: 115-119.

Bhosale, P., Zhao, d. Y., & Bernstein, P. S. HPLC measurement of ocular carotenoid levels in human donor eyes in the lutein supplementation era. *Invest Ophthalmol.Vis.Sci.* 2007; 48: 543-549.

Bhosale, P. & Bernstein, P. S. Vertebrate and invertebrate carotenoid-binding proteins. *Arch.Biochem.Biophys.* 2007; 458: 121-127.

Bhosale, P., Zhao, d. Y., Serban, B., & Bernstein, P. S. Identification of 3-methoxyzeaxanthin as a novel age-related carotenoid metabolite in the human macula. *Invest Ophthalmol.Vis.Sci.* 2007; 48: 1435-1440.

Biard, C., Surai, P. F., & Moller, A. P. An analysis of pre- and post-hatching maternal effects mediated by carotenoids in the blue tit. *J.Evol.Biol.* 2007; 20: 326-339.

Bikadi, Z., Kurdi, R., Balogh, S., Szeman, J., & Hazai, E. Aggregation of cyclodextrins as an important factor to determine their complexation behavior. *Chem.Biodivers.* 2006; 3: 1266-1278.

Bjelakovic, G., Nikolova, D., Gluud, L. L., Simonetti, R. G., & Gluud, C. Mortality in randomized trials of antioxidant supplements for primary and secondary prevention: systematic review and meta-analysis. *JAMA.* 2007; 297: 842-857.

Blanco, A. M., Moreno, J., Del Campo, J. A., Rivas, J., & Guerrero, M. G. Outdoor cultivation of lutein-rich cells of *Muriellopsis* sp. in open ponds. *Appl.Microbiol.Biotechnol.* 2007; 73: 1259-1266.

Blas, J., Perez-Rodriguez, L., Bortolotti, G. R., Vinuela, J., & Marchant, T. A. Testosterone increases bioavailability of carotenoids: insights into the honesty of sexual signaling. *Proc.Natl.Acad.Sci.U.S.A.* 2006; 103: 18633-18637.

Boichenko, V. A., Wang, J. M., Anton, J., Lanyi, J. K., & Balashov, S. P. Functions of carotenoids in xanthorhodopsin and archaerhodopsin, from action spectra of photoinhibition of cell respiration. *Biochim.Biophys.Acta.* 2006; 1757: 1649-1656.

- Boonsiri, P., Pooart, J., Tangrassameeprasert, R., & Hongsprabhas, P. Serum beta-carotene, lycopene and alpha-tocopherol levels of healthy people in northeast Thailand. *Asia Pac.J.Clin.Nutr.* 2007; 16 Suppl 1: 47-51.
- Bose, K. S. & Agrawal, B. K. Effect of long term supplementation of tomatoes (cooked) on levels of antioxidant enzymes, lipid peroxidation rate, lipid profile and glycated haemoglobin in Type 2 diabetes mellitus. *West Indian Med.J.* 2006; 55: 274-278.
- Bose, K. S. & Agrawal, B. K. Effect of lycopene from cooked tomatoes on serum antioxidant enzymes, lipid peroxidation rate and lipid profile in coronary heart disease. *Singapore Med.J.* 2007; 48: 415-420.
- Boullier, A., Maziere, J. C., Filipe, P., Patterson, L. K., Bartels, D. M., Hug, G. L., Freitas, J. P., Santus, R., & Morliere, P. Interplay of oxygen, vitamin E, and carotenoids in radical reactions following oxidation of Trp and Tyr residues in native HDL3 apolipoproteins. Comparison with LDL. A time-resolved spectroscopic analysis. *Biochemistry.* 2007; 46: 5226-5237.
- Bovell-Benjamin, A. C. Sweet potato: a review of its past, present, and future role in human nutrition. *Adv.Food Nutr.Res.* 2007; 52: 1-59.
- Breithaupt, D. E., Yahia, E. M., & Velazquez, F. J. Comparison of the absorption efficiency of alpha- and beta-cryptoxanthin in female Wistar rats. *Br.J.Nutr.* 2007; 97: 329-336.
- Canene-Adams, K., Lindshield, B. L., Wang, S., Jeffery, E. H., Clinton, S. K., & Erdman, J. W., Jr. Combinations of tomato and broccoli enhance antitumor activity in dunning r3327-h prostate adenocarcinomas. *Cancer Res.* 2007; 67: 836-843.
- Cerullo, G., Manzoni, C., Luer, L., & Polli, D. Time-resolved methods in biophysics. 4. Broadband pump-probe spectroscopy system with sub-20 fs temporal resolution for the study of energy transfer processes in photosynthesis. *Photochem.Photobiol.Sci.* 2007; 6: 135-144.
- Chalabi, N., Satih, S., Delort, L., Bignon, Y. J., & Bernard-Gallon, D. J. Expression profiling by whole-genome microarray hybridization reveals differential gene expression in breast cancer cell lines after lycopene exposure. *Biochim.Biophys.Acta.* 2007; 1769: 124-130.
- Chander, S., Guo, Y. Q., Yang, X. H., Zhang, J., Lu, X. Q., Yan, J. B., Song, T. M., Rocheford, T. R., & Li, J. S. Using molecular markers to identify two major loci controlling carotenoid contents in maize grain. *Theor.Appl.Genet.* 2008; 116: 223-233.
- Chelchowska, M., Laskowska-Klita, T., Ambroszkiewicz, J., & Leibschang, J. [The effect of tobacco smoking during pregnancy on concentration of vitamin A and beta-carotene in matched-maternal cord pairs]. *Przegl.Lek.* 2006; 63: 966-969.
- Chiplonkar, S. A. & Agte, V. V. Statistical model for predicting non-heme iron bioavailability from vegetarian meals. *Int.J.Food Sci.Nutr.* 2006; 57: 434-450.
- Christen, W. G., Manson, J. E., Glynn, R. J., Gaziano, J. M., Chew, E. Y., Buring, J. E., & Hennekens, C. H. Beta carotene supplementation and age-related maculopathy in a randomized trial of US physicians. *Arch.Ophthalmol.* 2007; 125: 333-339.
- Cogdell, R. J., Gall, A., & Kohler, J. The architecture and function of the light-harvesting apparatus of purple bacteria: from single molecules to in vivo membranes. *Q.Rev.Biophys.* 2006; 39: 227-324.
- Coleman, H. & Chew, E. Nutritional supplementation in age-related macular degeneration. *Curr.Opin.Ophthalmol.* 2007; 18: 220-223.
- Collins, J. K., Davis, A. R., Adams, A., Manness, N., & Perkins-Veazie, P. M. Consumer acceptability of low-

sugar watermelon sweetened with non-calorie sweetener by a Native American community. *Int.J.Food Sci.Nutr.* 2006; 57: 363-368.

Coolen, M. J. & Overmann, J. 217 000-year-old DNA sequences of green sulfur bacteria in Mediterranean sapropels and their implications for the reconstruction of the paleoenvironment. *Environ.Microbiol.* 2007; 9: 238-249.

Croce, R., Mozzo, M., Morosinotto, T., Romeo, A., Hienerwadel, R., & Bassi, R. Singlet and triplet state transitions of carotenoids in the antenna complexes of higher-plant photosystem I. *Biochemistry.* 2007; 46: 3846-3855.

Dall'Osto, L., Lico, C., Alric, J., Giuliano, G., Havaux, M., & Bassi, R. Lutein is needed for efficient chlorophyll triplet quenching in the major LHCII antenna complex of higher plants and effective photoprotection in vivo under strong light. *BMC.Plant Biol.* 2006; 6: 32.

Dall'Osto, L., Cazzaniga, S., North, H., Marion-Poll, A., & Bassi, R. The *Arabidopsis aba4-1* mutant reveals a specific function for neoxanthin in protection against photooxidative stress. *Plant Cell.* 2007; 19: 1048-1064.

Davey, M. W., Keulemans, J., & Swennen, R. Methods for the efficient quantification of fruit provitamin A contents. *J.Chromatogr.A.* 2006; 1136: 176-184.

Davey, M. W., Stals, E., Ngoh-Newilah, G., Tomekpe, K., Lusty, C., Markham, R., Swennen, R., & Keulemans, J. Sampling strategies and variability in fruit pulp micronutrient contents of west and central african bananas and plantains (*Musa* species). *J.Agric.Food Chem.* 2007; 55: 2633-2644.

de Souza Valente da Silva, Valeria, d., V., & Ramalho, R. A. Association of serum concentrations of retinol and carotenoids with overweight in children and adolescents. *Nutrition.* 2007; 23: 392-397.

De Stefani, E., Ronco, A. L., Boffetta, P., Deneo-Pellegrini, H., Acosta, G., Correa, P., & Mendilaharsu, M. Nutrient intake and risk of squamous cell carcinoma of the esophagus: a case-control study in Uruguay. *Nutr.Cancer.* 2006; 56: 149-157.

Diretto, G., Welsch, R., Tavazza, R., Mourguès, F., Pizzichini, D., Beyer, P., & Giuliano, G. Silencing of beta-carotene hydroxylase increases total carotenoid and beta-carotene levels in potato tubers. *BMC.Plant Biol.* 2007; 7: 11.

Dixon, L. B., Subar, A. F., Wideroff, L., Thompson, F. E., Kahle, L. L., & Potischman, N. Carotenoid and tocopherol estimates from the NCI diet history questionnaire are valid compared with multiple recalls and serum biomarkers. *J.Nutr.* 2006; 136: 3054-3061.

Dong, Q. L., Zhao, X. M., Ma, H. W., Xing, X. Y., & Sun, N. X. Metabolic flux analysis of the two astaxanthin-producing microorganisms *Haematococcus pluvialis* and *Phaffia rhodozyma* in the pure and mixed cultures. *Biotechnol.J.* 2006; 1: 1283-1292.

Dreon, M. S., Ceolin, M., & Heras, H. Astaxanthin binding and structural stability of the apple snail carotenoprotein ovorubin. *Arch.Biochem.Biophys.* 2007; 460: 107-112.

Drobek-Slowik, M., Karczewicz, D., & Safranow, K. [The potential role of oxidative stress in the pathogenesis of the age-related macular degeneration (AMD)]. *Postepy Hig. Med. Dosw. (Online.)*. 2007; 61: 28-37.

Dugo, P., Skerikova, V., Kumm, T., Trozzi, A., Jandera, P., & Mondello, L. Elucidation of carotenoid patterns in citrus products by means of comprehensive normal-phase x reversed-phase liquid chromatography. *Anal.Chem.* 2006; 78: 7743-7750.

Edge, R., El Agamey, A., Land, E. J., Navaratnam, S., & George, T. T. Studies of carotenoid one-electron

reduction radicals. *Arch.Biochem.Biophys.* 2007; 458: 104-110.

Edinger, M. S. & Koff, W. J. Effect of the consumption of tomato paste on plasma prostate-specific antigen levels in patients with benign prostate hyperplasia. *Braz. J. Med. Biol. Res.* 2006; 39: 1115-1119.

Ehlers, F., Wild, D. A., Lenzer, T., & Oum, K. Investigation of the S1/ICT-->S0 internal conversion lifetime of 4'-apo-beta-caroten-4'-al and 8'-apo-beta-caroten-8'-al: dependence on conjugation length and solvent polarity. *J.Phys.Chem.A.* 2007; 111: 2257-2265.

Ekam, V. S., Udosen, E. O., & Chigbu, A. E. Comparative effect of carotenoid complex from Golden Neo-Life Dynamite (GNLD) and carrot extracted carotenoids on immune parameters in albino Wistar rats. *Niger.J.Physiol Sci.* 2006; 21: 1-4.

El Agamey, A. & McGarvey, D. J. The reactivity of carotenoid radicals with oxygen. *Free Radic.Res.* 2007; 41: 295-302.

Ellinger, S., Ellinger, J., & Stehle, P. Tomatoes, tomato products and lycopene in the prevention and treatment of prostate cancer: do we have the evidence from intervention studies? *Curr.Opin.Clin.Nutr.Metab Care.* 2006; 9: 722-727.

Englberger, L., Schierle, J., Aalbersberg, W., Hofmann, P., Humphries, J., Huang, A., Lorens, A., Levendusky, A., Daniells, J., Marks, G. C., & Fitzgerald, M. H. Carotenoid and vitamin content of Karat and other Micronesian banana cultivars. *Int.J.Food Sci.Nutr.* 2006; 57: 399-418.

Englberger, L., Wills, R. B., Blades, B., Dufficy, L., Daniells, J. W., & Coyne, T. Carotenoid content and flesh color of selected banana cultivars growing in Australia. *Food Nutr.Bull.* 2006; 27: 281-291.

Engles, M., Wooten, B., & Hammond, B. Macular pigment: a test of the acuity hypothesis. *Invest Ophthalmol. Vis. Sci.* 2007; 48: 2922-2931.

Fawzi, W. W., Msamanga, G. I., Kupka, R., Spiegelman, D., Villamor, E., Mugusi, F., Wei, R., & Hunter, D. Multivitamin supplementation improves hematologic status in HIV-infected women and their children in Tanzania. *Am. J. Clin. Nutr.* 2007; 85: 1335-1343.

Feofilova, E. P., Tereshina, V. M., Memorskaia, A. S., Dul'kin, L. M., & Goncharov, N. G. [Fungal lycopene: the biotechnology of its production and prospects for its application in medicine]. *Mikrobiologiya.* 2006; 75: 725-730.

Fernandez-Valiente, E., Camacho, A., Rochera, C., Rico, E., Vincent, W. F., & Quesada, A. Community structure and physiological characterization of microbial mats in Byers Peninsula, Livingston Island (South Shetland Islands, Antarctica). *FEMS Microbiol.Ecol.* 2007; 59: 377-385.

Fish, W. W. Novel procedure for the extraction and concentration of carotenoid-containing chromoplasts from selected plant systems. *J.Agric.Food Chem.* 2007; 55: 1486-1490.

Franco, A. C., Matsubara, S., & Orthen, B. Photoinhibition, carotenoid composition and the co-regulation of photochemical and non-photochemical quenching in neotropical savanna trees. *Tree Physiol.* 2007; 27: 717-725.

Fraser, P. D., Enfissi, E. M., Goodfellow, M., Eguchi, T., & Bramley, P. M. Metabolite profiling of plant carotenoids using the matrix-assisted laser desorption ionization time-of-flight mass spectrometry. *Plant J.* 2007; 49: 552-564.

Frederiksen, H., Rasmussen, S. E., Schroder, M., Bysted, A., Jakobsen, J., Frandsen, H., Ravn-Haren, G., & Mortensen, A. Dietary supplementation with an extract of lycopene-rich tomatoes does not reduce atherosclerosis in Watanabe Heritable Hyperlipidemic rabbits. *Br.J.Nutr.* 2007; 97: 6-10.

- Fuller, B., Smith, D., Howerton, A., & Kern, D. Anti-inflammatory effects of CoQ10 and colorless carotenoids. *J.Cosmet.Dermatol.* 2006; 5: 30-38.
- Gao, Y., Focsan, A. L., Kispert, L. D., & Dixon, D. A. Density functional theory study of the beta-carotene radical cation and deprotonated radicals. *J.Phys.Chem.B.* 2006; 110: 24750-24756.
- Garcia-Mendoza, E. & Colombo-Pallotta, M. F. The giant kelp *Macrocystis pyrifera* presents a different nonphotochemical quenching control than higher plants. *New Phytol.* 2007; 173: 526-536.
- Garcia, F., Freile-Pelegrin, Y., & Robledo, D. Physiological characterization of *Dunaliella* sp. (*Chlorophyta, Volvocales*) from Yucatan, Mexico. *Bioresour.Technol.* 2007; 98: 1359-1365.
- Giorio, G., Stigliani, A. L., & D'Ambrosio, C. Agronomic performance and transcriptional analysis of carotenoid biosynthesis in fruits of transgenic HighCaro and control tomato lines under field conditions. *Transgenic Res.* 2007; 16: 15-28.
- Goyal, A., Chopra, M., Lwaleed, B. A., Birch, B., & Cooper, A. J. The effects of dietary lycopene supplementation on human seminal plasma. *BJU.Int.* 2007; 99: 1456-1460.
- Granado, F., Olmedilla, B., Herrero, C., Perez-Sacristan, B., Blanco, I., & Blazquez, S. Bioavailability of carotenoids and tocopherols from broccoli: in vivo and in vitro assessment. *Exp. Biol. Med.(Maywood.).* 2006; 231: 1733-1738.
- Granado, F. & Olmedilla, B. Risk assessment of lutein and lycopene. *Regul. Toxicol. Pharmacol.* 2007; 47: 327-328.
- Griffiths, D. W., Dale, M. F., Morris, W. L., & Ramsay, G. Effects of season and postharvest storage on the carotenoid content of *Solanum phureja* potato tubers. *J. Agric. Food Chem.* 2007; 55: 379-385.
- Gupta, S. & Bains, K. Traditional cooked vegetable dishes as important sources of ascorbic acid and beta-carotene in the diets of Indian urban and rural families. *Food Nutr. Bull.* 2006; 27: 306-310.
- Han, R. M., Tian, Y. X., Becker, E. M., Andersen, M. L., Zhang, J. P., & Skibsted, L. H. Puerarin and conjugate bases as radical scavengers and antioxidants: molecular mechanism and synergism with beta-carotene. *J. Agric. Food Chem.* 2007; 55: 2384-2391.
- Harjes, C. E., Rocheford, T. R., Bai, L., Brutnell, T. P., Kandianis, C. B., Sowinski, S. G., Stapleton, A. E., Vallabhaneni, R., Williams, M., Wurtzel, E. T., Yan, J., & Buckler, E. S. Natural genetic variation in lycopene epsilon cyclase tapped for maize biofortification. *Science.* 2008; 319: 330-333.
- He, S. Y., Qian, Z. Y., Wen, N., Tang, F. T., Xu, G. L., & Zhou, C. H. Influence of crocetin on experimental atherosclerosis in hyperlipidamic-diet quails. *Eur. J. Pharmacol.* 2007; 554: 191-195.
- Herbinger, K., Then, C., Haberer, K., Alexou, M., Low, M., Remele, K., Rennenberg, H., Matyssek, R., Grill, D., Wieser, G., & Tausz, M. Gas exchange and antioxidative compounds in young beech trees under free-air ozone exposure and comparisons to adult trees. *Plant Biol.(Stuttg).* 2007; 9: 288-297.
- Ho, C. C., de Moura, F. F., Kim, S. H., & Clifford, A. J. Excentral cleavage of beta-carotene in vivo in a healthy man. *Am.J.Clin.Nutr.* 2007; 85: 770-777.
- Holick, C. N., Giovannucci, E. L., Rosner, B., Stampfer, M. J., & Michaud, D. S. Prospective study of intake of fruit, vegetables, and carotenoids and the risk of adult glioma. *Am.J.Clin.Nutr.* 2007; 85: 877-886.
- Hormaetxe, K., Becerril, J. M., Hernandez, A., Esteban, R., & Garcia-Plazaola, J. I. Plasticity of photoprotective mechanisms of *Buxus sempervirens* L. leaves in response to extreme temperatures. *Plant Biol.(Stuttg).* 2007; 9:

59-68.

Hozawa, A., Jacobs, D. R., Jr., Steffes, M. W., Gross, M. D., Steffen, L. M., & Lee, D. H. Relationships of circulating carotenoid concentrations with several markers of inflammation, oxidative stress, and endothelial dysfunction: the Coronary Artery Risk Development in Young Adults (CARDIA)/Young Adult Longitudinal Trends in Antioxidants (YALTA) study. *Clin.Chem.* 2007; 53: 447-455.

Huang, J. P., Zhang, M., Holman, C. D., & Xie, X. Dietary carotenoids and risk of breast cancer in Chinese women. *Asia Pac.J.Clin.Nutr.* 2007; 16 Suppl 1: 437-442.

Hussein, G., Nakagawa, T., Goto, H., Shimada, Y., Matsumoto, K., Sankawa, U., & Watanabe, H. Astaxanthin ameliorates features of metabolic syndrome in SHR/NDmcr-cp. *Life Sci.* 2007; 80: 522-529.

Ikeuchi, M., Koyama, T., Takahashi, J., & Yazawa, K. Effects of astaxanthin supplementation on exercise-induced fatigue in mice. *Biol.Pharm.Bull.* 2006; 29: 2106-2110.

Ikeuchi, M., Koyama, T., Takahashi, J., & Yazawa, K. Effects of astaxanthin in obese mice fed a high-fat diet. *Biosci.Biotechnol.Biochem.* 2007; 71: 893-899.

Ilagan, R. P., Chapp, T. W., Hiller, R. G., Sharples, F. P., Polivka, T., & Frank, H. A. Optical spectroscopic studies of light-harvesting by pigment-reconstituted peridinin-chlorophyll-proteins at cryogenic temperatures. *Photosynth.Res.* 2006; 90: 5-15.

Inoue, K., Sasaki, J., Spudich, J. L., & Terazima, M. Laser-induced transient grating analysis of dynamics of interaction between sensory rhodopsin II D75N and the HtrII transducer. *Biophys.J.* 2007; 92: 2028-2040.

Ishikita, H., Loll, B., Biesiadka, J., Kern, J., Irrgang, K. D., Zouni, A., Saenger, W., & Knapp, E. W. Function of two beta-carotenes near the D1 and D2 proteins in photosystem II dimers. *Biochim.Biophys.Acta.* 2007; 1767: 79-87.

Ito, Y., Suzuki, K., Ishii, J., Hishida, H., Tamakoshi, A., Hamajima, N., & Aoki, K. A population-based follow-up study on mortality from cancer or cardiovascular disease and serum carotenoids, retinol and tocopherols in Japanese inhabitants. *Asian Pac.J.Cancer Prev.* 2006; 7: 533-546.

Ivanov, N. I., Cowell, S. P., Brown, P., Rennie, P. S., Guns, E. S., & Cox, M. E. Lycopene differentially induces quiescence and apoptosis in androgen-responsive and -independent prostate cancer cell lines. *Clin.Nutr.* 2007; 26: 252-263.

Jatoi, A., Burch, P., Hillman, D., Vanyo, J. M., Dakhil, S., Nikcevich, D., Rowland, K., Morton, R., Flynn, P. J., Young, C., & Tan, W. A tomato-based, lycopene-containing intervention for androgen-independent prostate cancer: results of a Phase II study from the North Central Cancer Treatment Group. *Urology.* 2007; 69: 289-294.

Jian, L., Lee, A. H., & Binns, C. W. Tea and lycopene protect against prostate cancer. *Asia Pac.J.Clin.Nutr.* 2007; 16 Suppl 1: 453-457.

Jilcott, S. B., Keyserling, T. C., Samuel-Hodge, C. D., Johnston, L. F., Gross, M. D., & Ammerman, A. S. Validation of a brief dietary assessment to guide counseling for cardiovascular disease risk reduction in an underserved population. *J.Am.Diet.Assoc.* 2007; 107: 246-255.

Just, B. J., Santos, C. A., Fonseca, M. E., Boiteux, L. S., Oloizia, B. B., & Simon, P. W. Carotenoid biosynthesis structural genes in carrot (*Daucus carota*): isolation, sequence-characterization, single nucleotide polymorphism (SNP) markers and genome mapping. *Theor.Appl.Genet.* 2007; 114: 693-704.

Kagawa, T. & Suetsugu, N. Photometrical analysis with photosensory domains of photoreceptors in green algae. *FEBS Lett.* 2007; 581: 368-374.

Kakitani, Y., Harada, K., Mizoguchi, T., & Koyama, Y. Isotopic replacement of pigments and a lipid in chlorosomes from *Chlorobium limicola*: characterization of the resultant chlorosomes. *Biochemistry*. 2007; 46: 6513-6524.

Kakitani, Y., Akahane, J., Ishii, H., Sogabe, H., Nagae, H., & Koyama, Y. Conjugation-length dependence of the T1 lifetimes of carotenoids free in solution and incorporated into the LH2, LH1, RC, and RC-LH1 complexes: possible mechanisms of triplet-energy dissipation. *Biochemistry*. 2007; 46: 2181-2197.

Kalinina, N. V., Tereshina, V. M., Memorskaja, A. S., & Feofilova, E. P. [The correlation between the synthesis of beta-carotene and zygote formation by *Blakeslea trispora* heterothallic strains]. *Prikl.Biokhim.Mikrobiol*. 2007; 43: 77-81.

Kalituho, L., Beran, K. C., & Jahns, P. The transiently generated nonphotochemical quenching of excitation energy in *Arabidopsis* leaves is modulated by zeaxanthin. *Plant Physiol*. 2007; 143: 1861-1870.

Kanakis, C. D., Tarantilis, P. A., Tajmir-Riahi, H. A., & Polissiou, M. G. DNA interaction with saffron's secondary metabolites safranal, crocetin, and dimethylcrocin. *DNA Cell Biol*. 2007; 26: 63-70.

Kanakis, C. D., Tarantilis, P. A., Tajmir-Riahi, H. A., & Polissiou, M. G. Crocetin, dimethylcrocin, and safranal bind human serum albumin: stability and antioxidative properties. *J.Agric.Food Chem*. 2007; 55: 970-977.

Kanofsky, J. R. & Sima, P. D. Activity of a cationic carotenoid derivative in a mouse model of protoporphyrria. *J.Photochem.Photobiol.B*. 2007; 87: 124-129.

Katsan, V. A. & Potopal's'kyi AI [Changed ratios of some pigments of photosynthesis in *Nicotiana tabacum* L. induced by exogenic DNA]. *Ukr.Biokhim.Zh*. 2006; 78: 70-80.

Katsuda, T., Shimahara, K., Shiraishi, H., Yamagami, K., Ranjbar, R., & Katoh, S. Effect of flashing light from blue light emitting diodes on cell growth and astaxanthin production of *Haematococcus pluvialis*. *J.Biosci.Bioeng*. 2006; 102: 442-446.

Kazimirova, A., Barancokova, M., Krajcovicova-Kudlackova, M., Volkovova, K., Staruchova, M., Valachovicova, M., Paukova, V., Blazicek, P., Wsolova, L., & Dusinska, M. The relationship between micronuclei in human lymphocytes and selected micronutrients in vegetarians and non-vegetarians. *Mutat.Res*. 2006; 611: 64-70.

Kean, E. G., Ejeta, G., Hamaker, B. R., & Ferruzzi, M. G. Characterization of carotenoid pigments in mature and developing kernels of selected yellow-endosperm sorghum varieties. *J.Agric.Food Chem*. 2007; 55: 2619-2626.

Kerr, A. R. Efficacy of oral lycopene in the management of oral submucous fibrosis. *Oral Surg.Oral Med.Oral Pathol.Oral Radiol.Endod*. 2007; 103: 214-215.

Khachik, F., London, E., de Moura, F. F., Johnson, M., Steidl, S., Detolla, L., Shipley, S., Sanchez, R., Chen, X. Q., Flaws, J., Lutty, G., McLeod, S., & Fowler, B. Chronic ingestion of (3R,3'R,6'R)-lutein and (3R,3'R)-zeaxanthin in the female rhesus macaque. *Invest Ophthalmol.Vis.Sci*. 2006; 47: 5476-5486.

Khachik, F., de Moura, F. F., Chew, E. Y., Douglass, L. W., Ferris, F. L., III, Kim, J., & Thompson, D. J. The effect of lutein and zeaxanthin supplementation on metabolites of these carotenoids in the serum of persons aged 60 or older. *Invest Ophthalmol.Vis.Sci*. 2006; 47: 5234-5242.

Khachik, F., Chang, A. N., Gana, A., & Mazzola, E. Partial synthesis of (3R,6'R)-alpha-cryptoxanthin and (3R)-beta-cryptoxanthin from (3R,3'R,6'R)-lutein. *J.Nat.Prod*. 2007; 70: 220-226.

Khan, N. C., West, C. E., de Pee, S., Bosch, D., Phuong, H. D., Hulshof, P. J., Khoi, H. H., Verhoef, H., & Hautvast, J. G. The contribution of plant foods to the vitamin A supply of lactating women in Vietnam: a randomized controlled trial. *Am.J.Clin.Nutr*. 2007; 85: 1112-1120.

Kim, Y., Lian, F., Yeum, K. J., Chongviriyaphan, N., Choi, S. W., Russell, R. M., & Wang, X. D. The effects of combined antioxidant (beta-carotene, alpha-tocopherol and ascorbic acid) supplementation on antioxidant capacity, DNA single-strand breaks and levels of insulin-like growth factor-1/IGF-binding protein 3 in the ferret model of lung cancer. *Int.J.Cancer.* 2007; 120: 1847-1854.

Kita, M., Kato, M., Ban, Y., Honda, C., Yaegaki, H., Ikoma, Y., & Moriguchi, T. Carotenoid accumulation in Japanese apricot (*Prunus mume* Siebold & Zucc.): molecular analysis of carotenogenic gene expression and ethylene regulation. *J.Agric.Food Chem.* 2007; 55: 3414-3420.

Koizumi, T., Bando, N., Terao, J., & Yamanishi, R. Feeding with both beta-carotene and supplemental alpha-tocopherol enhances type 1 helper T cell activity among splenocytes isolated from DO11.10 mice. *Biosci.Biotechnol.Biochem.* 2006; 70: 3042-3045.

Konovalova, A. M., Shylin, S. O., & Rokytka, P. V. [Isolation and preliminary characterization of carotenoids from pink-pigmented methylotrophs]. *Ukr.Biokhim.Zh.* 2006; 78: 146-150.

Konovalova, H. M., Shylin, S. O., & Rokytka, P. V. [Characteristics of carotenoids of methylotrophic bacteria of *Methylobacterium* genus]. *Mikrobiol.Z.* 2007; 69: 35-41.

Koutsos, E. A., Garcia Lopez, J. C., & Klasing, K. C. Maternal and dietary carotenoids interactively affect cutaneous basophil responses in growing chickens (*Gallus gallus domesticus*). *Comp Biochem.Physiol B Biochem.Mol.Biol.* 2007; 147: 87-92.

Kovacs, K., Zhang, L., Linforth, R. S., Whittaker, B., Hayes, C. J., & Fray, R. G. Redirection of carotenoid metabolism for the efficient production of taxadiene [taxa-4(5),11(12)-diene] in transgenic tomato fruit. *Transgenic Res.* 2007; 16: 121-126.

Kumar, A., Bagewadi, A., Keluskar, V., & Singh, M. Efficacy of lycopene in the management of oral submucous fibrosis. *Oral Surg.Oral Med.Oral Pathol.Oral Radiol.Endod.* 2007; 103: 207-213.

Kune, G. & Watson, L. Colorectal cancer protective effects and the dietary micronutrients folate, methionine, vitamins B6, B12, C, E, selenium, and lycopene. *Nutr.Cancer.* 2006; 56: 11-21.

Kuzina, V., Domenech, C., & Cerda-Olmedo, E. Relationships among the biosyntheses of ubiquinone, carotene, sterols, and triacylglycerols in Zygomycetes. *Arch.Microbiol.* 2006; 186: 485-493.

La Rocca, N., Rascio, N., Oster, U., & Rudiger, W. Inhibition of lycopene cyclase results in accumulation of chlorophyll precursors. *Planta.* 2007; 225: 1019-1029.

Landrum, J. T. & Mayne, S. T. Highlight on carotenoids. *Arch.Biochem.Biophys.* 2007; 458: 103.

Larsson, S. C., Bergkvist, L., Naslund, I., Rutegard, J., & Wolk, A. Vitamin A, retinol, and carotenoids and the risk of gastric cancer: a prospective cohort study. *Am.J.Clin.Nutr.* 2007; 85: 497-503.

Latowski, D., Banas, A. K., Strzalka, K., & Gabrys, H. Amino sugars: new inhibitors of zeaxanthin epoxidase, a violaxanthin cycle enzyme. *J.Plant Physiol.* 2007; 164: 231-237.

Lee, J. E., Giovannucci, E., Smith-Warner, S. A., Spiegelman, D., Willett, W. C., & Curhan, G. C. Intakes of fruits, vegetables, vitamins A, C, and E, and carotenoids and risk of renal cell cancer. *Cancer Epidemiol.Biomarkers Prev.* 2006; 15: 2445-2452.

Lehner, A., Grimm, M., Rattei, T., Ruepp, A., Frishman, D., Manzardo, G. G., & Stephan, R. Cloning and characterization of *Enterobacter sakazakii* pigment genes and *in situ* spectroscopic analysis of the pigment. *FEMS Microbiol.Lett.* 2006; 265: 244-248.

- Lesellier, E. & West, C. Combined supercritical fluid chromatographic methods for the characterization of octadecylsiloxane-bonded stationary phases. *J.Chromatogr.A.* 2007; 1149: 345-357.
- Li, S., Tayie, F. A., Young, M. F., Rocheford, T., & White, W. S. Retention of provitamin A carotenoids in high beta-carotene maize (*Zea mays*) during traditional African household processing. *J.Agric.Food Chem.* 2007; 55: 10744-10750.
- Lin, S. Y., Chen, K. H., Cheng, W. T., Ho, C. T., & Wang, S. L. Preliminary identification of beta-carotene in the vitreous asteroid bodies by micro-Raman spectroscopy and HPLC analysis. *Microsc.Microanal.* 2007; 13: 128-132.
- Lindshield, B. L., Canene-Adams, K., & Erdman, J. W., Jr. Lycopeneoids: are lycopene metabolites bioactive? *Arch.Biochem.Biophys.* 2007; 458: 136-140.
- Liu, A., Pajkovic, N., Pang, Y., Zhu, D., Calamini, B., Mesecar, A. L., & van Breemen, R. B. Absorption and subcellular localization of lycopene in human prostate cancer cells. *Mol.Cancer Ther.* 2006; 5: 2879-2885.
- Liu, X., Qu, D., He, F., Lu, Q., Wang, J., & Cai, D. Effect of lycopene on the vascular endothelial function and expression of inflammatory agents in hyperhomocysteinemic rats. *Asia Pac.J.Clin.Nutr.* 2007; 16 Suppl 1: 244-248.
- Liu, X. & Osawa, T. Cis astaxanthin and especially 9-cis astaxanthin exhibits a higher antioxidant activity *in vitro* compared to the all-trans isomer. *Biochem.Biophys.Res.Commun.* 2007; 357: 187-193.
- Liu, Y., Kathan, K., Saad, W., & Prud'homme, R. K. Ostwald ripening of beta-carotene nanoparticles. *Phys.Rev.Lett.* 2007; 98: 036102.
- Lo, H. M., Hung, C. F., Tseng, Y. L., Chen, B. H., Jian, J. S., & Wu, W. B. Lycopene binds PDGF-BB and inhibits PDGF-BB-induced intracellular signaling transduction pathway in rat smooth muscle cells. *Biochem.Pharmacol.* 2007; 74: 54-63.
- Lockwood, S. F., Jackson, H. L., & Gross, G. J. Retrometabolic syntheses of astaxanthin (3,3'-dihydroxy-beta,beta-carotene-4,4'-dione) conjugates: a novel approach to oral and parenteral cardio-protection. *Cardiovasc.Hematol.Agents Med.Chem.* 2006; 4: 335-349.
- Lu, S., Van Eck, J., Zhou, X., Lopez, A. B., O'Halloran, D. M., Cosman, K. M., Conlin, B. J., Paolillo, D. J., Garvin, D. F., Vrebalov, J., Kochian, L. V., Kupper, H., Earle, E. D., Cao, J., & Li, L. The cauliflower Or gene encodes a DnaJ cysteine-rich domain-containing protein that mediates high levels of beta-carotene accumulation. *Plant Cell.* 2006; 18: 3594-3605.
- Madrid, A. E., Vasquez, Z. D., Leyton, A. F., Mandiola, C., & Escobar, F. J. [Short-term *Lycopersicum esculentum* consumption may increase plasma high density lipoproteins and decrease oxidative stress]. *Rev.Med.Chil.* 2006; 134: 855-862.
- Mamieieva, O. H., Kasatkina, T. P., & Lavrinchuk, V. I. [Biosorption ability of mutants of *Rhodotorula mucilaginosa* UCM Y-1776]. *Mikrobiol.Z.* 2007; 69: 29-35.
- Mannisto, S., Yaun, S. S., Hunter, D. J., Spiegelman, D., Adami, H. O., Albanes, D., van den Brandt, P. A., Buring, J. E., Cerhan, J. R., Colditz, G. A., Freudenheim, J. L., Fuchs, C. S., Giovannucci, E., Goldbohm, R. A., Harnack, L., Leitzmann, M., McCullough, M. L., Miller, A. B., Rohan, T. E., Schatzkin, A., Virtamo, J., Willett, W. C., Wolk, A., Zhang, S. M., & Smith-Warner, S. A. Dietary carotenoids and risk of colorectal cancer in a pooled analysis of 11 cohort studies. *Am.J.Epidemiol.* 2007; 165: 246-255.
- Maoka, T., Fujiwara, Y., Hashimoto, K., & Akimoto, N. Characterization of fucoxanthin and fucoxanthinol esters in the Chinese surf clam, *Mactra chinensis*. *J.Agric.Food Chem.* 2007; 55: 1563-1567.

Maserejian, N. N., Giovannucci, E., Rosner, B., & Joshipura, K. Prospective study of vitamins C, E, and A and carotenoids and risk of oral premalignant lesions in men. *Int.J.Cancer.* 2007; 120: 970-977.

Matsuda-Inoguchi, N., Date, C., Sakurai, K., Kuwazoe, M., Watanabe, T., Toji, C., Furukawa, Y., Shimbo, S., Nakatsuka, H., & Ikeda, M. Reduction in estimated vitamin A intake induced by new food composition tables in Japan, where vitamin A is taken mostly from plant foods. *Int.J.Food Sci.Nutr.* 2006; 57: 279-291.

Matsumoto, H., Ikoma, Y., Kato, M., Kuniga, T., Nakajima, N., & Yoshida, T. Quantification of carotenoids in citrus fruit by LC-MS and comparison of patterns of seasonal changes for carotenoids among citrus varieties. *J.Agric.Food Chem.* 2007; 55: 2356-2368.

Mayne, S. T. & Cartmel, B. Chemoprevention of second cancers. *Cancer Epidemiol.Biomarkers Prev.* 2006; 15: 2033-2037.

McCarren, J. & DeLong, E. F. Proteorhodopsin photosystem gene clusters exhibit co-evolutionary trends and shared ancestry among diverse marine microbial phyla. *Environ.Microbiol.* 2007; 9: 846-858.

Mchedlidze, M. G., Sikharulidze, D. V., & Shioshvili, T. I. [Efficiency of assessment of retinol, alpha-tocopherol and beta-carotene by the liquid chromatography method]. *Georgian.Med.News.* 2006; 102-106.

Mchedlidze, M. G. M. & Shioshvili, T. I. [Influence of antioxidants on the development of benign prostatic hyperplasia]. *Georgian.Med.News.* 2006; 23-27.

McNulty, H. P., Byun, J., Lockwood, S. F., Jacob, R. F., & Mason, R. P. Differential effects of carotenoids on lipid peroxidation due to membrane interactions: X-ray diffraction analysis. *Biochim.Biophys.Acta.* 2007; 1768: 167-174.

Melendez-Martinez, A. J., Vicario, I. M., & Heredia, F. J. Carotenoids, color, and ascorbic acid content of a novel frozen-marketed orange juice. *J.Agric.Food Chem.* 2007; 55: 1347-1355.

Melendez-Martinez, A. J., Vicario, I. M., & Heredia, F. J. Rapid assessment of vitamin A activity through objective color measurements for the quality control of orange juices with diverse carotenoid profiles. *J.Agric.Food Chem.* 2007; 55: 2808-2815.

Mikkelsen, T. B., Olsen, S. F., Rasmussen, S. E., & Osler, M. Relative validity of fruit and vegetable intake estimated by the food frequency questionnaire used in the Danish National Birth Cohort. *Scand.J.Public Health.* 2007; 35: 172-179.

Mills, J. P., Mills, T. A., & Reicks, M. Caregiver knowledge, attitudes and practices regarding vitamin A intake by Dominican children. *Matern.Child Nutr.* 2007; 3: 58-68.

Miyazawa, K., Miyamoto, S., Suzuki, R., Yasui, Y., Ikeda, R., Kohno, H., Yano, M., Tanaka, T., Hata, K., & Suzuki, K. Dietary beta-cryptoxanthin inhibits N-butyl-N-(4-hydroxybutyl)nitrosamine-induced urinary bladder carcinogenesis in male ICR mice. *Oncol.Rep.* 2007; 17: 297-304.

Montenegro, M. A., Nunes, I. L., Mercadante, A. Z., & Borsarelli, C. D. Photoprotection of vitamins in skimmed milk by an aqueous soluble lycopene-gum Arabic microcapsule. *J.Agric.Food Chem.* 2007; 55: 323-329.

Mukoyama, D., Takeyama, H., Kondo, Y., & Matsunaga, T. Astaxanthin formation in the marine photosynthetic bacterium *Rhodovulum sulfidophilum* expressing crtI, crtY, crtW and crtZ. *FEMS Microbiol.Lett.* 2006; 265: 69-75.

Murcia-Flores, L., Lorca-Pascual, J. M., Garre, V., Torres-Martinez, S., & Ruiz-Vazquez, R. M. Non-AUG translation initiation of a fungal RING finger repressor involved in photocarotenogenesis. *J.Biol.Chem.* 2007; 282: 15394-15403.

Nagovitsyn, I. A., Chudinova, G. K., Shcherbakov, D. I., Savrnaskii, V. V., & Komissarov, G. G. [Changes in the fluorescence of chlorophyll alpha and beta-carotene under the action of hydrogen peroxide]. *Biofizika*. 2007; 52: 205-208.

Naito, Y., Uchiyama, K., Mizushima, K., Kuroda, M., Akagiri, S., Takagi, T., Handa, O., Kokura, S., Yoshida, N., Ichikawa, H., Takahashi, J., & Yoshikawa, T. Microarray profiling of gene expression patterns in glomerular cells of astaxanthin-treated diabetic mice: a nutrigenomic approach. *Int.J.Mol.Med*. 2006; 18: 685-695.

Nanou, K., Roukas, T., & Kotzekidou, P. Role of hydrolytic enzymes and oxidative stress in autolysis and morphology of *Blakeslea trispora* during beta-carotene production in submerged fermentation. *Appl.Microbiol.Biotechnol*. 2007; 74: 447-453.

Neuhouser, M. L. The long and winding road of diet and breast cancer prevention. *Cancer Epidemiol.Biomarkers Prev*. 2006; 15: 1755-1756.

Neuhouser, M. L., Thompson, B., Coronado, G., Martinez, T., & Qu, P. A household food inventory is not a good measure of fruit and vegetable intake among ethnically diverse rural women. *J.Am.Diet.Assoc*. 2007; 107: 672-677.

Ni, H., Chen, Q. H., Ruan, H., Yang, Y. F., Li, L. J., Wu, G. B., Hu, Y., & He, G. Q. Studies on optimization of nitrogen sources for astaxanthin production by *Phaffia rhodozyma*. *J.Zhejiang.Univ Sci.B*. 2007; 8: 365-370.

Niedzwiedzki, D. M., Sullivan, J. O., Polivka, T., Birge, R. R., & Frank, H. A. Femtosecond time-resolved transient absorption spectroscopy of xanthophylls. *J.Phys.Chem.B*. 2006; 110: 22872-22885.

Nishino, H. Prevention of hepatocellular carcinoma in chronic viral hepatitis patients with cirrhosis by carotenoid mixture. *Recent Results Cancer Res*. 2007; 174: 67-71.

Nishiyama, I. Fruits of the actinidia genus. *Adv.Food Nutr.Res*. 2007; 52: 293-324.

Nishizaki, T., Tsuge, K., Itaya, M., Doi, N., & Yanagawa, H. Metabolic engineering of carotenoid biosynthesis in *Escherichia coli* by ordered gene assembly in *Bacillus subtilis*. *Appl.Environ.Microbiol*. 2007; 73: 1355-1361.

Nolan, J. M., Stack, J., O'Donovan, O., Loane, E., & Beatty, S. Risk factors for age-related maculopathy are associated with a relative lack of macular pigment. *Exp.Eye Res*. 2007; 84: 61-74.

Nolan, J. M., Stack, J., O'Connell, E., & Beatty, S. The relationships between macular pigment optical density and its constituent carotenoids in diet and serum. *Invest Ophthalmol.Vis.Sci*. 2007; 48: 571-582.

Norris, D. R., Marra, P. P., Kyser, T. K., Ratcliffe, L. M., & Montgomerie, R. Continent-wide variation in feather colour of a migratory songbird in relation to body condition and moulting locality. *Biol.Lett*. 2007; 3: 16-19.

O'Connell, E., Neelam, K., Nolan, J., Au Eong, K. G., & Beatty, S. Macular carotenoids and age-related maculopathy. *Ann.Acad.Med.Singapore*. 2006; 35: 821-830.

Ochiai, T., Shimeno, H., Mishima, K., Iwasaki, K., Fujiwara, M., Tanaka, H., Shoyama, Y., Toda, A., Eyanagi, R., & Soeda, S. Protective effects of carotenoids from saffron on neuronal injury in vitro and in vivo. *Biochim.Biophys.Acta*. 2007; 1770: 578-584.

Ordoudi, S. A. & Tsimidou, M. Z. Crocin bleaching assay (CBA) in structure-radical scavenging activity studies of selected phenolic compounds. *J.Agric.Food Chem*. 2006; 54: 9347-9356.

Palacios, R. E., Kodis, G., Herrero, C., Ochoa, E. M., Gervaldo, M., Gould, S. L., Kennis, J. T., Gust, D., Moore, T. A., & Moore, A. L. Tetrapyrrole singlet excited state quenching by carotenoids in an artificial photosynthetic antenna. *J.Phys.Chem.B*. 2006; 110: 25411-25420.

Palozza, P., Serini, S., Verdecchia, S., Ameruso, M., Trombino, S., Picci, N., Monego, G., & Ranelletti, F. O. Redox regulation of 7-ketcholesterol-induced apoptosis by beta-carotene in human macrophages. *Free Radic.Biol.Med.* 2007; 42: 1579-1590.

Perez-Rodriguez, L., Alonso-Alvarez, C., & Vinuela, J. Repeated sampling but not sampling hour affects plasma carotenoid levels. *Physiol Biochem.Zool.* 2007; 80: 250-254.

Peteri, Z., Teren, J., Vagvolgyi, C., & Varga, J. Ochratoxin degradation and adsorption caused by astaxanthin-producing yeasts. *Food Microbiol.* 2007; 24: 205-210.

Peters, A. Testosterone and carotenoids: an integrated view of trade-offs between immunity and sexual signalling. *Bioessays.* 2007; 29: 427-430.

Petri, D. & Lundebye, A. K. Tissue distribution of astaxanthin in rats following exposure to graded levels in the feed. *Comp Biochem.Physiol C Toxicol.Pharmacol.* 2007; 145: 202-209.

Plummer, M., Vivas, J., Lopez, G., Bravo, J. C., Peraza, S., Carillo, E., Cano, E., Castro, D., Andrade, O., Sanchez, V., Garcia, R., Buiatti, E., Aeblischer, C., Franceschi, S., Oliver, W., & Munoz, N. Chemoprevention of precancerous gastric lesions with antioxidant vitamin supplementation: a randomized trial in a high-risk population. *J.Natl.Cancer Inst.* 2007; 99: 137-146.

Prado-Cabrero, A., Scherzinger, D., Avalos, J., & Al Babili, S. Retinal biosynthesis in fungi: characterization of the carotenoid oxygenase CarX from *Fusarium fujikuroi*. *Eukaryot.Cell.* 2007; 6: 650-657.

Prado-Cabrero, A., Estrada, A. F., Al Babili, S., & Avalos, J. Identification and biochemical characterization of a novel carotenoid oxygenase: elucidation of the cleavage step in the *Fusarium* carotenoid pathway. *Mol.Microbiol.* 2007; 64: 448-460.

Quinlan, R. F., Jaradat, T. T., & Wurtzel, E. T. *Escherichia coli* as a platform for functional expression of plant P450 carotene hydroxylases. *Arch.Biochem.Biophys.* 2007; 458: 146-157.

Raja, R., Hemaiswarya, S., & Rengasamy, R. Exploitation of *Dunaliella* for beta-carotene production. *Appl.Microbiol.Biotechnol.* 2007; 74: 517-523.

Ramos, M. I., Siqueira, E. M., Isomura, C. C., Barbosa, A. M., & Arruda, S. F. Bocaiuva (*Acrocomia aculeata* (Jacq.) Lodd) improved Vitamin A status in rats. *J.Agric.Food Chem.* 2007; 55: 3186-3190.

Rao, A. V. & Rao, L. G. Carotenoids and human health. *Pharmacol.Res.* 2007; 55: 207-216.

Rao, L. G., Mackinnon, E. S., Josse, R. G., Murray, T. M., Strauss, A., & Rao, A. V. Lycopene consumption decreases oxidative stress and bone resorption markers in postmenopausal women. *Osteoporos.Int.* 2007; 18: 109-115.

Reboul, E., Thap, S., Tourniaire, F., Andre, M., Juhel, C., Morange, S., Amiot, M. J., Lairon, D., & Borel, P. Differential effect of dietary antioxidant classes (carotenoids, polyphenols, vitamins C and E) on lutein absorption. *Br.J.Nutr.* 2007; 97: 440-446.

Reichrath, J., Lehmann, B., Carlberg, C., Varani, J., & Zouboulis, C. C. Vitamins as hormones. *Horm. Metab. Res.* 2007; 39: 71-84.

Ribaya-Mercado, J. D., Maramag, C. C., Tengco, L. W., Dolnikowski, G. G., Blumberg, J. B., & Solon, F. S. Carotene-rich plant foods ingested with minimal dietary fat enhance the total-body vitamin A pool size in Filipino schoolchildren as assessed by stable-isotope-dilution methodology. *Am.J.Clin.Nutr.* 2007; 85: 1041-1049.

Riccioni, G., Bucciarelli, T., Mancini, B., Di Ilio, C., & D'Orazio, N. Plasma lycopene concentration is low in

subjects with stable asthma. *Allergy*. 2006; 61: 1371-1372.

Richer, S., Devenport, J., & Lang, J. C. LAST II: Differential temporal responses of macular pigment optical density in patients with atrophic age-related macular degeneration to dietary supplementation with xanthophylls. *Optometry*. 2007; 78: 213-219.

Rocha Ribeiro, S. M., Queiroz, J. H., Lopes Ribeiro de Queiroz ME, Campos, F. M., & Pinheiro Sant'ana, H. M. Antioxidant in mango (*Mangifera indica* L.) pulp. *Plant Foods Hum.Nutr.* 2007; 62: 13-17.

Rosenthal, J. M., Kim, J., de Monasterio, F., Thompson, D. J., Bone, R. A., Landrum, J. T., de Moura, F. F., Khachik, F., Chen, H., Schleicher, R. L., Ferris, F. L., III, & Chew, E. Y. Dose-ranging study of lutein supplementation in persons aged 60 years or older. *Invest Ophthalmol.Vis.Sci.* 2006; 47: 5227-5233.

Sampaio, A. R., Chagas, C. E., Ong, T. P., & Moreno, F. S. Vitamin A and beta-carotene inhibitory effect during 1,2-dimethylhydrazine induced hepatocarcinogenesis potentiated by 5-azacytidine. *Food Chem.Toxicol.* 2007; 45: 563-567.

Sandmann, G., Zhu, C., Krubasik, P., & Fraser, P. D. The biotechnological potential of the al-2 gene from *Neurospora crassa* for the production of monocyclic keto hydroxy carotenoids. *Biochim.Biophys.Acta.* 2006; 1761: 1085-1092.

Sarandol, A., Sarandol, E., Eker, S. S., Erdinc, S., Vatansever, E., & Kirli, S. Major depressive disorder is accompanied with oxidative stress: short-term antidepressant treatment does not alter oxidative-antioxidative systems. *Hum.Psychopharmacol.* 2007; 22: 67-73.

Sarraga, C., Carreras, I., Garcia Regueiro, J. A., Guardia, M. D., & Guerrero, L. Effects of alpha-tocopheryl acetate and beta-carotene dietary supplementation on the antioxidant enzymes, TBARS and sensory attributes of turkey meat. *Br.Poult.Sci.* 2006; 47: 700-707.

Schalch, W., Cohn, W., Barker, F. M., Kopcke, W., Mellerio, J., Bird, A. C., Robson, A. G., Fitzke, F. F., & van Kuijk, F. J. Xanthophyll accumulation in the human retina during supplementation with lutein or zeaxanthin - the LUXEA (LUtein Xanthophyll Eye Accumulation) study. *Arch.Biochem.Biophys.* 2007; 458: 128-135.

Schlatterer, J., Maurer, S., & Breithaupt, D. E. Quantification of 3R,3'R-zeaxanthin in plant derived food by a diastereomeric dilution assay applying chiral high-performance liquid chromatography. *J.Chromatogr.A.* 2006; 1137: 216-222.

Seidel, C., Boehm, V., Vogelsang, H., Wagner, A., Persin, C., Glei, M., Pool-Zobel, B. L., & Jahreis, G. Influence of prebiotics and antioxidants in bread on the immune system, antioxidative status and antioxidative capacity in male smokers and non-smokers. *Br.J.Nutr.* 2007; 97: 349-356.

Semba, R. D., Varadhan, R., Bartali, B., Ferrucci, L., Ricks, M. O., Blaum, C., & Fried, L. P. Low serum carotenoids and development of severe walking disability among older women living in the community: the women's health and aging study I. Age Ageing. 2007; 36: 62-67.

Semba, R. D., Lauretani, F., & Ferrucci, L. Carotenoids as protection against sarcopenia in older adults. *Arch.Biochem.Biophys.* 2007; 458: 141-145.

Shawkey, M. D., Hill, G. E., McGraw, K. J., Hood, W. R., & Huggins, K. An experimental test of the contributions and condition dependence of microstructure and carotenoids in yellow plumage coloration. *Proc.Biol.Sci.* 2006; 273: 2985-2991.

Shin, M. J. & Park, E. Plasma levels of leptin are associated with the plasma levels of LDL conjugated dienes in children. *Ann.Nutr.Metab.* 2007; 51: 1-6.

- Siegel, E. M., Craft, N. E., Duarte-Franco, E., Villa, L. L., Franco, E. L., & Giuliano, A. R. Associations between serum carotenoids and tocopherols and type-specific HPV persistence: the Ludwig-McGill cohort study. *Int.J.Cancer.* 2007; 120: 672-680.
- Sinha, S., Mallick, S., Misra, R. K., Singh, S., Basant, A., & Gupta, A. K. Uptake and translocation of metals in *Spinacia oleracea* L. grown on tannery sludge-amended and contaminated soils: effect on lipid peroxidation, morpho-anatomical changes and antioxidants. *Chemosphere.* 2007; 67: 176-187.
- Smith, H. G., Raberg, L., Ohlsson, T., Granbom, M., & Hasselquist, D. Carotenoid and protein supplementation have differential effects on pheasant ornamentation and immunity. *J.Evol.Biol.* 2007; 20: 310-319.
- Srinivasan, M., Sudheer, A. R., Pillai, K. R., Kumar, P. R., Sudhakaran, P. R., & Menon, V. P. Lycopene as a natural protector against gamma-radiation induced DNA damage, lipid peroxidation and antioxidant status in primary culture of isolated rat hepatocytes in vitro. *Biochim.Biophys.Acta.* 2007; 1770: 659-665.
- Srivastava, S., Kapoor, R., Thathola, A., & Srivastava, R. P. Nutritional quality of leaves of some genotypes of mulberry (*Morus alba*). *Int.J.Food Sci.Nutr.* 2006; 57: 305-313.
- Steffen, J. E. & McGraw, K. J. Contributions of pterin and carotenoid pigments to dewlap coloration in two anole species. *Comp. Biochem. Physiol B Biochem. Mol. Biol.* 2007; 146: 42-46.
- Stein, A. J., Sachdev, H. P., & Qaim, M. Potential impact and cost-effectiveness of Golden Rice. *Nat.Biotechnol.* 2006; 24: 1200-1201.
- Steinbrenner, J. & Sandmann, G. Transformation of the green alga *Haematococcus pluvialis* with a phytoene desaturase for accelerated astaxanthin biosynthesis. *Appl.Environ.Microbiol.* 2006; 72: 7477-7484.
- Stickforth, P. & Sandmann, G. Kinetic variations determine the product pattern of phytoene desaturase from *Rubrivivax gelatinosus*. *Arch.Biochem.Biophys.* 2007; 461: 235-241.
- Sugawara, T., Matsubara, K., Akagi, R., Mori, M., & Hirata, T. Antiangiogenic activity of brown algae fucoxanthin and its deacetylated product, fucoxanthinol. *J.Agric.Food Chem.* 2006; 54: 9805-9810.
- Sujak, A., Strzalka, K., & Gruszecki, W. I. Thermotropic phase behaviour of lipid bilayers containing carotenoid pigment canthaxanthin: a differential scanning calorimetry study. *Chem.Phys.Lipids.* 2007; 145: 1-12.
- Sun, Z. & Yao, H. The influence of di-acetylation of the hydroxyl groups on the anti-tumor-proliferation activity of lutein and zeaxanthin. *Asia Pac.J.Clin.Nutr.* 2007; 16 Suppl 1: 447-452.
- Sutter, S. C., Buera, M. P., & Elizalde, B. E. beta-carotene encapsulation in a mannitol matrix as affected by divalent cations and phosphate anion. *Int.J.Pharm.* 2007; 332: 45-54.
- Suwannalert, P., Boonsiri, P., Khampitak, T., Khampitak, K., Sriboonlue, P., & Yongvanit, P. The levels of lycopene, alpha-tocopherol and a marker of oxidative stress in healthy northeast Thai elderly. *Asia Pac.J.Clin.Nutr.* 2007; 16 Suppl 1: 27-30.
- Takahashi, H., Watanabe, A., Tanaka, A., Hashida, S. N., Kawai-Yamada, M., Sonoike, K., & Uchimiya, H. Chloroplast NAD kinase is essential for energy transduction through the xanthophyll cycle in photosynthesis. *Plant Cell Physiol.* 2006; 47: 1678-1682.
- Takaichi, S., Maoka, T., Akimoto, N., Khan, S. T., & Harayama, S. Major carotenoid isolated from *Paracoccus schoiniae* NBRC 100637T is adonixanthin diglucoside. *J.Nat.Prod.* 2006; 69: 1823-1825.
- Takimoto, T., Takahashi, K., & Akiba, Y. Effect of dietary supplementation of astaxanthin by *Phaffia rhodozyma* on lipid peroxidation, drug metabolism and some immunological variables in male broiler chicks fed on diets with

or without oxidised fat. Br.Poult.Sci. 2007; 48: 90-97.

Tang, L., Guan, H., Ding, X., & Wang, J. S. Modulation of aflatoxin toxicity and biomarkers by lycopene in F344 rats. Toxicol.Appl.Pharmacol. 2007; 219: 10-17.

Tao, L., Sedkova, N., Yao, H., Ye, R. W., Sharpe, P. L., & Cheng, Q. Expression of bacterial hemoglobin genes to improve astaxanthin production in a methanotrophic bacterium *Methylomonas* sp. Appl.Microbiol.Biotechnol. 2007; 74: 625-633.

Tao, L., Yao, H., & Cheng, Q. Genes from a *Dietzia* sp. for synthesis of C40 and C50 beta-cyclic carotenoids. Gene. 2007; 386: 90-97.

Tian, B., Xu, Z., Sun, Z., Lin, J., & Hua, Y. Evaluation of the antioxidant effects of carotenoids from *Deinococcus radiodurans* through targeted mutagenesis, chemiluminescence, and DNA damage analyses. Biochim.Biophys.Acta. 2007; 1770: 902-911.

Torres, C. A. & Andrews, P. K. Developmental changes in antioxidant metabolites, enzymes, and pigments in fruit exocarp of four tomato (*Lycopersicon esculentum* Mill.) genotypes: beta-carotene, high pigment-1, ripening inhibitor, and 'Rutgers'. Plant Physiol Biochem. 2006; 44: 806-818.

Trieschmann, M., Beatty, S., Nolan, J. M., Hense, H. W., Heimes, B., Austermann, U., Fobker, M., & Pauleikhoff, D. Changes in macular pigment optical density and serum concentrations of its constituent carotenoids following supplemental lutein and zeaxanthin: the LUNA study. Exp.Eye Res. 2007; 84: 718-728.

Tsai, H. L., Chang, S. K., & Chang, S. J. Antioxidant content and free radical scavenging ability of fresh red pummelo [*Citrus grandis* (L.) Osbeck] juice and freeze-dried products. J.Agric.Food Chem. 2007; 55: 2867-2872.

Tsen, K. T., Tsen, S. W., & Kiang, J. G. Lycopene is more potent than beta carotene in the neutralization of singlet oxygen: role of energy transfer probed by ultrafast Raman spectroscopy. J.Biomed.Opt. 2006; 11: 064025.

Unlu, N. Z., Bohn, T., Francis, D., Clinton, S. K., & Schwartz, S. J. Carotenoid absorption in humans consuming tomato sauces obtained from tangerine or high-beta-carotene varieties of tomatoes. J.Agric.Food Chem. 2007; 55: 1597-1603.

Vaisman, N., Haenen, G. R., Zaruk, Y., Verduyn, C., Bindels, J. G., Verlaan, S., & Meijer, E. P. Enteral feeding enriched with carotenoids normalizes the carotenoid status and reduces oxidative stress in long-term enterally fed patients. Clin.Nutr. 2006; 25: 897-905.

Van Norman, J. M. & Sieburth, L. E. Dissecting the biosynthetic pathway for the bypass1 root-derived signal. Plant J. 2007; 49: 619-628.

Vanitha, A., Murthy, K. N., Kumar, V., Sakthivelu, G., Veigas, J. M., Saibaba, P., & Ravishankar, G. A. Effect of the carotenoid-producing alga, *Dunaliella bardawil*, on CCl4-induced toxicity in rats. Int.J.Toxicol. 2007; 26: 159-167.

Vertzoni, M., Valsami, G., & Reppas, C. Plasma profiles of lycopene after single oral and intravenous administrations in dogs. J.Pharm.Pharmacol. 2006; 58: 1211-1217.

Vincent, H. K., Bourguignon, C. M., Vincent, K. R., Weltman, A. L., Bryant, M., & Taylor, A. G. Antioxidant supplementation lowers exercise-induced oxidative stress in young overweight adults. Obesity.(Silver.Spring). 2006; 14: 2224-2235.

Von Low, E. C., Perabo, F. G., Siener, R., & Muller, S. C. Review. Facts and fiction of phytotherapy for prostate cancer: a critical assessment of preclinical and clinical data. In Vivo. 2007; 21: 189-204.

Walter, M. H., Floss, D. S., Hans, J., Fester, T., & Strack, D. Apocarotenoid biosynthesis in arbuscular mycorrhizal roots: contributions from methylerythritol phosphate pathway isogenes and tools for its manipulation. *Phytochemistry*. 2007; 68: 130-138.

Wang, F., Jiang, J. G., & Chen, Q. Progress on molecular breeding and metabolic engineering of biosynthesis pathways of C(30), C(35), C(40), C(45), C(50) carotenoids. *Biotechnol.Adv.* 2007; 25: 211-222.

Wang, T., Jiao, Y., & Montell, C. Dissection of the pathway required for generation of vitamin A and for *Drosophila* phototransduction. *J.Cell Biol.* 2007; 177: 305-316.

Wang, W., Connor, S. L., Johnson, E. J., Klein, M. L., Hughes, S., & Connor, W. E. Effect of dietary lutein and zeaxanthin on plasma carotenoids and their transport in lipoproteins in age-related macular degeneration. *Am.J.Clin.Nutr.* 2007; 85: 762-769.

Wang, Y., Connor, S. L., Wang, W., Johnson, E. J., & Connor, W. E. The selective retention of lutein, meso-zeaxanthin and zeaxanthin in the retina of chicks fed a xanthophyll-free diet. *Exp.Eye Res.* 2007; 84: 591-598.

Weber, R. W., Anke, H., & Davoli, P. Simple method for the extraction and reversed-phase high-performance liquid chromatographic analysis of carotenoid pigments from red yeasts (*Basidiomycota*, Fungi). *J.Chromatogr.A*. 2007; 1145: 118-122.

Wehling, A. & Walla, P. J. A two-photon excitation study on the role of carotenoid dark states in the regulation of plant photosynthesis. *Photosynth.Res.* 2006; 90: 101-110.

Wenzel, A. J., Fuld, K., Stringham, J. M., & Curran-Celentano, J. Macular pigment optical density and photophobia light threshold. *Vision Res.* 2006; 46: 4615-4622.

Williams, C. A. & Carlucci, S. A. Oral vitamin E supplementation on oxidative stress, vitamin and antioxidant status in intensely exercised horses. *Equine Vet.J.Suppl.* 2006; 617-621.

Wolvers, D. A., Herpen-Broekmans, W. M., Logman, M. H., van der Wielen, R. P., & Albers, R. Effect of a mixture of micronutrients, but not of bovine colostrum concentrate, on immune function parameters in healthy volunteers: a randomized placebo-controlled study. *Nutr.J.* 2006; 5: 28.

Wormit, M. & Dreuw, A. Carotenoid radical cation formation in LH2 of purple bacteria: a quantum chemical study. *J.Phys.Chem.B.* 2006; 110: 24200-24206.

Wormit, M. & Dreuw, A. Quantum chemical insights in energy dissipation and carotenoid radical cation formation in light harvesting complexes. *Phys.Chem.Chem.Phys.* 2007; 9: 2917-2931.

Wright, M. E., Virtamo, J., Hartman, A. M., Pietinen, P., Edwards, B. K., Taylor, P. R., Huttunen, J. K., & Albanes, D. Effects of alpha-tocopherol and beta-carotene supplementation on upper aerodigestive tract cancers in a large, randomized controlled trial. *Cancer*. 2007; 109: 891-898.

Wurbs, D., Ruf, S., & Bock, R. Contained metabolic engineering in tomatoes by expression of carotenoid biosynthesis genes from the plastid genome. *Plant J.* 2007; 49: 276-288.

Xu, G., Gong, Z., Yu, W., Gao, L., He, S., & Qian, Z. Increased expression ratio of Bcl-2/Bax is associated with crocin-mediated apoptosis in bovine aortic endothelial cells. *Basic Clin.Pharmacol.Toxicol.* 2007; 100: 31-35.

Yamasaki, T., Aki, T., Shinozaki, M., Taguchi, M., Kawamoto, S., & Ono, K. Utilization of Shochu distillery wastewater for production of polyunsaturated fatty acids and xanthophylls using thraustochytrid. *J.Biosci.Bioeng.* 2006; 102: 323-327.

Yang, J. & O'Tousa, J. E. Cellular sites of *Drosophila* NinaB and NinaD activity in vitamin A metabolism. *Mol.Cell*

Neurosci. 2007; 35: 49-56.

Yonekura, L. & Nagao, A. Intestinal absorption of dietary carotenoids. Mol.Nutr.Food Res. 2007; 51: 107-115.

Yoon, S. H., Kim, J. E., Lee, S. H., Park, H. M., Choi, M. S., Kim, J. Y., Lee, S. H., Shin, Y. C., Keasling, J. D., & Kim, S. W. Engineering the lycopene synthetic pathway in *E. coli* by comparison of the carotenoid genes of *Pantoea agglomerans* and *Pantoea ananatis*. Appl.Microbiol.Biotechnol. 2007; 74: 131-139.

Yoshiko, S. & Hoyoku, N. Fucoxanthin, a natural carotenoid, induces G1 arrest and GADD45 gene expression in human cancer cells. In Vivo. 2007; 21: 305-309.

Yoshimura, S., Ranjbar, R., Inoue, R., Katsuda, T., & Katoh, S. Effective utilization of transmitted light for astaxanthin production by *Haematococcus pluvialis*. J.Biosci.Bioeng. 2006; 102: 97-101.

Zarter, C. R., Demmig-Adams, B., Ebbert, V., Adamska, I., & Adams, W. W., III Photosynthetic capacity and light harvesting efficiency during the winter-to-spring transition in subalpine conifers. New Phytol. 2006; 172: 283-292.

Zarter, C. R., Adams, W. W., III, Ebbert, V., Cuthbertson, D. J., Adamska, I., & Demmig-Adams, B. Winter down-regulation of intrinsic photosynthetic capacity coupled with up-regulation of Elip-like proteins and persistent energy dissipation in a subalpine forest. New Phytol. 2006; 172: 272-282.

Zheng, Y. Q., Liu, J. X., Wang, J. N., & Xu, L. Effects of crocin on reperfusion-induced oxidative/nitrative injury to cerebral microvessels after global cerebral ischemia. Brain Res. 2007; 1138: 86-94.

Ziouzenkova, O., Orasanu, G., Sukhova, G., Lau, E., Berger, J. P., Tang, G., Krinsky, N. I., Dolnikowski, G. G., & Plutzky, J. Asymmetric cleavage of beta-carotene yields a transcriptional repressor of retinoid X receptor and peroxisome proliferator-activated receptor responses. Mol.Endocrinol. 2007; 21: 77-88.