



Carotenoid News

Vol. 19, No. 1
FEBRUARY 2009

FROM THE EDITOR

"Nothing great in the world has been accomplished without passion." (Hegel, German philosopher, 1770-1831)

Such passion for carotenoids, in all hues, localities, and aspects, was obvious for anyone who observed Dr. Norman Krinsky during many scientific conferences he attended and organized. He considered results and opinions of everybody present, from well-known researchers to young graduate students, with unfailing courtesy, respect and light humor which encouraged discussion. His probing questions and generous comments often threw new light on difficult problems or showed a new direction to solve them.

We are going to miss Norman very much in future carotenoid gatherings, like CARIG Symposium at EB 2009, or the Gordon Research Conference on Carotenoids next January. He was a model of a true scientist, full of passion for his research, possessing encyclopedic knowledge of his field, a great mentor of young academicians and an example to emulate for all. A tribute to Dr. Norman Krinsky will be presented at CARIG minisymposium during EB 2009, on Saturday, April 18, by his long-time collaborator, Dr. Robert Russell from Tufts University.

Maria S. Sapuntzakis, Chicago, IL

In Memoriam

Norman I. Krinsky, 1928-2008

Norman I. Krinsky, a scientist who was a leader in the field of carotenoids, passed away on November 28, 2008 after more than a half century of dedicated research with these plant pigments. One will find few research publications on carotenoids that will not include a reference to Dr. Krinsky's work.

Born in Michigan's Upper Peninsula, Dr. Krinsky grew up in Chicago. His studies in biochemistry began at the University of Southern California where he received a B.S. and M.S. in this field. In 1952, he was awarded a Ph.D. in biochemistry with a dissertation entitled "Studies of Carotenoid and Vitamin A Complexes with Protein in Plasma and Tissues".

In 1953, Norman came to Harvard University. As a U.S. Public Health Service Postdoctoral Fellow, he worked with George Wald who received a Nobel Prize in Medicine for his work with vitamin A and vision. Norman continued his work with Wald with a postdoctoral fellowship from the National Council to Combat Blindness. Norman was at Harvard for 7 years, the latter part of which he served as an instructor and lecturer in the Department of Biology.

In 1960, he accepted a position as an assistant professor at Tufts University School of Medicine, and he remained at Tufts for the rest of his career. In these early days, his studies in algae and bacteria laid down some of the ground work for understanding the biochemical conversions and

function of various carotenoids in these organisms. His interest in the photochemistry of carotenoids led him into other areas of radical biochemistry as well. Throughout the decades his research explored the metabolism of carotenoids in a variety of animal models. In later years the monkey model allowed for exploration into the biological control of carotenoids in the primate retina.

It was his collaborations using the ferret model that were particularly interesting. This work was spawned from the epidemiological studies that had shown that carotenoid status was related to decreased risk of lung cancer. Contrary to these observations, intervention studies using supplemental β -carotene showed that smokers were at a greater risk of lung cancer. Norman and his longtime collaborators, Robert M. Russell and Xiang-Dong Wang, proposed that large doses of β -carotene, in an oxidatively stressed environment, e.g. smokers' lungs, were oxidized to harmful compounds. Their work in this animal model confirmed it. This was a beginning of the realization that pharmaceutical doses of β -carotene could have pro-oxidant effects.

Another significant contribution that Norman made was the studies that evaluated the bioconversion to vitamin A of carotenoids in various food vehicles. Norman, Rob Russell, and Guangwen Tang at Tufts showed that the bioavailability of vitamin A from β -carotene varied considerably from one food source to another. This led to the realization that not only was the amount of carotenoid contained in a food of importance, but also the amount that was available for absorption from the gut into the body. These findings were of such importance that Norman was invited to chair the panel that set the Recommended Daily Allowance of antioxidants. The World Health Organization also changed its recommendations in light of this work. He wrote many review articles and edited two influential books, "Carotenoids: Chemistry and Biology" (with his long-time collaborator Micheline Mathews-Roth and with R. F. Taylor), and "Carotenoids in Health and Disease" (with Susan Mayne and Helmut Sies).

Dr. Krinsky was one of the leaders who set a tone of collegiality and cooperation in the field of vitamin A and carotenoids research. He was deeply interested in the research advances of others. This was reflected in the many conferences and committees that he helped organize. In 1973, the increasing interest in the field of free radicals and related oxidants in relation to health and disease initiated a Gordon Conference on "Oxy-Radicals in Biology and Medicine." Norman was a part of this initiative and was the first chair of a conference that continues today. By the early 1990s, it was realized that there were carotenoids of interest beyond the major ones found in diet and human tissues. This led to the creation of yet another conference. In 1992, he chaired the first

Gordon Research Conference on "Chemistry and Biology of Carotenoids" which also continues to this day.

Throughout this rich and colorful career Norman was continually involved with students and teaching. When he retired from Tufts in 2001, he and his wife established the Norman & Susan Krinsky Excellence in Teaching Award for students in the Sackler School of Graduate Biomedical Sciences and the Medical School at Tufts. This award honors Norman's 40 years of service in the Sackler School and is meant to recognize individuals who have shown sustained teaching excellence.

Dr. Krinsky continued his sincere and dedicated interest in carotenoids up until the year of his death with his last publication. This research report was reminiscent of that which began his career, with a study of the distribution of carotenoids in the blood circulation. Also, reminiscent of his early work, this work contained several co-authors, a testimony to his giving and sharing of his gift of bringing new eyes to view and study these special colors that surround us.

Norman passed away the day after Thanksgiving 2008, an occasion which he enjoyed with his wife Susan, their daughter Lisa, their son Adam, and their two grandchildren, Colin and Jenna. The color that Norman brought to the carotenoid community cannot be measured.

Elizabeth Johnson, Boston, MA

CARIG Travel Awards

CARIG will award one or more \$500 travel grants based on a poster competition to be held in conjunction with the CARIG/VARIG Social at Experimental Biology 2009, on April 18, 6:00-8:30pm, in New Orleans Marriott, Galerie 4-6. Graduate students and postdoctoral trainees are eligible. Posters must address carotenoid and/or vitamin A research. For those assigned an oral presentation rather than a poster at EB'09, printed copies of the slides may be used for the CARIG/VARIG poster competition. No advance registration is required to participate in the poster competition. Contact: Dr. Elizabeth J. Johnson, Carotenoids & Health Laboratory, Jean Mayer USDA Human Nutrition Research Center on Aging, Tufts University, Boston, MA 02111, USA **tel:** 1-617-556-3204, **fax:** 1-617-556-3344, **E-mail:** elizabeth.johnson@tufts.edu

UPCOMING EVENTS

April 18-22, 2009

Experimental Biology 2009, New Orleans, LA. Contact: EB2009, FASEB Office of Scientific Meetings & Conferences, 950 Rockville Pike, Bethesda, MD 20814-3998, **website:** www.eb2009.org, **e-mail:** eb@faseb.org **tel:** 301-634-7010 [see highlights below].

12-15 May, 2009

Micronutrient Forum "Micronutrients, Health, and Development: Evidence Based Programs", Beijing, China. Contact: Micronutrient Forum Secretariat at A2Z Project, AED, 1825 Connecticut Ave. NW, Washington DC, 20009, **tel:** 202-884-8785, **e-mail:** mnforum@aed.org

May 13-14, 2009

5th Biennial Conference on Diet and Optimum Health, Portland, OR. Contact: **e-mail:** lpi@oregonstate.edu, **Tel:** 541-737-5675, **website:** lpi.oregonstate.edu/conf2009

October 4-9, 2009

19th International Congress of Nutrition - Nutritional

Security for All. Bangkok, Thailand. Contact: **website:** www.icn2009.com,

January 17-22, 2010

7th Gordon Research Conference on Carotenoids, Ventura, CA. Contact: **website:** www.grc.org

HIGHLIGHTS OF EXPERIMENTAL BIOLOGY 2008

Friday, April 17, CARIG 2009 Symposium, 1:00-5:00pm

Saturday, April 18, Minisymposium CARIG (Carotenoids), 3:00-5:00pm, Convention Center, Room 333/334

Saturday, April 18, CARIG/VARIG Social and Student Poster Competition, 6:00-8:30pm, New Orleans Marriott, Galerie 4-6.

Monday, April 20, Minisymposium Vitamin A and Retinoids, 8:00-10:00am, Convention Center

Monday, April 20, Poster session Vitamin A and Retinoids, Convention Center

Tuesday, April 21, Poster session CARIG (Carotenoids), Convention Center

CARIG 2009 Symposium Program
Molecular Aspects of Carotenoid Metabolism
Friday, April 17, 2009, 1:00 - 5:00 pm
Marriott Hotel (555 Canal Street)

New Orleans, LA

Chair: Lewis Rubin

Co-Chair: Sherry Tanumihardjo

1:00 Carotenoids, their metabolic products, and the metabolic syndrome. *William S. Blazer, Columbia University*

1:45 New functions of CMO1 and CMO2 in cell regulation. *Lewis P. Rubin, University of South Florida*

2:30 The role of β -carotene-15,15'-oxygenase (CMO1) during mammalian embryonic development. *Loredana Quadro, Rutgers University*

3:15 Alterations in carotenoid bioaccumulation in mice lacking the CMO I or the CMO II carotenoid cleavage enzyme. *Nikki Ford, University of Illinois at Urbana-Champaign*

4:00 The molecular link between PPAR γ and lycopene metabolites: a double-edged sword. *Xiang Dong Wang, Tufts University*

RECENT / FORTHCOMING PUBLICATIONS

SIGHT AND LIFE Magazine 3/2008, PO Box 2116, 4002 Basel, Switzerland, **website:** www.sightandlife.org, **e-mail:** klaus.kraemer@sightandlife.org **tel:** 41-61-815-8756, **fax:** 41-61-815-8190. See especially: Britton G. Highlights of the 15th International Symposium on Carotenoids.

Lycopene. Nutritional, Medicinal and Therapeutical Properties. Ed. Preedy V.R. & Watson R.R. Science Publishers (USA) 2008.

Tomatoes and Tomato Products. Nutritional, Medicinal and Therapeutical Properties. Ed. Preedy V.R. & Watson R.R. Science Publishers (USA) 2008.

Distribution and Biosynthesis of Carotenoids by S. Takaichi in *The Purple Photosynthetic Bacteria*, ed. Hunter N et al, vol 28 of *Advances in Photosynthesis and Respiration*, pp 97-117, Springer, 2009.

Alphabetical Listing of Recent Publications

Prepared by Dr. Harold Furr, Institute of Nutrition, Mahidol

University, Thailand, and Department of Nutritional Sciences, University of Wisconsin, Madison. More extensive list may be found at www.carotenoidsociety.org.

- Abadie-Guedes, R., Santos, S. D., Cahu, T. B., Guedes, R. C., & de Souza, B. R. Dose-dependent effects of astaxanthin on cortical spreading depression in chronically ethanol-treated adult rats. *Alcohol Clin. Exp. Res.* 2008; 32: 1417-1421.
- Adackapara, C. A., Sunness, J. S., Dibbernardo, C. W., Melia, B. M., & Dagnelie, G. Prevalence of cystoid macular edema and stability in OCT retinal thickness in eyes with retinitis pigmentosa during a 48-week lutein trial. *Retina* 2008; 28: 103-110.
- Ahn, T. K., Avenson, T. J., Ballottari, M., Cheng, Y. C., Niyogi, K. K., Bassi, R., & Fleming, G. R. Architecture of a charge-transfer state regulating light harvesting in a plant antenna protein. *Science*. 2008; 320: 794-797.
- Akbaraly, T. N., Favier, A., & Berr, C. Total plasma carotenoids and mortality in the elderly: results of the Epidemiology of Vascular Ageing (EVA) study. *Br.J.Nutr.* 2008; 1-7.
- Akbaraly, T. N., Fontbonne, A., Favier, A., & Berr, C. Plasma carotenoids and onset of dysglycemia in an elderly population: results of the EVA Study. *Diabetes Care* 2008; 31: 1355-1359.
- Albert, G. I., Hoeller, U., Schierle, J., Neuringer, M., Johnson, E. J., & Schalch, W. Metabolism of lutein and zeaxanthin in rhesus monkeys: identification of (3R,6'R)- and (3R,6'S)-3'-dehydro-lutein as common metabolites and comparison to humans. *Comp.Biochem.Physiol.B Biochem.Mol.Biol.* 2008; 151: 70-78.
- Almeida, E. R. & Cerda-Olmedo, E. Gene expression in the regulation of carotene biosynthesis in *Phycomyces*. *Curr.Genet.* 2008; 53: 129-137.
- Alonso-Alvarez, C., Perez-Rodriguez, L., Mateo, R., Chastel, O., & Vinuela, J. The oxidation handicap hypothesis and the carotenoid allocation trade-off. *J.Evol.Biol.* 2008; 21: 1789-1797.
- Alper, H. & Stephanopoulos, G. Uncovering the gene knockout landscape for improved lycopene production in *E. coli*. *Appl. Microbiol. Biotechnol.* 2008; 78: 801-810.
- Akimoto, S., Yokono, M., Higuchi, M., Tomo, T., Takaichi, S., Murakami, A. & Mimuro, M. Solvent effects on excitation relaxation dynamics of a keto-carotenoid, siphonaxanthin. *Photochem Photobiol. Sci.* 2008; 7: 1206-9.
- Alquezar, B., Rodrigo, M. J., & Zacarias, L. Regulation of carotenoid biosynthesis during fruit maturation in the red-fleshed orange mutant *Cara Cara*. *Phytochemistry* 2008; 69: 1997-2007.
- Anjay, M. A., Palanivel, V., & Nirmal, S. An infant with yellow skin. *Arch.Dis.Child.* 2008; 93: 553.
- Asker, D., Beppu, T., & Ueda, K. *Nubsella zeaxanthinifaciens* gen. nov., sp. nov., a zeaxanthin-producing bacterium of the family *Sphingobacteriaceae* isolated from freshwater. *Int.J.Syst.Evol.Microbiol.* 2008; 58: 601-606.
- Balashov, S. P., Imasheva, E. S., Wang, J. M., & Lanyi, J. K. Excitation energy-transfer and the relative orientation of retinal and carotenoid in xanthorhodopsin. *Biophys.J.* 2008; 95: 2402-2414.
- Baldemann, S., Ropeter, K., Kohler, N., & Fleischmann, P. Isolation of all-*trans* lycopene by high-speed counter-current chromatography using a temperature-controlled solvent system. *J.Chromatogr.A* 2008; 1192: 191-3
- Barros, L., Cruz, T., Baptista, P., Estevinho, L. M., & Ferreira, I. C. Wild and commercial mushrooms as source of nutrients and nutraceuticals. *Food Chem.Toxicol.* 2008; 46: 2742-2747.
- Bartlett, H. E. & Eperjesi, F. A randomised controlled trial investigating the effect of lutein and antioxidant dietary supplementation on visual function in healthy eyes. *Clin.Nutr.* 2008; 27: 218-227.
- Beatty, S., van Kuijk, F. J., & Chakravarthy, U. Macular pigment and age-related macular degeneration: longitudinal data and better techniques of measurement are needed. *Invest Ophthalmol.Vis.Sci.* 2008; 49: 843-5.
- Beck, J., Ferrucci, L., Sun, K., Fried, L. P., Varadhan, R., Walston, J., Guralnik, J. M., & Semba, R. D. Circulating oxidized LDL are associated with overweight, obesity, and low serum carotenoids in older community-dwelling women. *Nutrition* 2008; 24: 964-968.
- Bessler, H., Salman, H., Bergman, M., Alcalay, Y., & Djaldetti, M. *In vitro* effect of lycopene on cytokine production by human peripheral blood mononuclear cells. *Immunol.Invest.* 2008; 37: 183-190.
- Blasko, A., Belagyi, J., Dergez, T., Deli, J., Papp, G., Papp, T., Vagvolgyi, C., & Pesti, M. Effect of polar and non-polar carotenoids on *Xanthophyllomyces dendrorhous* membranes by EPR. *Eur.Biophys.J.* 2008; 37: 1097-1104.
- Block, K. I. An antioxidant turnabout. *Integr.Cancer Ther.* 2008; 7: 59-6
- Boon, C. S., Xu, Z., Yue, X., McClements, D. J., Weiss, J., & Decker, E. A. Factors affecting lycopene oxidation in oil-in-water emulsions. *J.Agric.Food Chem.* 2008; 56: 1408-1414.
- Borel, P., Moussa, M., Reboul, E., Lyan, B., Defoort, C., Vincent-Baudry, S., Maillot, M., Gastaldi, M., Darmon, M., Portugal, H., Lairon, D., & Planells, R. Human fasting plasma concentrations of vitamin E and carotenoids, and their association with genetic variants in apo C-III, cholesteryl ester transfer protein, hepatic lipase, intestinal fatty acid binding protein and microsomal triacylglycerol transfer protein. *Br.J.Nutr.* 2008; 1-8.
- Borowski, T., Blomberg, M. R., & Siegbahn, P. E. Reaction mechanism of apocarotenoid oxygenase (ACO): a DFT study. *Chemistry*. 2008; 14: 2264-2276.
- Buendia, B., Allende, A., Nicolas, E., Alarcon, J. J., & Gil, M. I. Effect of regulated deficit irrigation and crop load on the antioxidant compounds of peaches. *J.Agric.Food Chem.* 2008; 56: 3601-3608.
- Burgess, L. C., Rice, E., Fischer, T., Seekins, J. R., Burgess, T. P., Sticka, S. J., & Klatt, K. Lycopene has limited effect on cell proliferation in only two of seven human cell lines (both cancerous and noncancerous) in an *in vitro* system with doses across the physiological range. *Toxicol. In Vitro* 2008; 22: 1297-1300.
- Cardoso, G. C. & Mota, P. G. Speciation evolution of coloration in the genus *Carduelis*. *Evolution* 2008; 62: 753-762.
- Chander, S., Meng, Y., Zhang, Y., Yan, J., & Li, J. Comparison of nutritional traits variability in selected 87 inbreds from Chinese maize (*Zea mays* L.) germplasm. *J.Agric.Food Chem.* 2008; 56: 6506-6511.
- Chen, C. Y. & Blumberg, J. B. Phytochemical composition of nuts. *Asia Pac.J.Clin.Nutr.* 2008; 17 Suppl 1: 329-332.
- Cho, E., Hankinson, S. E., Rosner, B., Willett, W. C., & Colditz, G. A. Prospective study of lutein/zeaxanthin intake and risk of age-related macular degeneration. *Am.J.Clin.Nutr.* 2008; 87: 1837-1843.
- Chow, C. K. The relative efficacy of lycopene and β -carotene in inhibiting experimental metastasis of human hepatoma SK-Hep-1 cells in athymic nude mice. *J.Nutr.* 2008; 138: 2289.
- Coesel, S., Obornik, M., Varela, J., Falcatore, A., & Bowler, C. Evolutionary origins and functions of the carotenoid biosynthetic pathway in marine diatoms. *PLoS.ONE*. 2008; 3: e2896.
- Coesel, S. N., Baumgartner, A. C., Teles, L. M., Ramos, A. A., Henriques, N. M., Cancela, L., & Varela, J. C. Nutrient limitation is the main regulatory factor for carotenoid accumulation and for *Psy* and *Pds* steady state transcript levels in *Dunaliella salina* (*Chlorophyta*) exposed to high light and salt stress. *Mar.Biotechnol.(NY)*. 2008; 10: 602-611.
- Comstock, G. W., Alberg, A. J., Huang, H. Y., Wu, K., Burke, A. E., Hoffman, S. C., Norkus, E. P., Gross, M., Cutler, R. G., Morris, J. S., Spate, V. L., & Helzlsouer, K. J. The risk of developing lung cancer associated with antioxidants in the blood: ascorbic acids, carotenoids, α -tocopherol, selenium, and total peroxyl radical absorbing capacity. *Am.J.Epidemiol.* 2008; 168: 831-840.
- Cong, H., Niedzwiedzki, D. M., Gibson, G. N., LaFountain, A. M., Kelsh, R. M., Gardiner, A. T., Cogdell, R. J., & Frank, H. A. Ultrafast time-resolved carotenoid to bacteriochlorophyll energy transfer in LH2 complexes from photosynthetic bacteria. *J.Phys.Chem.B*. 2008; 112: 10689-10703.
- Costantini, D., Fanfani, A., & Dell'omo, G. Effects of corticosteroids on oxidative damage and circulating carotenoids in captive adult kestrels (*Falco tinnunculus*). *J.Comp Physiol [B]*. 2008; 178: 829-835.
- Cote, J., Le Galliard, J. F., Rossi, J. M., & Fitze, P. S. Environmentally induced changes in carotenoid-based coloration of female lizards: a comment on Vercken et al. *J.Evol.Biol.* 2008; 21: 1165-1172.
- Cui, Y., Shikany, J. M., Liu, S., Shagufu, Y., & Rohan, T. E. Selected antioxidants and risk of hormone receptor-defined invasive breast cancers among postmenopausal women in the Women's Health Initiative Observational Study. *Am.J.Clin.Nutr.* 2008; 87: 1009-1018.
- Darrigues, A., Schwartz, S. J., & Francis, D. M. Optimizing sampling of tomato fruit for carotenoid content with application to assessing the impact of ripening disorders. *J.Agric.Food Chem.* 2008; 56: 483-487.
- Das, S. K., Hashimoto, T., & Kanazawa, K. Growth inhibition of human hepatic carcinoma HepG2 cells by fucoxanthin is associated with down-regulation of cyclin D. *Biochim.Biophys.Acta* 2008; 1780: 743-749.
- Davis, C. R., Howe, J. A., Rocheford, T. R., & Tanumihardjo, S. A. The xanthophyll composition of biofortified maize (*Zea mays* Sp.) does not influence the bioefficacy of provitamin A carotenoids in Mongolian gerbils (*Meriones unguiculatus*). *J.Agric.Food Chem.* 2008; 56: 6745-6750.

- De Neve, L., Fargallo, J. A., Vergara, P., Lemus, J. A., Jaren-Galan, M., & Luaces, I. Effects of maternal carotenoid availability in relation to sex, parasite infection and health status of nestling kestrels (*Falco tinnunculus*). *J.Exp.Biol.* 2008; 211: 1414-1425.
- Del Rio, E., Acien, F. G., Garcia-Malea, M. C., Rivas, J., Molina-Grima, E., & Guerrero, M. G. Efficiency assessment of the one-step production of astaxanthin by the microalga *Haematococcus pluvialis*. *Biotechnol.Bioeng.* 2008; 100: 397-402.
- Denniss, S. G., Haffner, T. D., Kroetsch, J. T., Davidson, S. R., Rush, J. W., & Hughson, R. L. Effect of short-term lycopene supplementation and postprandial dyslipidemia on plasma antioxidants and biomarkers of endothelial health in young, healthy individuals. *Vasc.Health Risk Manag.* 2008; 4: 213-222.
- Devaraj, S., Mathur, S., Basu, A., Aung, H. H., Vasu, V. T., Meyers, S., & Jialal, I. A dose-response study on the effects of purified lycopene supplementation on biomarkers of oxidative stress. *J.Am.Coll.Nutr.* 2008; 27: 267-273.
- Dherani, M., Murthy, G. V., Gupta, S. K., Young, I. S., Maraini, G., Camparini, M., Price, G. M., John, N., Chakravarthy, U., & Fletcher, A. E. Blood levels of vitamin C, carotenoids and retinol are inversely associated with cataract in a North Indian population. *Invest. Ophthalmol.Vis.Sci.* 2008; 49: 3328-3335.
- Dreon, M. S., Ituarte, S., Ceolin, M., & Heras, H. Global shape and pH stability of ovorubin, an oligomeric protein from the eggs of *Pomacea canaliculata*. *FEBS J.* 2008; 275: 4522-4530.
- Dreuw, A. & Wormit, M. Simple replacement of violaxanthin by zeaxanthin in LHC-II does not cause chlorophyll fluorescence quenching. *J.Inorg.Biochem.* 2008; 102: 458-465.
- Dugo, P., Herrero, M., Kumm, T., Giuffrida, D., Dugo, G., & Mondello, L. Comprehensive normal-phase x reversed-phase LC coupled to photodiode array and mass spectrometry detection for the analysis of free carotenoids and carotenoid esters from mandarin. *J.Chromatogr.A.* 2008; 1189: 196-206.
- Dugo, P., Herrero, M., Giuffrida, D., Kumm, T., Dugo, G., & Mondello, L. Application of comprehensive two-dimensional LC to elucidate the native carotenoid composition in red orange essential oil. *J.Agric.Food Chem.* 2008; 56: 3478-3485.
- Dugo, P., Herrero, M., Giuffrida, D., Ragonese, C., Dugo, G., & Mondello, L. Analysis of native carotenoid composition in orange juice using C30 columns in tandem. *J.Sep.Sci.* 2008; 31: 2151-2160.
- Eeva, T., Sillanpaa, S., Salminen, J. P., Nikkinen, L., Tuominen, A., Toivonen, E., Pihlaja, K., & Lehtikoinen, E. Environmental pollution affects the plumage color of Great Tit nestlings through carotenoid availability. *Ecohealth* 2008; 5: 328-337.
- Enserink, M. Tough lessons from golden rice. *Science* 2008; 320:468-471.
- Eriksson, J., Larson, G., Gunnarsson, U., Bed'hom, B., Tixier-Boichard, M., Stromstedt, L., Wright, D., Jungerius, A., Vereijken, A., Randi, E., Jensen, P., & Andersson, L. Identification of the yellow skin gene reveals a hybrid origin of the domestic chicken. *PLoS.Genet.* 2008; 4: e1000010.
- Esteban, R., Jimenez, M. S., Morales, D., Jimenez, E. T., Hormaetxe, K., Becerril, J. M., Osmond, B., & Garcia-Plazaola, J. I. Short- and long-term modulation of the lutein epoxide and violaxanthin cycles in two species of the *Lauraceae*: sweet bay laurel (*Laurus nobilis* L.) and avocado (*Persea americana* Mill.). *Plant Biol.(Stuttg)*. 2008; 10: 288-297.
- Estrada, A. F., Youssar, L., Scherzinger, D., Al Babili, S., & Avalos, J. The ylo-1 gene encodes an aldehyde dehydrogenase responsible for the last reaction in the *Neurospora* carotenoid pathway. *Mol.Microbiol.* 2008; 69: 1207-1220.
- Ewen, J. G., Thorogood, R., Karadas, F., & Cassey, P. Condition dependence of nestling mouth colour and the effect of supplementing carotenoids on parental behaviour in the hihi (*Notiornis cinerea*). *Oecologia* 2008; 157: 361-368.
- Fang, J., Chai, C., Qian, Q., Li, C., Tang, J., Sun, L., Huang, Z., Guo, X., Sun, C., Liu, M., Zhang, Y., Lu, Q., Wang, Y., Lu, C., Han, B., Chen, F., Cheng, Z., & Chu, C. Mutations of genes in synthesis of the carotenoid precursors of ABA lead to pre-harvest sprouting and photo-oxidation in rice. *Plant J.* 2008; 54: 177-189.
- Feng, J., Li, X., & Liu, Y. Effects of pH on the peripheral light-harvesting antenna complex for *Rhodospseudomonas palustris*. *Sci.China C Life Sci.* 2008; 51: 760-766.
- Ferguson, L. R. & Philpott, M. Nutrition and mutagenesis. *Annu.Rev.Nutr.* 2008; 28: 313-329.
- Ferracane, R., Pellegrini, N., Visconti, A., Graziani, G., Chiavaro, E., Miglio, C., & Fogliano, V. Effects of different cooking methods on antioxidant profile, antioxidant capacity, and physical characteristics of artichoke. *J.Agric.Food Chem.* 2008; 56: 8601-8608.
- Flores-Perez, U., Perez-Gil, J., Rodriguez-Villalon, A., Gil, M. J., Vera, P., & Rodriguez-Concepcion, M. Contribution of hydroxymethylbutenyl diphosphate synthase to carotenoid biosynthesis in bacteria and plants. *Biochem.Biophys.Res.Comm.* 2008;371:510-4
- Focsan, A. L., Bowman, M. K., Kononova, T. A., Molnar, P., Deli, J., Dixon, D. A., & Kispert, L. D. Pulsed EPR and DFT characterization of radicals produced by photo-oxidation of zeaxanthin and violaxanthin on silica-alumina. *J.Phys.Chem.B.* 2008; 112: 1806-1819.
- Fujisawa, M., Watanabe, M., Choi, S. K., Teramoto, M., Ohyama, K., & Misawa, N. Enrichment of carotenoids in flaxseed (*Linum usitatissimum*) by metabolic engineering with introduction of bacterial phytoene synthase gene crtB. *J.Biosci.Bioeng.* 2008; 105: 636-641.
- Gallicchio, L., Boyd, K., Matanoski, G., Tao, X. G., Chen, L., Lam, T. K., Shiels, M., Hammond, E., Robinson, K. A., Caulfield, L. E., Herman, J. G., Guallar, E., & Alberg, A. J. Carotenoids and the risk of developing lung cancer: a systematic review. *Am.J.Clin.Nutr.* 2008; 88: 372-383.
- Gao, J., Gao, X., Li, W., Zhu, Y., & Thompson, P. J. Observational studies on the effect of dietary antioxidants on asthma: a meta-analysis. *Respirology* 2008; 13: 528-536.
- Garcia-Martin, A., Pazur, A., Wilhelm, B., Silber, M., Robert, B., & Braun, P. The role of aromatic phenylalanine residues in binding carotenoid to light-harvesting model and wild-type complexes. *J.Mol.Biol.* 2008; 382: 154-166.
- Garcia, A. L., Koebrick, C., Dagnellie, P. C., Strassner, C., Elmadafa, I., Katz, N., Leitzmann, C., & Hoffmann, I. Long-term strict raw food diet is associated with favourable plasma beta-carotene and low plasma lycopene concentrations in Germans. *Br.J.Nutr.* 2008; 99: 1293-1300.
- Ghosh, C., Baker, J. A., Moysich, K. B., Rivera, R., Brasure, J. R., & McCann, S. E. Dietary intakes of selected nutrients and food groups and risk of cervical cancer. *Nutr Cancer.* 2008; 60: 331-341.
- Giorio, G., Stigliani, A. L., & D'Ambrosio, C. Phytoene synthase genes in tomato (*Solanum lycopersicum* L.) - new data on the structures, the deduced amino acid sequences and the expression patterns. *FEBS J.* 2008; 275: 527-535.
- Gireesh, T. & Sudhakaran, P. R. *In vitro* uptake of β -carotene by human exfoliated colonic epithelial cells. *Int.J.Food Sci.Nutr.*2008;1-10
- Graham, J. E., Lecomte, J. T., & Bryant, D. A. Synchroanthin, an aromatic C40 xanthophyll that is a major carotenoid in the cyanobacterium *Synechococcus* sp. PCC 7002. *J.Nat.Prod.* 2008; 71: 1647-1650.
- Grainger, E. M., Schwartz, S. J., Wang, S., Unlu, N. Z., Boileau, T. W., Ferketich, A. K., Monk, J. P., Gong, M. C., Bahnson, R. R., DeGroff, V. L., & Clinton, S. K. A combination of tomato and soy products for men with recurring prostate cancer and rising prostate specific antigen. *Nutr Cancer* 2008; 60: 145-154.
- Hahn, A. & Mang, B. [Lutein and eye health--current state of discussion]. *Med.Monatsschr.Pharm.* 2008; 31: 299-308.
- Hamulka, J. & Nogal, D. [The assessment and characteristic of dietary supplements with lutein and zeaxanthin on the Polish pharmaceutical market]. *Rocz.Panstw.Zakl.Hig.* 2008; 59: 47-57.
- Han, C. H., Yang, C. H., Sohn, D. W., Kim, S. W., Kang, S. H., & Cho, Y. H. Synergistic effect between lycopene and ciprofloxacin on a chronic bacterial prostatitis rat model. *Int.J.Antimicrob.Agents* 2008; 31, Suppl 1: S102-S107.
- Handayani, A. D., Sutrisno, Indraswati, N., & Ismadji, S. Extraction of astaxanthin from giant tiger (*Panaeus monodon*) shrimp waste using palm oil: studies of extraction kinetics and thermodynamic. *Bioresour.Technol.* 2008; 99: 4414-4419.
- Harari, A., Harats, D., Marko, D., Cohen, H., Barshack, I., Kamari, Y., Gonen, A., Gerber, Y., Ben Amotz, A., & Shaish, A. A 9-*cis* β -carotene-enriched diet inhibits atherogenesis and fatty liver formation in LDL receptor knockout mice. *J.Nutr.* 2008; 138: 1923-1930.
- Harikumar, K. B., Nimita, C. V., Preethi, K. C., Kuttan, R., Shankaranarayana, M. L., & Deshpande, J. Toxicity profile of lutein and lutein ester isolated from marigold flowers (*Tagetes erecta*). *Int.J.Toxicol.* 2008; 27: 1-9.
- Hawkins, W. R. Lutein/zeaxanthin. *Arch.Ophthalmol.* 2008;126:1313-1314.
- Helb, H. M., Charbel, I. P., VAN, D. E. R., V, Berendschot, T. T., Scholl, H. P., & Holz, F. G. Abnormal macular pigment distribution in type 2 idiopathic macular telangiectasia. *Retina.* 2008; 28: 808-816.
- Helliwell, M., Liaaen-Jensen, S., & Wilkinson, J. Two polymorphs of 20-desmethyl- β -carotene. *Acta Crystallogr.C.*2008; 64: o252-o256
- Hengsternmann, S., Valentini, L., Schaper, L., Buning, C., Koernicke, T., Maritschnegg, M., Buhner, S., Tillinger, W., Regano, N.,

- Guglielmi, F., Winkhofer-Roob, B. M., & Lochs, H. Altered status of antioxidant vitamins and fatty acids in patients with inactive inflammatory bowel disease. *Clin.Nutr.* 2008; 27: 571-578.
- Hernandez-Valero, M. A., Thomson, C. A., Hernandez, M., Tran, T., Detry, M. A., Theriault, R. L., Hajek, R. A., Pierce, J. P., Flatt, S. W., Caan, B. J., & Jones, L. A. Comparison of baseline dietary intake of Hispanic and matched non-Hispanic white breast cancer survivors enrolled in the Women's Healthy Eating and Living study. *J.Am.Diet.Assoc.* 2008; 108: 1323-1329.
- Herrero, M., Cacciola, F., Donato, P., Giuffrida, D., Dugo, G., Dugo, P., & Mondello, L. Serial coupled columns reversed-phase separations in HPLC. Tool for analysis of complex real samples. *J.Chromatogr.A.* 2008; 1188: 208-215.
- Hsu, Y. M., Lai, C. H., Chang, C. Y., Fan, C. T., Chen, C. T., & Wu, C. H. Characterizing the lipid-lowering effects and antioxidant mechanisms of tomato paste. *Biosci.Biotechnol.Biochem.* 2008; 72: 677-685.
- Hung, C. F., Huang, T. F., Chen, B. H., Shieh, J. M., Wu, P. H., & Wu, W. B. Lycopene inhibits TNF- α -induced endothelial ICAM-1 expression and monocyte-endothelial adhesion. *Eur.J.Pharmacol.* 2008; 586: 275-282.
- Imasheva, E. S., Balashov, S. P., Wang, J. M., Smolensky, E., Sheves, M., & Lanyi, J. K. Chromophore interaction in xanthorhodopsin-retinal dependence of salinixanthin binding. *Photochem.Photobiol.* 2008; 84: 977-984.
- Inbaraj, B. S., Lu, H., Hung, C. F., Wu, W. B., Lin, C. L., & Chen, B. H. Determination of carotenoids and their esters in fruits of *Lycium barbarum* Linnaeus by HPLC-DAD-APCI-MS. *J.Pharm.Biomed.Anal.* 2008; 47: 812-818.
- Iniesta, A. A., Cervantes, M., & Murillo, F. J. Conversion of the lycopene monocyclus of *Myxococcus xanthus* into a bicyclus. *Appl.Microbiol.Biotechnol.* 2008; 79: 793-802.
- Ishikawa, C., Tafuku, S., Kadekaru, T., Sawada, S., Tomita, M., Okudaira, T., Nakazato, T., Toda, T., Uchiyama, J. N., Taira, N., Ohshiro, K., Yasumoto, T., Ohta, T., & Mori, N. Antiadult T-cell leukemia effects of brown algae fucoxanthin and its deacetylated product, fucoxanthinol. *Int.J.Cancer.* 2008; 123: 2702-2712.
- Ituarte, S., Dreon, M. S., Ceolin, M., & Heras, H. Isolation and characterization of a novel perivitellin from the eggs of *Pomacea scalaris* (Mollusca, Ampullariidae). *Mol.Reprod.Dev.* 2008; 75: 1441-8.
- Iurkov, A. M., Vustin, M. M., Tiaglov, B. V., Maksimova, I. A., & Sineokii, S. P. [Pigmented basidiomycete yeasts are a promising source of carotenoids and ubiquinone Q10]. *Mikrobiologiya* 2008; 77: 5-10.
- Iwai, M., Maoka, T., Ikeuchi, M., & Takaichi, S. CrtG, 2,2'- β -hydroxylase, is involved in carotenogenesis of both nostoxanthin and 2-hydroxymyxol 2'-fucoside in *Thermosynechococcus elongatus* strain BP-1. *Plant Cell Physiol.* 2008; 49: 1678-87.
- Izumi-Nagai, K., Nagai, N., Ohgami, K., Satofuka, S., Ozawa, Y., Tsubota, K., Ohno, S., Oike, Y., & Ishida, S. Inhibition of choroidal neovascularization with an anti-inflammatory carotenoid astaxanthin. *Invest. Ophthalmol.Vis.Sci.* 2008; 49: 1679-1685.
- Jackson, H., Braun, C. L., & Ernst, H. The chemistry of novel xanthophyll carotenoids. *Am.J.Cardiol.* 2008; 101: 50D-57D.
- Janik, E., Grudziński, W., Gruszecki, W. I., & Krupa, Z. The xanthophyll cycle pigments in *Secale cereale* leaves under combined Cd and high light stress conditions. *J.Photochem.Photobiol.B.* 2008; 90: 47-52.
- Jesus Ornelas-Paz, J., Failla, M. L., Yahia, E. M., & Gardea-Bejar, A. Impact of the stage of ripening and dietary fat on *in vitro* bioaccessibility of β -carotene in 'Ataulfo' mango. *J.Agric.Food Chem.* 2008; 56: 1511-16.
- Jirasripongpun, K., Pewlong, W., Kitraksa, P., & Krudngern, C. Carotenoid production by *Xanthophyllomyces dendrorhous*: use of pineapple juice as a production medium. *Lett.Appl.Microbiol.* 2008; 47: 112-6.
- Johnson, E. J., Chung, H. Y., Caldarella, S. M., & Snodderly, D. M. The influence of supplemental lutein and docosahexaenoic acid on serum, lipoproteins, and macular pigmentation. *Am.J.Clin.Nutr.* 2008; 87: 1521-29.
- Kang, C. D. & Sim, S. J. Direct extraction of astaxanthin from *Haematococcus* culture using vegetable oils. *Biotechnol.Lett.* 2008; 30: 441-444.
- Kankofer, M. & Albera, E. Postpartum relationship of β -carotene and vitamin A between placenta, blood and colostrum in cows and their newborns. *Exp.Clin.Endocrinol.Diabetes* 2008; 116: 409-412.
- Kant, A. K. & Graubard, B. I. Ethnic and socioeconomic differences in variability in nutritional biomarkers. *Am.J.Clin.Nutr.* 2008; 87: 1464-71.
- Karlina, M. V., Pozharitskaia, O. N., Kosman, V. M., Shikov, A. N., & Makarov, V. G. [Light-absorbing and antiradical properties of a product with lutein and zeaxanthin *in vitro* and kinetics of carotenoids at single oral administration on rats]. *Vopr.Pitan.* 2008; 77: 34-38.
- Karppi, J., Nurmi, T., Olmedilla-Alonso, B., Granado-Lorencio, F., & Nyyssonen, K. Simultaneous measurement of retinol, α -tocopherol and six carotenoids in human plasma by using an isocratic reversed-phase HPLC method. *J.Chromatogr.B Analyt.Technol.Biomed.Life Sci.* 2008; 867: 226-232.
- Katsuda, T., Shiraishi, H., Ishizu, N., Ranjbar, R., & Katoh, S. Effect of light intensity and frequency of flashing light from blue light emitting diodes on astaxanthin production by *Haematococcus pluvialis*. *J.Biosci.Bioeng.* 2008; 105: 216-220.
- Khan, N., Afaq, F., & Mukhtar, H. Cancer chemoprevention through dietary antioxidants: progress and promise. *Antioxid.Redox.Signal.* 2008; 10: 475-510.
- Khan, S. T., Takaichi, S., & Harayama, S. *Paracoccus marinus* sp. nov., an adonixanthin diglucoside-producing bacterium isolated from coastal seawater in Tokyo Bay. *Int.J.Syst.Evol.Microbiol.* 2008; 58: 383-6.
- Kim, H. J., Fonseca, J. M., Choi, J. H., Kubota, C., & Kwon, D. Y. Salt in irrigation water affects the nutritional and visual properties of romaine lettuce (*Lactuca sativa* L.). *J.Agric.Food Chem.* 2008; 56: 3772-3776.
- Kim, N. H., Kim, Y. S., Kim, H. J., & Oh, D. K. Optimized formation of detergent micelles of β -carotene and retinal production using recombinant human β , β -carotene 15,15'-monooxygenase. *Biotechnol. Prog.* 2008; 24: 227-231.
- Kim, S. W., Jung, W. H., Ryu, J. M., Kim, J. B., Jang, H. W., Jo, Y. B., Jung, J. K., & Kim, J. H. Identification of an alternative translation initiation site for the *Pantoea ananatis* lycopene cyclase (crtY) gene in *E. coli* and its evolutionary conservation. *Protein Expr.Purif.* 2008; 58: 23-31.
- Kim, S. Y., Waschuk, S. A., Brown, L. S., & Jung, K. H. Screening and characterization of proteorhodopsin color-tuning mutations in *Escherichia coli* with endogenous retinal synthesis. *Biochim.Biophys.Acta* 2008; 1777: 504-513.
- Kobayashi, T., Morimoto, K., & Tatsumi, K. Removal of carotene-like colored compounds by liquid-liquid extraction during polycyclic aromatic hydrocarbons analysis of plant tissue. *Chemosphere.* 2008; 70: 2002-2008.
- Konishi, I., Hosokawa, M., Sashima, T., Maoka, T., & Miyashita, K. Suppressive effects of alloxanthin and diatoxanthin from *Halocynthia roretzi* on LPS-induced expression of pro-inflammatory genes in RAW264.7 cells. *J.Oleo.Sci.* 2008; 57: 181-189.
- Kopcke, W. & Krutmann, J. Protection from sunburn with β -carotene—a meta-analysis. *Photochem.Photobiol.* 2008; 84: 284-288.
- Kowluru, R. A., Menon, B., & Gierhart, D. L. Beneficial effect of zeaxanthin on retinal metabolic abnormalities in diabetic rats. *Invest. Ophthalmol.Vis.Sci.* 2008; 49: 1645-1651.
- Kowluru, R. A., Kanwar, M., Chan, P. S., & Zhang, J. P. Inhibition of retinopathy and retinal metabolic abnormalities in diabetic rats with AREDS-based micronutrients. *Arch.Ophthalmol.* 2008; 126: 1266-72.
- Krichnavaruk, S., Shotipruk, A., Goto, M., & Pavasant, P. Supercritical carbon dioxide extraction of astaxanthin from *Haematococcus pluvialis* with vegetable oils as co-solvent. *Bioresour.Technol.* 2008; 99: 5556-5560.
- Kroll, H., Friedrich, J., Menzel, M., & Schreier, P. Carbon and hydrogen stable isotope ratios of carotenoids and β -carotene-based dietary supplements. *J.Agric.Food Chem.* 2008; 56: 4198-4204.
- Kubo, A., Levin, T. R., Block, G., Rumore, G. J., Quesenberry, C. P., Jr., Buffler, P., & Corley, D. A. Dietary antioxidants, fruits, and vegetables and the risk of Barrett's esophagus. *Am.J.Gastroenterol.* 2008; 103: 1614-1623.
- Kuhad, A., Sharma, S., & Chopra, K. Lycopene attenuates thermal hyperalgesia in a diabetic mouse model of neuropathic pain. *Eur.J.Pain* 2008; 12: 624-632.
- Kuhad, A. & Chopra, K. Lycopene ameliorates thermal hyperalgesia and cold allodynia in STZ-induced diabetic rat. *Indian J.Exp.Biol.* 2008; 46: 108-111.
- Kuhad, A., Sethi, R., & Chopra, K. Lycopene attenuates diabetes-associated cognitive decline in rats. *Life Sci.* 2008; 83: 128-134.
- Kupcinskis, L., Lafolie, P., Lignell, A., Kiudelis, G., Jonaitis, L., Adamonis, K., Andersen, L. P., & Wadstrom, T. Efficacy of the natural antioxidant astaxanthin in the treatment of functional dyspepsia in patients with or without *Helicobacter pylori* infection: A prospective, randomized, double blind, and placebo-controlled study. *Phytomedicine* 2008; 15: 391-9.
- Kupisz, K., Sujak, A., Patyra, M., Trebacz, K., & Gruszecki, W. I. Can membrane-bound carotenoid pigment zeaxanthin carry out a proton

transfer?Biochim.Biophys.Acta2008;1778:2334-40

Laaksonen, T., Negro, J. J., Lyytinen, S., Valkama, J., Ots, I., & Korpimäki, E. Effects of experimental brood size manipulation and gender on carotenoid levels of Eurasian kestrels *Falco tinnunculus*. PLoS ONE. 2008; 3: e2374.

Landman, M. J., Taylor, S., & van den Heuvel, M. R. Carotenoid depletion and ovarian dysfunction in common bully exposed to a New Zealand pulp mill effluent. Aquat.Toxicol. 2008; 87: 303-309.

Lanyi, J. K. & Balashov, S. P. Xanthorhodopsin: a bacteriorhodopsin-like proton pump with a carotenoid antenna. Biochim.Biophys.Acta 2008; 1777: 684-688.

Lauretani, F., Semba, R. D., Bandinelli, S., Dayhoff-Brannigan, M., Giacomini, V., Corsi, A. M., Guralnik, J. M., & Ferrucci, L. Low plasma carotenoids and skeletal muscle strength decline over 6 years. J.Gerontol.A Biol.Sci.Med.Sci. 2008; 63: 376-383.

Lauretani, F., Semba, R. D., Dayhoff-Brannigan, M., Corsi, A. M., Di Iorio, A., Buatti, E., Bandinelli, S., Guralnik, J. M., & Ferrucci, L. Low total plasma carotenoids are independent predictors of mortality among older persons: The InCHIANTI study. Eur.J.Nutr. 2008; 47: 335-340.

Lauretani, F., Corsi, A. M., Guralnik, J. M., & Ferrucci, L. Carotenoids as protection against disability in older persons. Rejuvenation Res. 2008; 11: 557-563.

Lauver, D. A., Driscoll, E. M., & Lucchesi, B. R. Disodium disuccinate astaxanthin prevents carotid artery rethrombosis and ex vivo platelet activation. Pharmacology. 2008; 82: 67-73.

Lawrence, J., Focsan, A. L., Konovalova, T. A., Molnar, P., Deli, J., Bowman, M. K., & Kispert, L. D. Pulsed electron nuclear double resonance studies of carotenoid oxidation in Cu(II)-substituted MCM-41 molecular sieves. J.Phys.Chem.B. 2008; 112: 5449-5457.

Lechtenberg, M., Schepmann, D., Niehues, M., Hellenbrand, N., Wunsch, B., & Hensel, A. Quality and functionality of saffron: quality control, species assortment and affinity of extract and isolated saffron compounds to NMDA and α -1 receptors. Planta Med. 2008; 74: 764-72.

Lee, C. M., Chang, J. H., Moon, D. O., Choi, Y. H., Choi, I. W., Park, Y. M., & Kim, G. Y. Lycopene suppresses ovalbumin-induced airway inflammation in a murine model of asthma. Biochem. Biophys. Res. Commun. 2008; 374: 248-252.

Leo, L., Leone, A., Longo, C., Lombardi, D. A., Raimo, F., & Zacheo, G. Antioxidant compounds and antioxidant activity in "early potatoes". J.Agric.Food Chem. 2008; 56: 4154-4163.

Leung, I. Y. Macular pigment: new clinical methods of detection and the role of carotenoids in age-related macular degeneration. Optometry 2008; 79: 266-272.

Levi, L., Levavi-Sivan, B., & Lubzens, E. Expression of genes associated with retinoid metabolism in the trout ovarian follicle. Biol.Reprod. 2008; 79: 570-577.

Li, F., Vallabhaneni, R., Yu, J., Rocheford, T., & Wurtzel, E. T. The maize phytoene synthase gene family: overlapping roles for carotenogenesis in endosperm, photomorphogenesis, and thermal stress tolerance. Plant Physiol. 2008; 147: 1334-1346.

Li, F., Vallabhaneni, R., & Wurtzel, E. T. PSY3, a new member of the phytoene synthase gene family conserved in the *Poaceae* and regulator of abiotic stress-induced root carotenogenesis. Plant Physiol. 2008; 146: 1333-1345.

Lian, F. & Wang, X. D. Enzymatic metabolites of lycopene induce Nrf2-mediated expression of phase II detoxifying/antioxidant enzymes in human bronchial epithelial cells. Int.J.Cancer 2008; 123: 1262-1268.

Lianfu, Z. & Zelong, L. Optimization and comparison of ultrasound/microwave assisted extraction (UMAE) and ultrasonic assisted extraction (UAE) of lycopene from tomatoes. Ultrason.Sonochem. 2008; 15: 731-737.

Liang, C. W., Zhang, X. W., Tian, L., & Qin, S. Functional characterization of sl0659 from *Synechocystis* sp. PCC 6803. Indian J.Biochem.Biophys. 2008; 45: 275-277.

Libkind, D., Gadanho, M., van Broock, M., & Sampaio, J. P. Studies on the heterogeneity of the carotenogenic yeast *Rhodotorula mucilaginosa* from Patagonia, Argentina. J.Basic Microbiol. 2008; 48: 93-98.

Libkind, D., Moline, M., de, G., V, Fontenla, S., & van Broock, M. Characterization of a novel South American population of the astaxanthin producing yeast *Xanthophyllomyces dendrorhous* (*Phaffia rhodozyma*). J.Ind.Microbiol.Biotechnol. 2008; 35: 151-158.

Lightbourn, G. J., Griesbach, R. J., Novotny, J. A., Clevidence, B. A., Rao, D. D., & Stommel, J. R. Effects of anthocyanin and carotenoid combinations on foliage and immature fruit color of *Capsicum annuum* L. J.Hered. 2008; 99: 105-111.

Liu, C. & Russell, R. M. Nutrition and gastric cancer risk: an update.

Nutr Rev. 2008; 66: 237-249.

Liu, X., Allen, J. D., Arnold, J. T., & Blackman, M. R. Lycopene inhibits IGF-I signal transduction and growth in normal prostate epithelial cells by decreasing DHT-modulated IGF-I production in co-cultured reactive stromal cells. Carcinogenesis 2008; 29: 816-823.

Liu, Z. Q., Zhang, J. F., Zheng, Y. G., & Shen, Y. C. Improvement of astaxanthin production by a newly isolated *Phaffia rhodozyma* mutant with low-energy ion beam implantation. J.Appl.Microbiol. 2008; 104: 861-872.

Loane, E., Kelliher, C., Beatty, S., & Nolan, J. M. The rationale and evidence base for a protective role of macular pigment in age-related maculopathy. Br.J.Ophthalmol. 2008; 92: 1163-1168.

Lohse, P. W., Bursing, R., Lenzer, T., & Oum, K. Exploring 12'-apo- β -carotenoic-12'-acid as an ultrafast polarity probe for ionic liquids. J.Phys.Chem.B. 2008; 112: 3048-3057.

Lopez-Raez, J. A., Charnikhova, T., Gomez-Roldan, V., Matusova, R., Kohlen, W., de Vos, R., Verstappen, F., Puech-Pages, V., Becard, G., Mulder, P., & Bouwmeester, H. Tomato strigolactones are derived from carotenoids and their biosynthesis is promoted by phosphate starvation. New Phytol. 2008; 178: 863-874.

Louda, J. W., Neto, R. R., Magalhaes, A. R., & Schneider, V. F. Pigment alterations in the brown mussel *Perna perna*. Comp Biochem.Physiol B Biochem.Mol.Biol. 2008; 150: 385-394.

Low, J. W. & van Jaarsveld, P. J. The potential contribution of bread buns fortified with β -carotene-rich sweet potato in Central Mozambique. Food Nutr. Bull. 2008; 29: 98-107.

Lu, S. & Li, L. Carotenoid metabolism: biosynthesis, regulation, and beyond. J.Integr.Plant Biol. 2008; 50: 778-785.

Lucas, A., Andueza, D., Rock, E., & Martin, B. Prediction of dry matter, fat, pH, vitamins, minerals, carotenoids, total antioxidant capacity, and color in fresh and freeze-dried cheeses by visible-near-infrared reflectance spectroscopy. J.Agric.Food Chem. 2008; 56: 6801-6808.

Macias-Sanchez, M. D., Mantell, S. C., Rodriguez, R. M., Martinez, d. I. O., Lubian, L. M., & Montero, O. Extraction of carotenoids and chlorophyll from microalgae with supercritical carbon dioxide and ethanol as cosolvent. J.Sep.Sci. 2008; 31: 1352-1362.

Maeda, H., Tsukui, T., Sashima, T., Hosokawa, M., & Miyashita, K. Seaweed carotenoid, fucoxanthin, as a multi-functional nutrient. Asia Pac.J.Clin.Nutr. 2008; 17 Suppl 1: 196-199.

Magri, V., Trinchieri, A., Perletti, G., & Marras, E. Activity of *Serenoa repens*, lycopene and selenium on prostatic disease: evidences and hypotheses. Arch.Ital.Urol.Androl. 2008; 80: 65-78.

Makino, T., Harada, H., Ikenaga, H., Matsud, S., Takaichi, S., Shindo, K., Sandmann, G., Ogata, T. & Misawa, N. Characterization of cyanobacterial carotenoid ketolase CrtW and hydroxylase CrtR by complementation analysis in *E. coli*. Plant Cell Physiol. 2008; 49:1867-78.

Manabe, E., Handa, O., Naito, Y., Mizushima, K., Akagiri, S., Adachi, S., Takagi, T., Kokura, S., Maoka, T., & Yoshikawa, T. Astaxanthin protects mesangial cells from hyperglycemia-induced oxidative signaling. J.Cell Biochem. 2008; 103: 1925-1937.

Mantzouridou, F., Naziri, E., & Tsimidou, M. Z. Industrial glycerol as a supplementary carbon source in the production of β -carotene by *Blakeslea trispora*. J.Agric.Food Chem. 2008; 56: 2668-2675.

Maoka, T., Akimoto, N., Kuroda, Y., Hashimoto, K., & Fujiwara, Y. Pittosporumxanthins, cycloaddition products of carotenoids with α -tocopherol from seeds of *Pittosporum tobira*. J.Nat.Prod. 2008; 71: 622-627.

Marasco, E. K. & Schmidt-Dannert, C. Identification of bacterial carotenoid cleavage dioxygenase homologues that cleave the interphenyl α,β double bond of stilbene derivatives via a monooxygenase reaction. ChemBiochem. 2008; 9: 1450-1461.

Maresca, J. A., Romberger, S. P., & Bryant, D. A. Isorenieratene biosynthesis in green sulfur bacteria requires the cooperative actions of two carotenoid cyclases. J.Bacteriol. 2008; 190: 6384-6391.

Maresca, J. A., Graham, J. E., & Bryant, D. A. The biochemical basis for structural diversity in the carotenoids of chlorophototrophic bacteria. Photosynth.Res. 2008; 97: 121-140.

Martinez, A., Rodriguez-Girones, M. A., Barbosa, A., & Costas, M. Donator acceptor map for carotenoids, melatonin and vitamins. J.Phys.Chem.A. 2008; 112: 9037-9042.

Matsubara, S., Krause, G. H., Seltmann, M., Virgo, A., Kursar, T. A., Jahns, P., & Winter, K. Lutein epoxide cycle, light harvesting and photoprotection in species of the tropical tree genus *Inga*. Plant Cell Environ. 2008; 31: 548-561.

McCoubrey, H., Parkes, G. C., Sanderson, J. D., & Lomer, M. C. Nutritional intakes in irritable bowel syndrome. J.Hum.Nutr. Diet. 2008;

McNulty, H., Jacob, R. F., & Mason, R. P. Biologic activity of carotenoids related to distinct membrane physicochemical interactions. *Am.J.Cardiol.* 2008; 101: 20D-29D.

Mendiola, J. A., Marin, F. R., Senorans, F. J., Reglero, G., Martin, P. J., Cifuentes, A., & Ibanez, E. Profiling of different bioactive compounds in functional drinks by HPLC. *J.Chromatogr.A.* 2008; 1188: 234-241.

Meng, L., & Cui, L. Inhibitory effects of crocetin on high glucose-induced apoptosis in cultured human umbilical vein endothelial cells and its mechanism. *Arch.Pharm.Res.* 2008; 31: 357-363.

Meyer, F., Bairati, I., Jobin, E., Gelinas, M., Fortin, A., Nabid, A., & Tetu, B. Acute adverse effects of radiation therapy and local recurrence in relation to dietary and plasma β -carotene and α -tocopherol in head and neck cancer patients. *Nutr Cancer* 2007; 59: 29-35.

Mills, J. P., Simon, P. W., & Tanumihardjo, S. A. Biofortified carrot intake enhances liver antioxidant capacity and vitamin A status in Mongolian gerbils. *J.Nutr.* 2008; 138: 1692-1698.

Mishra, M. N., Thirunavukkarasu, N., Sharma, I. M., Jagnnadhham, M. V., & Tripathi, A. K. Mutation in a gene encoding anti- σ factor in *A. brasiliense* confers tolerance to elevated temperature, antibacterial peptide and PEG-200 via carotenoid synthesis. *FEMS Microbiol.Lett.* 2008; 287: 221-229.

Mizoguchi, T., Isaji, M., Harada, J., & Tamiaki, H. Identification of 3,4-didehydrorhodopsin as major carotenoid in *Rhodospseudomonas* species. *Photochem.Photobiol.Sci.* 2008; 7: 492-497.

Mochimaru, M., Masukawa, H., Maoka, T., Mohamed, H. E., Vermaas, W. F., & Takaichi, S. Substrate specificities and availability of fucosyltransferase and β -carotene hydroxylase for myxol 2'-fucoside synthesis in *Anabaena* sp. strain PCC 7120 compared with *Synechocystis* sp. strain PCC 6803. *J.Bacteriol.* 2008; 190: 6726-6733.

Mojaat, M., Foucault, A., Pruvost, J., & Legrand, J. Optimal selection of organic solvents for biocompatible extraction of β -carotene from *Dunaliella salina*. *J.Biotechnol.* 2008; 133: 433-441.

Moller, A. P., Karadas, F., & Mousseau, T. A. Antioxidants in eggs of great tits *Parus major* from Chernobyl and hatching success. *J.Comp Physiol [B].* 2008; 178: 735-743.

Mossine, V. V., Chopra, P., & Mawhinney, T. P. Interaction of tomato lycopene and ketosamine against rat prostate tumorigenesis. *Cancer Res.* 2008; 68: 4384-4391.

Moussa, M., Landrier, J. F., Reboul, E., Ghiringhelli, O., Comera, C., Collet, X., Frohlich, K., Bohm, V., & Borel, P. Lycopene absorption in human intestinal cells and in mice involves scavenger receptor class B type I but not Niemann-Pick C1-like 1. *J.Nutr.* 2008; 138: 1432-1436.

Nakagawa, K., Kiko, T., Hatade, K., Asai, A., Kimura, F., Sookwong, P., Tsuduki, T., Arai, H., & Miyazawa, T. Development of a HPLC-based assay for carotenoids in human red blood cells: application to clinical studies. *Anal.Biochem.* 2008; 381: 129-134.

Nakagawa, K., Suzuki, S., Fujii, R., Gardiner, A. T., Cogdell, R. J., Nango, M., & Hashimoto, H. Probing the effect of the binding site on the electrostatic behavior of a series of carotenoids reconstituted into the light-harvesting 1 complex from purple photosynthetic bacterium *Rhodospirillum rubrum* detected by Stark spectroscopy. *J.Phys.Chem.B.* 2008; 112: 9467-9475.

Nakao, M., Sumida, M., Katano, K., & Fukami, H. Enzymatic synthesis of astaxanthin n-octanoic acid esters. *J.Oleo.Sci.* 2008; 57: 371-374.

Navarro-Sampedro, L., Yanofsky, C., & Corrochano, L. M. A genetic selection for *Neurospora crassa* mutants altered in their light regulation of transcription. *Genetics* 2008; 178: 171-183.

Naviglio, D., Caruso, T., Iannece, P., Aragon, A., & Santini, A. Characterization of high purity lycopene from tomato wastes using a new pressurized extraction approach. *J.Agric.Food Chem.* 2008; 56: 6227-31.

Nicolas-Molina, F. E., Navarro, E., & Ruiz-Vazquez, R. M. Lycopene over-accumulation by disruption of the negative regulator gene *crpA* in *Mucor circinelloides*. *Appl.Microbiol.Biotechnol.* 2008; 78: 131-137.

Niklitschek, M., Alcaino, J., Barahona, S., Sepulveda, D., Lozano, C., Carmona, M., Marcoleta, A., Martinez, C., Lodato, P., Baeza, M., & Cifuentes, V. Genomic organization of the structural genes controlling the astaxanthin biosynthesis pathway of *Xanthophyllomyces dendrorhous*. *Biol.Res.* 2008; 41: 93-108.

Nolan, J. M., Stringham, J. M., Beatty, S., & Snodderly, D. M. Spatial profile of macular pigment and its relationship to foveal architecture. *Invest Ophthalmol.Vis.Sci.* 2008; 49: 2134-2142.

O'Connell, E. D., Nolan, J. M., Stack, J., Greenberg, D., Kyle, J., Maddock, L., & Beatty, S. Diet and risk factors for age-related maculopathy. *Am.J.Clin.Nutr.* 2008; 87: 712-722.

Okada, T., Nakai, M., Maeda, H., Hosokawa, M., Sashima, T., & Miyashita, K. Suppressive effect of neoxanthin on the differentiation of

3T3-L1 adipose cells. *J.Oleo.Sci.* 2008; 57: 345-351.

Ouyang, D., Zhang, R., Yi, L., & Xi, Z. A synergistic effect of Cu(2+) and norbixin on DNA damage. *Food Chem.Toxicol.* 2008; 46: 2802-2807.

Palozza, P., Simone, R., & Mele, M. C. Interplay of carotenoids with cigarette smoking: implications in lung cancer. *Curr.Med.Chem.* 2008; 15: 844-854.

Papaioannou, E., Roukas, T., & Liakopoulou-Kyriakides, M. Effect of biomass pre-treatment and solvent extraction on β -carotene and lycopene recovery from *Blakeslea trispora* cells. *Prep. Biochem. Biotechnol.* 2008; 38: 246-256.

Park, C. S., Lee, S. W., Kim, Y. S., Kim, E. J., Sin, H. S., Oh, D. K., Kim, S. W., & Um, S. J. Utilization of the recombinant human β -carotene-15,15'-monooxygenase gene in *Escherichia coli* and mammalian cells. *Biotechnol.Lett.* 2008; 30: 735-741.

Parsons, J. K., Newman, V., Mohler, J. L., Pierce, J. P., Paskett, E., & Marshall, J. The Men's Eating and Living (MEAL) study: a Cancer and Leukemia Group B pilot trial of dietary intervention for the treatment of prostate cancer. *Urology* 2008; 72: 633-637.

Parsons, J. K., Newman, V. A., Mohler, J. L., Pierce, J. P., Flatt, S., & Marshall, J. Dietary modification in patients with prostate cancer on active surveillance: a randomized, multicentre feasibility study. *BJU Int.* 2008; 101: 1227-1231.

Pashkow, F. J., Watumull, D. G., & Campbell, C. L. Astaxanthin: a novel potential treatment for oxidative stress and inflammation in cardiovascular disease. *Am.J.Cardiol.* 2008; 101: 58D-68D.

Pegklidou, K., Mantzouridou, F., & Tsimidou, M. Z. Lycopene production using *Blakeslea trispora* in the presence of 2-methyl imidazole: yield, selectivity, and safety aspects. *J.Agric.Food Chem.* 2008; 56: 4482-4490.

Peguerio-Pina, J. J., Morales, F., Flexas, J., Gil-Pelegrin, E., & Moya, I. Photochemistry, remotely sensed physiological reflectance index and de-epoxidation state of the xanthophyll cycle in *Quercus coccifera* under intense drought. *Oecologia* 2008; 156: 1-11.

Perez-Bueno, M. L., Johnson, M. P., Zia, A., Ruban, A. V., & Horton, P. The Lhcb protein and xanthophyll composition of the light harvesting antenna controls the Δ pH-dependency of non-photochemical quenching in *Arabidopsis thaliana*. *FEBS Lett.* 2008; 582: 1477-1482.

Perez-Rodriguez, L., Mougeot, F., Alonso-Alvarez, C., Blas, J., Vinuela, J., & Bortolotti, G. R. Cell-mediated immune activation rapidly decreases plasma carotenoids but does not affect oxidative stress in red-legged partridges (*Alectoris rufa*). *J.Exp.Biol.* 2008; 211: 2155-2161.

Persson, C., Sasazuki, S., Inoue, M., Kurahashi, N., Iwasaki, M., Miura, T., Ye, W., & Tsugane, S. Plasma levels of carotenoids, retinol and tocopherol and the risk of gastric cancer in Japan: a nested case-control study. *Carcinogenesis* 2008; 29: 1042-1048.

Peternac, D., Klima, I., Cecchini, M. G., Schwaninger, R., Studer, U. E., & Thalmann, G. N. Agents used for chemoprevention of prostate cancer may influence PSA secretion independently of cell growth in the LNCaP model of human prostate cancer progression. *Prostate* 2008; 68: 1307-1318.

Priyadarshani, A. M., Lamabadusuriya, S. P., Seneviratne, T. R., Jansz, E. R., & Peiris, H. A study of the serum carotenoids of eight cases of hypercarotenemia in Sri Lanka. *Int.J.Food Sci.Nutr.* 2008; 1-6.

Qin, J., Yeum, K. J., Johnson, E. J., Krinsky, N. I., Russell, R. M., & Tang, G. Determination of 9-*cis* β -carotene and ζ -carotene in biological samples. *J.Nutr Biochem.* 2008; 19: 612-618.

Rabi, T., & Gupta, S. Dietary terpenoids and prostate cancer chemoprevention. *Front Biosci.* 2008; 13: 3457-3469.

Rajasingh, H., Gjuvslund, A. B., Vage, D. I., & Omholt, S. W. When parameters in dynamic models become phenotypes: a case study on flesh pigmentation in the chinook salmon (*Oncorhynchus tshawytscha*). *Genetics* 2008; 179: 1113-1118.

Rankins, J., Sathe, S. K., & Spicer, M. T. Solar drying of mangoes: preservation of an important source of vitamin A in French-speaking West Africa. *J.Am.Diet.Assoc.* 2008; 108: 986-990.

Reinhold, C., Niczyporuk, S., Beran, K. C., & Jahns, P. Short-term down-regulation of zeaxanthin epoxidation in *Arabidopsis thaliana* in response to photo-oxidative stress conditions. *Biochim.Biophys.Acta* 2008; 1777: 462-469.

Ribaya-Mercado, J. D., Maramag, C. C., Tengco, L. W., Blumberg, J. B., & Solon, F. S. Relationships of body mass index with serum carotenoids, tocopherols and retinol at steady-state and in response to a carotenoid-rich vegetable diet intervention in Filipino schoolchildren. *Biosci.Rep.* 2008; 28: 97-106.

- Riccioni, G., Mancini, B., Di Ilio, E., Bucciarelli, T., & D'Orazio, N. Protective effect of lycopene in cardiovascular disease. *Eur.Rev.Med.Pharmacol.Sci.* 2008; 12: 183-190.
- Rodriguez-Meizoso, I., Jaime, L., Santoyo, S., Cifuentes, A., Garcia-Blairsy, R. G., Senorans, F. J., & Ibanez, E. Pressurized fluid extraction of bioactive compounds from *Phormidium* species. *J.Agric.Food Chem.* 2008; 56: 3517-3523.
- Rodriguez-Villalon, A., Perez-Gil, J., & Rodriguez-Concepcion, M. Carotenoid accumulation in bacteria with enhanced supply of isoprenoid precursors by upregulation of exogenous or endogenous pathways. *J.Biotechnol.* 2008; 135: 78-84.
- Romano, M., Caprioli, M., Ambrosini, R., Rubolini, D., Fasola, M., & Saino, N. Maternal allocation strategies and differential effects of yolk carotenoids on the phenotype and viability of yellow-legged gull (*Larus michahellis*) chicks in relation to sex and laying order. *J.Evol.Biol.* 2008; 21: 1626-1640.
- Ruiz-Roldan, M. C., Garre, V., Guarro, J., Marine, M., & Roncero, M. I. Role of the white collar 1 photoreceptor in carotenogenesis, UV resistance, hydrophobicity, and virulence of *Fusarium oxysporum*. *Eukaryot.Cell* 2008; 7: 1227-1230.
- Ruiz, D., Reich, M., Bureau, S., Renard, C. M., & Audergon, J. M. Application of reflectance colorimeter measurements and infrared spectroscopy methods to rapid and nondestructive evaluation of carotenoids content in apricot (*Prunus armeniaca* L.). *J.Agric.Food Chem.* 2008; 56: 4916-4922.
- Ryan, L., O'Connell, O., O'Sullivan, L., Aherne, S. A., & O'Brien, N. M. Micellarisation of carotenoids from raw and cooked vegetables. *Plant Foods Hum.Nutr.* 2008; 63: 127-133.
- Sackesen, C., Ercan, H., Dizdar, E., Soyer, O., Gumus, P., Tosun, B. N., Buyuktuncer, Z., Karabulut, E., Besler, T., & Kalayci, O. A comprehensive evaluation of the enzymatic and nonenzymatic antioxidant systems in childhood asthma. *J.Allergy Clin.Immunol.* 2008; 122: 78-85.
- Sahni, S., Hannan, M. T., Blumberg, J., Cupples, L. A., Kiel, D. P., & Tucker, K. L. Inverse association of carotenoid intakes with 4-y change in bone mineral density in elderly men and women: the Framingham Osteoporosis Study. *Am.J.Clin.Nutr.* 2009; 89: 416-424.
- Sanchez, A. M., Carmona, M., Zalacain, A., Carot, J. M., Jabaloyes, J. M., & Alonso, G. L. Rapid determination of crocetin esters and picrocrocin from saffron spice (*Crocus sativus* L.) using UV-visible spectrophotometry for quality control. *J.Agric.Food Chem.* 2008; 56: 3167-3175.
- Sanchez, A. M., Carmona, M., Ordoudi, S. A., Tsimidou, M. Z., & Alonso, G. L. Kinetics of individual crocetin ester degradation in aqueous extracts of saffron (*Crocus sativus* L.) upon thermal treatment in the dark. *J.Agric.Food Chem.* 2008; 56: 1627-1637.
- Sandesh, K. B., Vidhyavathi, R., Sarada, R., & Ravishankar, G. A. Enhancement of carotenoids by mutation and stress induced carotenogenic genes in *Haematococcus pluvialis* mutants. *Bioresour.Technol.* 2008; 99: 8667-8673.
- Sandmann, G., Takaichi, S., & Fraser, P. D. Novel C₃₅-apocarotenoids in the yellow mutant *Neurospora crassa* YLO. *Phytochemistry* 2008; 69: 2886-90.
- Schaffer, M. W., Sinha, R. S., Mukherjee, S., & Das, S. K. Identification of lutein, a dietary antioxidant carotenoid, in guinea pig tissues. *Biochem.Biophys.Res.Comm.* 2008; 374: 378-381.
- Scheibner, M., Hulsdau, B., Zelena, K., Nimtz, M., de Boer, L., Berger, R. G., & Zorn, H. Novel peroxidases of *Marasmius scorodorus* degrade β -carotene. *Appl.Microbiol.Biotechnol.* 2008; 77: 1241-1250.
- Scherzinger, D., & Al Babili, S. *In vitro* characterization of a carotenoid cleavage dioxygenase from *Nostoc* sp. PCC 7120 reveals a novel cleavage pattern, cytosolic localization and induction by highlight. *Mol.Microbiol.* 2008; 69: 231-244.
- Schilling, M., Haetzelt, F., Schwab, W., & Schrader, J. Impact of surfactants on solubilization and activity of the carotenoid cleavage dioxygenase, AtCCD1, in an aqueous micellar reaction system. *Biotechnol.Lett.* 2008; 30: 701-706.
- Schliemann, W., Kolbe, B., Schmidt, J., Nimtz, M., & Wray, V. Accumulation of apocarotenoids in mycorrhizal roots of leek (*Allium porrum*). *Phytochemistry.* 2008; 69: 1680-1688.
- Schwab, W., Davidovich-Rikanati, R., & Lewinsohn, E. Biosynthesis of plant-derived flavor compounds. *Plant J.* 2008; 54: 712-732.
- Scolastici, C., Alves de Lima, R. O., Barbisan, L. F., Ferreira, A. L., Ribeiro, D. A., & Salvadori, D. M. Antigenotoxicity and antimutagenicity of lycopene in HepG2 cell line evaluated by the comet assay and micronucleus test. *Toxicol. In Vitro* 2008; 22: 510-514.
- Serpen, A., Gokmen, V., Karagoz, A., & Koksels, H. Phytochemical quantification and total antioxidant capacities of emmer (*Triticum dicoccon* Schrank) and einkorn (*Triticum monococcum* L.) wheat landraces. *J.Agric.Food Chem.* 2008; 56: 7285-7292.
- Shaish, A., Harari, A., Kamari, Y., Soudant, E., Harats, D., & Ben Amotz, A. A carotenoid algal preparation containing phytoene and phytofluene inhibited LDL oxidation *in vitro*. *Plant Foods Hum.Nutr.* 2008; 63: 83-86.
- Shapira, N., & Pinchasov, J. Modified egg composition to reduce LDL oxidizability: high MUFA and antioxidants versus regular high n-6 PUFA. *J.Agric.Food Chem.* 2008; 56: 3688-3693.
- Sharifzadeh, M., Zhao, D. Y., Bernstein, P. S., & Gellermann, W. Resonance Raman imaging of macular pigment distributions in the human retina. *J.Opt.Soc.Am.A Opt.Image Sci.Vis.* 2008; 25: 947-957.
- Sheehan, J., Ionescu, A., Pouratian, N., Hamilton, D. K., Schlesinger, D., Oskouian, R. J., Jr., & Sansur, C. Use of *trans* sodium crocetin for sensitizing glioblastoma multiforme to radiation: laboratory investigation. *J.Neurosurg.* 2008; 108: 972-978.
- Sherrod, S. D., Diaz, A. J., Russell, W. K., Cremer, P. S., & Russell, D. H. Silver nanoparticles as selective ionization probes for analysis of olefins by mass spectrometry. *Anal.Chem.* 2008; 80: 6796-6799.
- Shim, S., & Mathies, R. A. Development of a tunable femtosecond stimulated Raman apparatus and its application to β -carotene. *J.Phys.Chem.B.* 2008; 112: 4826-4832.
- Stalke, S., Wild, D. A., Lenzer, T., Kopczynski, M., Lohse, P. W., & Oum, K. Solvent-dependent ultrafast internal conversion dynamics of n'-apo- β -carotenoic-n'-acids (n = 8, 10, 12). *Phys. Chem. Chem. Phys.* 2008; 10: 2180-2188.
- Sugiura, M., Nakamura, M., Ogawa, K., Ikoma, Y., Matsumoto, H., Ando, F., Shimokata, H., & Yano, M. Associations of serum carotenoid concentrations with the metabolic syndrome: interaction with smoking. *Br.J.Nutr.* 2008; 1-10.
- Sumiya, Y., Morita, S., Nishida, Y., Sakaki, H., Tsushima, M., Miki, W., Tanangonan, J., Sawabe, A., Sakagami, Y., & Komemushi, S. Phylogenetic analysis of carotenoid-producing marine microorganisms around the coral reefs of the Kerama Islands of Okinawa. *Biocontrol.Sci.* 2008; 13: 17-22.
- Sun, Z., Hans, J., Walter, M. H., Matusova, R., Beekwilder, J., Verstappen, F. W., Ming, Z., van Echtelt, E., Strack, D., Bisseling, T., & Bouwmeester, H. J. Cloning and characterisation of a maize carotenoid cleavage dioxygenase (ZmCCD1) and its involvement in the biosynthesis of apocarotenoids with various roles in mutualistic and parasitic interactions. *Planta* 2008; 228: 789-801.
- Takaichi, S., Maoka, T., Akimoto, N., Carmona, M. L., & Yamaoka, Y. Carotenoids in a *Corinebacteriaceae*, *Gordonia terrae* AIST-1: carotenoid glucosyl mycoloyl esters. *Biochem. Biosci. Biotechnol.* 2008; 72: 2615-22.
- Takeda, S., Bando, N., & Yamanishi, R. Ingested β -carotene enhances glutathione level and up-regulates the activity of cysteine cathepsin in murine splenocytes. *Biosci.Biotechnol.Biochem.* 2008; 72: 1595-1600.
- Talegawkar, S. A., Johnson, E. J., Carithers, T. C., Taylor, H. A., Bogle, M. L., & Tucker, K. L. Carotenoid intakes, assessed by food-frequency questionnaires (FFQs), are associated with serum carotenoid concentrations in the Jackson Heart Study: validation of the Jackson Heart Study Delta NRI Adult FFQs. *Public Health Nutr.* 2008; 11: 989-997.
- Tanaka, Y., & Ohmiya, A. Seeing is believing: engineering anthocyanin and carotenoid biosynthetic pathways. *Curr.Opin.Biotechnol.* 2008; 19: 190-7.
- Tanaka, Y., Sasaki, N., & Ohmiya, A. Biosynthesis of plant pigments: anthocyanins, betalains and carotenoids. *Plant J.* 2008; 54: 733-749.
- Tang, F. Y., Shih, C. J., Cheng, L. H., Ho, H. J., & Chen, H. J. Lycopene inhibits growth of human colon cancer cells via suppression of the Akt signaling pathway. *Mol.Nutr.Food Res.* 2008; 52: 646-654.
- Tanvetyanon, T., & Bepler, G. β -Carotene in multivitamins and the possible risk of lung cancer among smokers versus former smokers: a meta-analysis and evaluation of national brands. *Cancer* 2008; 113:150-7.
- Theiss, C., Leupold, D., Moskalenko, A. A., Razjivin, A. P., Eichler, H. J., & Lokstein, H. Femtosecond spectroscopy of native and carotenoidless purple-bacterial LH2 clarifies functions of carotenoids. *Biophys.J.* 2008; 94: 4808-4811.
- Thirunavukkarasu, N., Mishra, M. N., Spaepen, S., Vanderleyden, J., Gross, C. A., & Tripathi, A. K. An extra-cytoplasmic function σ -factor and anti- σ -factor control carotenoid biosynthesis in *Azospirillum brasilense*. *Microbiology* 2008; 154: 2096-2105.
- Tian, Y. X., Han, R. M., Zhang, J. P., & Skibsted, L. H. Effect of

- polar solvents on β -carotene radical precursor. *Free Radic.Res.* 2008;42:281-6.
- Toral, G. M., Figuerola, J., & Negro, J. J. Multiple ways to become red: pigment identification in red feathers using spectrometry. *Comp. Biochem.Physiol B Biochem.Mol.Biol.* 2008; 150: 147-152.
- Torrecilla, J. S., Camara, M., Fernandez-Ruiz, V., Piera, G., & Caceres, J. O. Solving the spectroscopy interference effects of β -carotene and lycopene by neural networks. *J.Agric.Food Chem.* 2008; 56: 6261-6266.
- Tozzi, R., Mulinacci, N., Storlikken, K., Pasquali, I., Vincieri, F. F., & Bettini, R. Supercritical extraction of carotenoids from *Rosa canina* L. hips and their formulation with β -cyclodextrin. *AAPS.Pharm.Sci.Tech.* 2008; 9: 693-700.
- Tripathi, D. N. & Jena, G. B. Astaxanthin inhibits cytotoxic and genotoxic effects of cyclophosphamide in mice germ cells. *Toxicology* 2008; 248: 96-103.
- Ukibe, K., Katsuragi, T., Tani, Y., & Takagi, H. Efficient screening for astaxanthin-overproducing mutants of the yeast *Xanthophyllomyces dendrorhous* by flow cytometry. *FEMS Microbiol.Lett.* 2008; 286: 241-48.
- van Breemen, R. B. & Pajkovic, N. Multitargeted therapy of cancer by lycopene. *Cancer Lett.* 2008; 269: 339-351.
- van Dijk, B. A., Schouten, L. J., Oosterwijk, E., Hulsbergen-van de Kaa CA, Kiemeny, L. A., Goldbohm, R. A., Schalken, J. A., & van den Brandt, P. A. Carotenoid and vitamin intake, von Hippel-Lindau gene mutations and sporadic renal cell carcinoma. *Cancer Causes Control.* 2008; 19: 125-134.
- van Rooyen, J., Esterhuysen, A. J., Engelbrecht, A. M., & du Toit, E. F. Health benefits of a natural carotenoid rich oil: a proposed mechanism of protection against ischaemia/ reperfusion injury. *Asia Pac.J.Clin.Nutr.* 2008; 17 Suppl 1: 316-319.
- Vandekinderen, I., Van Camp, J., Devlieghere, F., Veramme, K., Denon, Q., Ragaert, P., & De Meulenaer, B. Effect of decontamination agents on the microbial population, sensorial quality, and nutrient content of grated carrots (*Daucus carota* L.). *J.Agric.Food Chem.* 2008;56:5723-31
- Varco-Merth, B., Fromme, R., Wang, M., & Fromme, P. Crystallization of the c14-rotor of the chloroplast ATP synthase reveals that it contains pigments. *Biochim.Biophys.Acta.* 2008; 1777: 605-612.
- Vaz, B., Pereira, R., Perez, M., Alvarez, R., & de Lera, A. R. Stereoselective Stille coupling of enantiopure haloallenes and alkenylstannanes for the synthesis of allenyl carotenoids. Experimental and computational studies. *J.Org.Chem.* 2008; 73: 6534-6541.
- Vidhyavathi, R., Venkatachalam, L., Sarada, R., & Ravishankar, G. A. Regulation of carotenoid biosynthetic genes expression and carotenoid accumulation in the green alga *Haematococcus pluvialis* under nutrient stress conditions. *J.Exp.Bot.* 2008; 59: 1409-1418.
- Vieira, M. M., Paik, J., Blaner, W. S., Soares, A. M., Mota, R. M., Guerrant, R. L., & Lima, A. A. Carotenoids, retinol, and intestinal barrier function in children from northeastern Brazil. *J. Pediatr. Gastroenterol. Nutr.* 2008; 47: 652-659.
- Vieler, A., Scheidt, H. A., Schmidt, P., Montag, C., Nowoisky, J. F., Lohr, M., Wilhelm, C., Huster, D., & Goss, R. The influence of phase transitions in phosphatidylethanolamine models on the activity of violaxanthin de-epoxidase. *Biochim.Biophys.Acta* 2008;1778:1027-1034.
- Vilasoa-Martinez, M., Calaza-Ramos, C., Lopez-Hernandez, J., Lage-Yusty, M. A., Losada, P. P., & Rodriguez-Bernaldo, d. Q. Determination of vitamin E and carotenoid pigments by HPLC in shell of *Chionoecetes opilio*. *Anal.Chim.Acta* 2008; 617: 225-229.
- Vogel, J. T., Tan, B. C., McCarty, D. R., & Klee, H. J. The carotenoid cleavage dioxygenase 1 enzyme has broad substrate specificity, cleaving multiple carotenoids at two different bond positions. *J.Biol.Chem.* 2008; 283: 11364-11373.
- Wade, N. M., Melville-Smith, R., Degnan, B. M., & Hall, M. R. Control of shell colour changes in the lobster, *Panulirus cygnus*. *J.Exp.Biol.* 2008; 211: 1512-1519.
- Wang, C., Armstrong, D. W., & Chang, C. D. Rapid baseline separation of enantiomers and a mesoform of all-trans-astaxanthin, 13-cis-astaxanthin, adonirubin, and adonixanthin in standards and commercial supplements. *J.Chromatogr.A.* 2008; 1194: 172-177.
- Wang, H., Zhao, X., & Yin, S. [Effects of coenzyme Q10 alone or combined with micronutrients on antioxidant defense system in rats]. *Wei Sheng Yan.Jiu.* 2008; 37: 311-313.
- Wang, J., Wang, Y., Wang, Z., Li, L., Qin, J., Lai, W., Fu, Y., Suter, P. M., Russell, R. M., Grusak, M. A., Tang, G., & Yin, S. Vitamin A equivalence of spirulina β -carotene in Chinese adults as assessed by using a stable-isotope reference method. *Am.J.Clin.Nutr.* 2008; 87: 1730-37.
- Wang, L., Gaziano, J. M., Norkus, E. P., Buring, J. E., & Sesso, H. D. Associations of plasma carotenoids with risk factors and biomarkers related to cardiovascular disease in middle-aged and older women. *Am.J.Clin.Nutr.* 2008; 88: 747-754.
- Wang, M. & Lin, X. [Protective role of lutein on light-damage of retina]. *Wei Sheng Yan.Jiu.* 2008; 37: 115-117.
- Wang, S. L., Chen, D. J., Deng, B. W., & Wu, X. Z. Effects of high hydrostatic pressure on the growth and β -carotene production of *Rhodotorula glutinis*. *Yeast* 2008; 25: 251-257.
- Welsch, R., Wust, F., Bar, C., Al Babili, S., & Beyer, P. A third phytoene synthase is devoted to abiotic stress-induced abscisic acid formation in rice and defines functional diversification of phytoene synthase genes. *Plant Physiol.* 2008; 147: 367-380.
- Willcox, B. J., Curb, J. D., & Rodriguez, B. L. Antioxidants in cardiovascular health and disease: key lessons from epidemiologic studies. *Am.J.Cardiol.* 2008; 101: 75D-86D.
- Wilson, A., Punginelli, C., Gall, A., Bonetti, C., Alexandre, M., Routaboul, J. M., Kerfeld, C. A., van Grondelle, R., Robert, B., Kennis, J. T., & Kirilovsky, D. A photoactive carotenoid protein acting as light intensity sensor. *Proc.Natl.Acad.Sci.U.S.A.* 2008; 105: 12075-12080.
- Wojcik, M., Bobowiec, R., & Martelli, F. Effect of carotenoids on *in vitro* proliferation and differentiation of oval cells during neoplastic and non-neoplastic liver injuries in rats. *J.Physiol Pharmacol.* 2008; 59 Suppl 2: 203-213.
- Yamaguchi, M. & Uchiyama, S. Combination of β -cryptoxanthin and zinc has potent effects on apoptotic cell death and suppression of bone resorption-related gene expression in osteoclastic cells. *Int.J.Mol.Med.* 2008; 22: 221-228.
- Yamano, Y., Ito, M., & Wada, A. Total synthesis of cucurbitaxanthin A, cycloviolaxanthin and capsanthin 3,6-epoxide by applying a regioselective ring opening of tetrasubstituted epoxides. *Org.Biomol.Chem.* 2008; 6: 3421-3427.
- Ye, Z. & Song, H. Antioxidant vitamins intake and the risk of coronary heart disease: meta-analysis of cohort studies. *Eur.J.Cardiovasc.Prev.Rehabil.* 2008; 15: 26-34.
- Ye, Z. W., Jiang, J. G., & Wu, G. H. Biosynthesis and regulation of carotenoids in *Dunaliella*: progresses and prospects. *Biotechnol.Adv.* 2008; 26: 352-360.
- Yoon, J., Matsuo, Y., Matsuda, S., Adachi, K., Kasai, H., & Yokota, A. *Rubritealea sabuli* sp. nov., a carotenoid- and squalene-producing member of the family *Verrucomicrobiaceae*, isolated from marine sediment. *Int.J.Syst.Evol.Microbiol.* 2008; 58: 992-997.
- Young, C. Y., Yuan, H. Q., He, M. L., & Zhang, J. Y. Carotenoids and prostate cancer risk. *Mini.Rev.Med.Chem.* 2008; 8: 529-537.
- Zadorozhnyi, P., Borisovets, E.E., Iakush, E.V., Davidiuk, T.S. [Change of carotenoid composition in crabs during embryogenesis]. *Zh.Evol.Biokhim.Fiziol.* 2008; 44: 381-390.
- Zhang, G., Zhu, B., Nakamura, Y., Shimoishi, Y., & Murata, Y. Structure-dependent photodegradation of carotenoids accelerated by dimethyl tetrasulfide under UVA irradiation. *Biosci.Biotechnol.Biochem.* 2008; 72: 2176-2183.
- Zhang, W. & Dubcovsky, J. Association between allelic variation at the Phytoene synthase 1 gene and yellow pigment content in the wheat grain. *Theor.Appl.Genet.* 2008; 116: 635-645.
- Zhang, Z. X., Zhao, H. W., Zhu, H. P., Hao, S. M., Wang, W. F., Li, W. X., & Suppiah, N. [The triplet properties of β -carotene in acetonitrile solution: a laser flash photolysis study]. *Guang.Pu.Xue.Yu Guang.Pu.Fen.Xi.* 2008; 28: 481-484.
- Zhao, L. & Sweet, B. V. Lutein and zeaxanthin for macular degeneration. *Am.J.Health Syst.Pharm.* 2008; 65: 1232-1238.
- Zhao, X., Pan, L., Meng, J., & Wang, Y. [Several carotenoids of vegetables determined by HPLC]. *Wei Sheng Yan.Jiu.* 2008; 37: 228-30
- Zhou, X., Van Eck, J., & Li, L. Use of the cauliflower Or gene for improving crop nutritional quality. *Biotechnol.Annu.Rev.* 2008;14:171-190
- Zhu, Y. H., Jiang, J. G., & Chen, Q. Influence of daily collection and culture medium recycling on the growth and β -carotene yield of *Dunaliella salina*. *J.Agric.Food Chem.* 2008; 56: 4027-4031.
- Zhu, Y. H., Jiang, J. G., & Chen, Q. Characterization of cDNA of lycopene β -cyclase responsible for a high level of β -carotene accumulation in *Dunaliella salina*. *Biochem.Cell Biol.* 2008; 86: 285-292.
- Zude, M., Spinelli, L., & Torricelli, A. Approach for non-destructive pigment analysis in model liquids and carrots by means of time-of-flight and multi-wavelength remittance readings. *Anal.Chim.Acta.* 2008; 623: 204-212.

TECHNICAL NOTE

NIST Develops Multivitamin Reference Material

A new reference material for assessing the amounts of vitamins, carotenoids, and trace elements in dietary supplements has been developed by the National Institute of Standards and Technology (NIST). The certified reference material, named Standard Reference Material (SRM) 3280 for multivitamin/multimineral tablets, was created in collaboration with the Office of Dietary Supplements (ODS) at the National Institutes of Health (NIH). A definitive, independently certified standard has been lacking and the new standard helps fill that gap. The reference material is priced currently at \$587 for 150 tablets in 5 bottles. The material was prepared by a tablet manufacturer as a non-commercial batch of tablets according to their normal procedures. NIST scientists then tested and certified the concentrations of 24 elements and 17 vitamins and carotenoid compounds in the tablets. According to certificate of analysis, it contains 514 ± 87 μg of total β -carotene, 205 ± 50 μg of lutein, and 780 ± 190 μg of retinol (added as retinyl acetate) per gram of product. "We are not saying what a product should contain, but what it does contain," said Dr Katherine Sharpless from the NIST's Analytical Chemistry Division. "Our SRMs are intended for analytical chemists to use to make sure their methods are working properly, not a benchmark for what a good product should be." According to a National Institutes of Health (NIH) State-of-the-Science Panel, half of the American population routinely use dietary supplements, with their annual spending estimated at over \$20 billion.

www.nutraingredients-usa.com 2/12/2009

NEWS AND VIEWS

Novel Hormones Regulate Shoot Branching in Plants

A carotenoid-derived hormonal signal that inhibits shoot branching in plants has long escaped identification. Strigolactones are compounds thought to be derived from carotenoids and are known to trigger the germination of parasitic plant seeds and stimulate symbiotic fungi. Two recent studies (*Nature* 2008, 455:189-194 and 195-200) found that mutants defective in carotenoid cleavage dioxygenase (CCD7 or CCD8) have enhanced shoot branching. They are strigolactone-deficient and the root application of strigolactones inhibits shoot branching in these mutants. In agreement with the expected properties of the hormonal signal, exogenous strigolactones can be transported in shoots and act at low concentrations. Endogenous strigolactones or related compounds inhibit shoot branching in plants. Furthermore, *ccd8* mutants demonstrate the diverse effects of strigolactones in shoot branching, mycorrhizal symbiosis and parasitic weed interaction. Thus, strigolactones act as a new hormone class in regulating above-ground plant architecture, and also have a function in underground communication with other neighboring organisms.

Nature 2008, 455 (9/11/2008)

Genetic variability of β -Carotene Conversion in Humans

The key enzyme responsible for β -carotene conversion into retinal is β -carotene 15,15'-monooxygenase (BCMO1). Since it has been reported that the conversion of β -

carotene into vitamin A is highly variable in up to 45% of healthy individuals, we hypothesized that genetic polymorphisms in the BCMO1 gene could contribute to the occurrence of the poor converter phenotype. We identified two common non-synonymous single nucleotide polymorphisms (267S, 379V) with variant allele frequencies of 42 and 24%, respectively. *In vitro* biochemical characterization of the recombinant 267S+379V double mutant revealed a reduced catalytic activity of BCMO1 by 57% ($P < 0.001$). Assessment of the responsiveness to a pharmacological dose of β -carotene in female volunteers confirmed that carriers of both the 379V and 267S+379V variant alleles had a reduced ability to convert β -carotene, as indicated through reduced retinyl palmitate to β -carotene ratios in the triglyceride-rich lipoprotein fraction [-32% ($P = 0.005$) and -69% ($P = 0.001$), respectively] and increased fasting β -carotene concentrations [+160% ($P = 0.025$) and +240% ($P = 0.041$), respectively]. Our data show that there is genetic variability in β -carotene metabolism and it may provide an explanation for the molecular basis of the poor converter phenotype within the population.

Leung WC, et al. *FASEB J.* 23,2009, online(12/22/2008)

Lutein Bioavailability from Fortified Fermented Milk

Fortifying fermented milk with lutein may be a suitable vehicle to boost intakes of the compound (*J. Nutr. Biochem.* 2009). In Spain, 24 volunteers were recruited and randomized to consume the fortified fermented milk with two different lutein doses (equivalent to 4 or 8 mg free lutein in 100 mL milk). A single dose study and a multiple dose study for 14 days were performed. Consumption of the milk resulted in increases in the blood levels of lutein, with the higher dose milk raising levels more than the lower dose. The results show that the regular consumption of lutein ester-fortified fermented milk, at the level of fortification and consumption used (4–8 mg/day), may increase the serum levels of lutein above the 90 percentile of the reference ranges in the US and European populations (greater than 0.50 $\mu\text{mol/L}$). Lutein, a nutrient found in various foods including green leafy vegetables, yellow corn and egg yolk, has a 10-year history in the dietary supplement market as a nutrient to reduce the risk of age related macular degeneration.

www.nutraingredients-usa.com (2/9/2009)

Internet Addresses for Carotenoid Researchers

1. USDA Nutrient Database for Standard Reference (SR17) is a major source of food composition data for epidemiologists and nutritionists. Carotenoid Food Database contains best available estimates of carotenoid content in foods:

www.nal.usda.gov/fnic/foodcomp/Data/car98/car98.html

2. Agricultural Research Service (ARS) prepared searchable database to view 60-nutrient profile (including carotenoids) for more than 13,000 foods: www.ars.usda.gov/foodsearch

3. International Carotenoid Society (ICS) Webpage: www.carotenoidsociety.org.

4. LIPID BANK for Web. Carotenoid Section of Lipid Database developed by Research Institute, International Medical Center of Japan, <http://lipidbank.jp>. Also available on ICS webpage: www.carotenoidsociety.org through Articles button.

Published twice a year, in February and August by
**CAROTENOID RESEARCH INTERACTIVE GROUP
(CARIG)**

Chairperson : Elizabeth Johnson (Boston, MA)
Treasurer: Mario Ferruzzi (West Lafayette, IN)
Editor: Maria S. Sapuntzakis
Address: 5825 N. Forest Glen Ave
Chicago, IL 60646
E-mail: msapuntz@gmail.com
Subscription: \$10 per year (checks payable to ASN,
American Society for Nutrition)
Website: www.carotenoidsociety.org

